

People with chronic condition and/or limitations in usual activities by sex and age 2004-2018

		Proportion of individuals (%)											
		Chronic condition			Total - health limitation			Somewhat limited			Severely limited		
		Total	Females	Males	Total	Females	Males	Total	Females	Males	Total	Females	Males
2004	Total	26,6	30,8	22,4	21,0	25,4	16,7	12,9	16,2	9,6	8,1	9,2	7,1
	16-24 years old	21,5	22,0	21,1	16,2	19,7	13,0	12,8	16,7	9,2	3,4	3,0	3,8
	25-34 years old	20,2	24,9	15,5	15,2	19,2	11,3	11,4	15,1	7,8	3,8	4,1	3,5
	35-44 years old	19,8	22,9	16,8	16,4	19,3	13,5	10,8	13,0	8,7	5,5	6,3	4,8
	45-54 years old	26,2	29,8	22,7	18,8	24,2	13,7	10,8	14,6	7,1	8,1	9,6	6,6
	55-64 years old	33,1	40,5	26,1	26,1	31,5	21,0	15,7	19,6	12,1	10,4	11,9	8,9
	65 + years old	44,8	50,3	38,3	38,5	42,7	33,7	17,6	20,1	14,8	20,9	22,6	18,8
2005	Total	25,2	28,0	22,3	19,6	22,8	16,3	12,3	14,4	10,3	7,3	8,5	6,1
	16-24 years old	17,0	16,1	17,9	12,3	13,3	11,3	9,3	9,4	9,1	3,0	3,9	2,2
	25-34 years old	17,4	20,5	14,4	13,1	17,2	9,1	9,1	12,7	5,6	4,0	4,4	3,6
	35-44 years old	21,2	24,6	17,7	16,9	20,2	13,6	12,2	14,3	10,1	4,7	5,9	3,5
	45-54 years old	25,5	28,0	23,0	18,4	20,5	16,5	12,3	15,6	9,2	6,1	4,9	7,3
	55-64 years old	31,8	33,9	29,7	25,3	28,3	22,4	14,4	14,5	14,2	11,0	13,8	8,2
	65 + years old	43,4	49,1	37,2	36,1	41,3	30,4	18,4	20,4	16,2	17,7	20,9	14,2
2006	Total	24,4	27,0	21,7	18,5	22,0	15,1	12,9	15,4	10,4	5,7	6,7	4,7
	16-24 years old	16,3	16,5	16,1	11,7	14,5	9,1	9,1	10,8	7,5	2,6	3,7	1,6
	25-34 years old	20,1	20,7	19,5	14,9	16,7	13,1	11,6	13,4	9,9	3,2	3,3	3,2
	35-44 years old	18,2	20,8	15,7	13,8	16,3	11,2	10,8	13,0	8,7	3,0	3,4	2,6
	45-54 years old	24,9	26,2	23,6	18,5	20,2	16,9	13,8	15,8	12,0	4,7	4,4	4,9
	55-64 years old	30,6	36,5	24,4	24,4	30,3	18,2	13,6	17,6	9,4	10,8	12,7	8,8
	65 + years old	41,2	47,1	35,1	32,4	39,0	25,5	19,7	23,4	15,8	12,8	15,7	9,7
2007	Total	18,2	21,1	15,3	16,9	20,4	13,4	10,1	11,8	8,4	6,8	8,7	5,0
	16-24 years old	9,9	13,6	6,4	8,0	10,8	5,3	5,1	6,7	3,7	2,8	4,1	1,7
	25-34 years old	14,3	16,9	11,9	12,9	17,3	8,7	8,1	9,5	6,8	4,8	7,8	1,9
	35-44 years old	16,7	18,9	14,6	13,1	15,6	10,7	8,2	8,7	7,8	4,9	7,0	2,9
	45-54 years old	22,2	24,1	20,5	17,7	19,3	16,1	9,8	9,6	10,0	7,9	9,7	6,1
	55-64 years old	22,2	26,3	18,1	22,5	25,2	19,9	12,2	13,2	11,3	10,3	12,0	8,6
	65 + years old	26,2	28,7	23,3	31,5	37,3	24,8	19,3	24,6	13,2	12,2	12,7	11,6
2008	Total	26,0	28,3	23,8	16,1	19,4	12,9	7,1	8,5	5,7	9,1	10,9	7,2
	16-24 years old	14,7	19,1	10,4	10,0	13,8	6,3	5,7	7,8	3,6	4,3	6,0	2,7
	25-34 years old	19,0	20,5	17,6	12,2	13,6	11,0	6,8	7,4	6,3	5,4	6,2	4,6
	35-44 years old	20,3	19,6	21,0	10,1	12,3	8,0	5,0	5,5	4,6	5,1	6,8	3,4
	45-54 years old	27,1	28,9	25,5	15,0	16,2	13,7	6,5	7,2	6,0	8,4	9,1	7,8
	55-64 years old	35,8	39,2	32,5	19,6	24,5	15,0	6,0	9,2	3,0	13,6	15,3	12,0
	65 + years old	45,4	47,4	43,0	34,4	39,8	28,0	13,2	14,9	11,3	21,1	24,8	16,8
2009	Total	27,5	29,4	25,7	18,4	20,2	16,8	8,7	9,7	7,8	9,7	10,5	9,0
	16-24 years old	17,2	18,7	15,7	10,3	11,0	9,7	6,5	6,0	6,9	3,9	5,0	2,8
	25-34 years old	18,5	17,8	19,1	13,0	11,2	14,7	6,9	6,0	7,7	6,2	5,2	7,0
	35-44 years old	22,6	26,2	19,1	12,8	14,6	11,0	6,2	7,8	4,6	6,6	6,8	6,4
	45-54 years old	27,8	29,5	26,1	16,4	17,0	15,7	8,5	9,4	7,7	7,8	7,6	8,1
	55-64 years old	34,1	38,6	29,7	23,9	26,7	21,1	11,9	14,0	9,8	12,0	12,7	11,4
	65 + years old	50,7	49,8	51,6	39,1	44,2	33,3	14,0	16,5	11,3	25,0	27,8	22,0

2010	Total	28,8	31,2	26,3	20,9	23,8	17,9	9,6	11,7	7,5	11,3	12,1	10,5
	16-24 years old	18,9	21,7	16,2	15,0	17,9	12,3	9,0	11,9	6,2	6,1	6,0	6,1
	25-34 years old	21,5	19,1	23,9	12,4	9,9	15,0	6,9	5,7	8,0	5,6	4,2	6,9
	35-44 years old	21,3	24,4	18,4	16,5	20,7	12,4	8,0	11,3	4,7	8,5	9,3	7,7
	45-54 years old	28,9	31,5	26,4	20,3	22,2	18,4	9,1	10,1	8,1	11,2	12,1	10,3
	55-64 years old	36,2	41,7	30,7	26,7	34,8	18,4	10,1	15,0	5,2	16,6	19,8	13,2
	65 + years old	49,2	51,7	46,3	37,1	40,3	33,7	15,1	17,0	12,9	22,1	23,2	20,8
2011	Total	30,0	33,2	26,7	21,9	25,2	18,6	10,2	12,8	7,5	11,7	12,4	11,0
	16-24 years old	18,9	19,0	18,8	17,1	16,1	18,0	10,5	11,7	9,3	6,6	4,4	8,7
	25-34 years old	23,4	26,5	20,3	16,8	19,3	14,4	9,4	11,5	7,3	7,4	7,8	7,1
	35-44 years old	19,9	20,3	19,4	15,6	18,4	12,8	7,4	10,8	4,0	8,2	7,6	8,8
	45-54 years old	30,8	33,4	28,0	22,5	24,1	20,9	9,7	12,1	7,2	12,8	12,0	13,7
	55-64 years old	38,8	44,4	33,2	25,7	33,6	17,7	10,0	14,1	6,0	15,7	19,6	11,7
	65 + years old	51,3	57,9	43,9	35,5	41,5	28,9	14,5	17,2	11,6	21,0	24,4	17,3
2012	Total	28,8	32,0	25,6	21,7	24,7	18,7	10,5	11,9	9,0	11,3	12,8	9,7
	16-24 years old	18,2	20,0	16,5	15,6	16,7	14,6	10,2	11,3	9,2	5,4	5,4	5,4
	25-34 years old	19,8	20,8	18,7	14,4	12,8	16,0	7,5	7,6	7,3	6,9	5,2	8,7
	35-44 years old	21,0	24,7	17,2	16,6	20,6	12,4	9,1	11,6	6,5	7,5	9,0	5,9
	45-54 years old	28,1	29,8	26,4	21,6	22,7	20,5	9,5	9,9	9,1	12,1	12,8	11,4
	55-64 years old	38,7	48,3	29,6	29,6	39,8	20,0	13,1	18,1	8,3	16,5	21,8	11,6
	65 + years old	49,2	50,5	47,7	34,1	37,9	29,8	13,9	13,9	13,9	20,2	24,0	15,9
2013	Total	29,3	33,1	25,4	22,1	26,8	17,4	11,2	13,9	8,6	10,8	12,9	8,8
	16-24 years old	22,0	26,6	17,8	18,4	24,2	13,1	10,6	14,3	7,2	7,8	9,8	5,9
	25-34 years old	19,8	21,2	18,4	16,6	17,8	15,5	10,6	11,6	9,5	6,1	6,2	5,9
	35-44 years old	23,2	24,9	21,5	19,5	23,0	16,2	10,3	11,8	8,8	9,2	11,2	7,3
	45-54 years old	26,4	29,7	22,8	21,5	24,3	18,6	10,6	12,3	8,9	10,9	12,0	9,7
	55-64 years old	39,0	47,5	30,5	27,3	37,4	17,3	12,2	17,5	7,0	15,1	19,9	10,3
	65 + years old	47,2	50,1	43,9	29,9	35,1	24,3	13,3	16,5	9,8	16,6	18,6	14,5
2014	Total	30,6	34,4	26,8	23,8	28,8	18,8	12,3	15,9	8,6	11,6	12,9	10,2
	16-24 years old	21,6	22,7	20,6	18,8	22,0	15,9	11,2	12,8	9,7	7,6	9,2	6,1
	25-34 years old	20,4	23,9	17,1	16,0	21,7	10,6	9,4	14,3	4,6	6,6	7,3	5,9
	35-44 years old	27,1	31,3	22,9	20,4	24,6	16,1	10,7	12,6	8,7	9,7	11,9	7,4
	45-54 years old	30,7	36,2	24,9	23,7	28,8	18,5	11,8	15,5	8,0	11,9	13,3	10,5
	55-64 years old	40,2	43,2	37,1	30,7	35,8	25,5	15,2	20,5	9,8	15,5	15,3	15,7
	65 + years old	45,2	48,9	41,2	34,2	39,9	28,0	15,7	19,8	11,2	18,5	20,1	16,8
2015	Total	30,2	35,3	25,1	24,3	29,2	19,5	12,1	15,1	9,2	12,2	14,1	10,3
	16-24 years old	26,4	29,1	23,9	22,1	23,6	20,8	13,2	14,8	11,8	8,9	8,8	9,1
	25-34 years old	18,9	26,4	12,0	19,1	27,6	11,2	9,8	15,9	4,1	9,3	11,6	7,1
	35-44 years old	24,6	27,9	21,3	21,0	26,0	15,8	11,4	13,0	9,7	9,6	13,0	6,1
	45-54 years old	31,9	35,7	27,9	23,8	26,7	20,8	12,2	13,8	10,6	11,6	12,9	10,2
	55-64 years old	37,6	45,0	29,6	27,3	32,9	21,2	12,8	16,4	9,0	14,4	16,6	12,1
	65 + years old	42,3	47,2	37,2	32,8	37,8	27,6	13,5	16,8	10,0	19,4	21,1	17,5
2016	Total	32,6	37,7	27,5	26,0	31,8	20,2	12,7	15,6	9,8	13,3	16,2	10,3
	16-24 years old	24,4	28,4	20,7	21,2	25,6	17,1	11,6	15,6	7,8	9,6	10,0	9,2
	25-34 years old	23,7	32,3	15,5	22,6	34,0	11,6	12,2	18,6	5,9	10,4	15,3	5,7
	35-44 years old	28,8	31,0	26,7	23,0	23,6	22,3	11,0	9,5	12,5	12,0	14,2	9,8
	45-54 years old	36,7	43,6	29,6	26,1	34,3	17,7	12,8	18,2	7,4	13,2	16,1	10,3
	55-64 years old	35,6	38,0	33,2	27,4	32,4	22,3	13,6	16,2	10,9	13,9	16,3	11,4
	65 + years old	46,4	51,7	41,0	35,6	40,0	31,1	15,2	15,5	14,9	20,5	24,6	16,2

2017	Total	30,1	34,5	25,8	25,6	30,8	20,5	13,6	16,9	10,3	12,0	13,9	10,1
	16-24 years old	20,2	21,6	18,9	18,7	22,8	14,8	13,4	17,3	9,6	5,3	5,4	5,2
	25-34 years old	23,8	30,9	17,3	22,6	31,3	14,7	12,7	17,3	8,5	9,9	14,0	6,2
	35-44 years old	25,2	32,5	18,3	20,9	27,3	14,9	10,8	14,9	6,9	10,1	12,4	8,0
	45-54 years old	34,3	42,2	26,4	27,0	31,3	22,7	14,9	17,8	12,1	12,1	13,5	10,6
	55-64 years old	38,8	38,6	39,1	31,4	33,2	29,5	13,5	13,2	13,7	17,9	20,0	15,9
	65 + years old	39,2	40,6	37,7	33,2	37,7	28,2	16,1	19,8	12,1	17,1	17,9	16,2
2018	Total	32,2	38,0	26,6	26,0	32,0	20,2	13,5	16,3	10,9	12,5	15,7	9,3
	16-24 years old	23,0	28,3	17,9	20,7	24,6	17,0	13,8	15,1	12,7	6,9	9,5	4,3
	25-34 years old	24,2	31,0	18,2	19,2	24,5	14,6	10,4	11,3	9,6	8,8	13,1	4,9
	35-44 years old	30,1	35,9	24,8	21,1	27,7	15,1	11,9	14,2	9,8	9,2	13,5	5,3
	45-54 years old	32,7	40,0	25,6	27,6	34,0	21,4	15,9	20,2	11,8	11,7	13,8	9,7
	55-64 years old	37,5	43,2	31,8	29,8	37,1	22,5	12,4	16,1	8,7	17,4	21,0	13,7
	65 + years old	46,1	48,8	43,2	38,1	43,4	32,4	17,1	20,9	12,9	21,1	22,5	19,4

Estimates for 2018 are preliminary.

During the publication of results for the years 2015-2018 older results were revised. The revision showed that a higher percentage is limited in daily life due to health reason than older results suggested from 2007 and Unit:

Proportion of individuals (%):

The results come from Statistics on Income and Living conditions survey (SILC). The general research unit in SILC is the household. The sample is drawn on a random basis from the National Registry of Persons. The selected respondent provides all information about the living conditions of the household, their own conditions and the conditions of all other household members. Here the analysis is based on the selected respondent.

Indicator:

Chronic condition:

Respondents were asked:

Do you have any long-term condition or health problems?

By long-term we mean an illness or health problems that has lasted or is expected to last for six months or longer.

Indicator:

Total - health limitation:

Respondents were asked:

For at least the past six months, have you been limited due to a health problem in activities one can assume most people can do?

The percentage refers to those who are limited and severely limited due to health problems.

Indicator:

Somewhat limited:

Respondents were asked:

For at least the past six months, have you been limited due to a health problem in activities one can assume most people can do?

The percentage refers to those who are somewhat limited due to health problems.

Indicator:

Severely limited:

Respondents were asked:

For at least the past six months, have you been limited due to a health problem in activities one can assume most people can do?

The percentage refers to those who are severely limited due to health problems.

Latest update: 20191205 09:00

Units: Percent

Reference period: 2007-2018

Internal reference code: HEI20021