

AMI statistics. Based on county of residence, Västerbotten, Age interval: 20-85+, 2020-2021

Indicator	Sex	Age	2020	2021
Persons with at least one incidence of AMI	Men	20-24	--	--
		25-29	--	--
		30-34	--	2
		35-39	--	1
		40-44	5	6
		45-49	8	10
		50-54	14	16
		55-59	26	24
		60-64	51	35
		65-69	42	50
		70-74	90	69
		75-79	67	61
		80-84	51	53
		85-	46	66
	20-85+	400	393	
	Women	20-24	--	--
		25-29	--	--
		30-34	--	1
		35-39	--	--
		40-44	2	2
		45-49	3	1
		50-54	5	2
		55-59	10	14
		60-64	11	6
		65-69	19	21
		70-74	37	42
		75-79	36	39
80-84		42	37	
85-	67	84		
20-85+	232	249		
Both sexes	20-24	--	--	
	25-29	--	--	
	30-34	--	3	
	35-39	--	1	
	40-44	7	8	
	45-49	11	11	
	50-54	19	18	
	55-59	36	38	
	60-64	62	41	
	65-69	61	71	
	70-74	127	111	
	75-79	103	100	
	80-84	93	90	
	85-	113	150	
20-85+	632	642		
Persons with at least one incidence of AMI or any other IHD as underlying cause of death	Men	20-24	--	--
		25-29	--	--
		30-34	--	2
		35-39	--	1
		40-44	5	6
		45-49	8	10
		50-54	16	17
		55-59	27	24
		60-64	56	40
		65-69	52	56
		70-74	99	78
		75-79	81	69
		80-84	59	73
		85-	87	112

		20-85+	490	488
	Women	20-24	--	--
		25-29	--	--
		30-34	--	1
		35-39	--	--
		40-44	2	2
		45-49	3	1
		50-54	5	2
		55-59	10	14
		60-64	12	6
		65-69	21	22
		70-74	38	47
		75-79	37	42
		80-84	49	43
		85-	116	122
	Both sexes	20-85+	293	302
		20-24	--	--
		25-29	--	--
		30-34	--	3
		35-39	--	1
		40-44	7	8
		45-49	11	11
		50-54	21	19
		55-59	37	38
		60-64	68	46
		65-69	73	78
		70-74	137	125
		75-79	118	111
		80-84	108	116
		85-	203	234
		20-85+	783	790
Persons with at least one hospital admission with AMI	Men	20-24	--	--
		25-29	--	--
		30-34	--	2
		35-39	--	1
		40-44	4	5
		45-49	8	9
		50-54	13	15
		55-59	22	18
		60-64	48	30
		65-69	34	42
		70-74	78	59
		75-79	55	52
		80-84	40	47
	85-	36	58	
		20-85+	338	338
	Women	20-24	--	--
		25-29	--	--
		30-34	--	1
		35-39	--	--
		40-44	2	2
		45-49	3	1
		50-54	4	2
		55-59	8	12
		60-64	11	4
		65-69	18	18
		70-74	35	36
		75-79	27	29
		80-84	34	30
	85-	47	69	
	20-85+	189	204	
Both sexes	20-24	--	--	

		25-29	--	--	
		30-34	--	3	
		35-39	--	1	
		40-44	6	7	
		45-49	11	10	
		50-54	17	17	
		55-59	30	30	
		60-64	59	34	
		65-69	52	60	
		70-74	113	95	
		75-79	82	81	
		80-84	74	77	
		85-	83	127	
		20-85+	527	542	
Persons with at least one hospital admission with AMI as principal diagnosis by age, sex and year	Men	20-24	--	--	
		25-29	--	--	
		30-34	--	2	
		35-39	--	1	
		40-44	4	4	
		45-49	8	9	
		50-54	13	15	
		55-59	21	17	
		60-64	46	29	
		65-69	33	36	
		70-74	69	51	
		75-79	48	44	
		80-84	36	43	
		85-	25	43	
		20-85+	303	294	
		Women	20-24	--	--
			25-29	--	--
			30-34	--	1
			35-39	--	--
			40-44	2	2
			45-49	1	1
			50-54	3	1
			55-59	7	11
			60-64	7	4
			65-69	14	15
			70-74	29	32
			75-79	18	27
		80-84	26	22	
		85-	36	53	
		20-85+	143	169	
	Both sexes	20-24	--	--	
		25-29	--	--	
		30-34	--	3	
		35-39	--	1	
		40-44	6	6	
		45-49	9	10	
		50-54	16	16	
		55-59	28	28	
		60-64	53	33	
		65-69	47	51	
		70-74	98	83	
		75-79	66	71	
		80-84	62	65	
		85-	61	96	
		20-85+	446	463	