

AMI statistics. Based on county of residence, Norrbotten, Age interval: 20-85+, 2020-2021

Indicator	Sex	Age	2020	2021
Persons with at least one incidence of AMI	Men	20-24	--	--
		25-29	1	--
		30-34	--	--
		35-39	3	4
		40-44	3	5
		45-49	5	8
		50-54	24	26
		55-59	39	59
		60-64	64	61
		65-69	79	68
		70-74	92	104
		75-79	117	110
		80-84	65	82
		85-	98	113
		20-85+	590	640
	Women	20-24	--	--
		25-29	--	--
		30-34	--	--
		35-39	--	1
		40-44	--	--
		45-49	6	--
		50-54	9	8
		55-59	10	14
		60-64	22	21
		65-69	42	34
		70-74	60	61
		75-79	64	50
		80-84	56	62
		85-	107	102
		20-85+	376	353
Both sexes	20-24	--	--	
	25-29	1	--	
	30-34	--	--	
	35-39	3	5	
	40-44	3	5	
	45-49	11	8	
	50-54	33	34	
	55-59	49	73	
	60-64	86	82	
	65-69	121	102	
	70-74	152	165	
	75-79	181	160	
	80-84	121	144	
	85-	205	215	
	20-85+	966	993	
Persons with at least one incidence of AMI or any other IHD as underlying cause of death	Men	20-24	--	--
		25-29	1	--
		30-34	1	--
		35-39	3	4
		40-44	3	5
		45-49	6	8
		50-54	24	29
		55-59	42	61
		60-64	66	64
		65-69	83	74
		70-74	100	123
		75-79	138	129
		80-84	83	104
		85-	142	151

		20-85+	692	752
	Women	20-24	--	--
		25-29	--	--
		30-34	--	--
		35-39	--	1
		40-44	--	--
		45-49	6	--
		50-54	10	9
		55-59	10	16
		60-64	22	21
		65-69	42	37
		70-74	66	62
		75-79	69	56
		80-84	72	72
		85-	157	155
		20-85+	454	429
	Both sexes	20-24	--	--
		25-29	1	--
		30-34	1	--
		35-39	3	5
		40-44	3	5
		45-49	12	8
		50-54	34	38
		55-59	52	77
		60-64	88	85
		65-69	125	111
		70-74	166	185
		75-79	207	185
		80-84	155	176
		85-	299	306
		20-85+	1,146	1,181
Persons with at least one hospital admission with AMI	Men	20-24	--	--
		25-29	1	--
		30-34	--	--
		35-39	2	4
		40-44	3	3
		45-49	4	6
		50-54	22	22
		55-59	31	55
		60-64	54	48
		65-69	65	60
		70-74	74	79
		75-79	91	89
		80-84	56	68
		85-	74	84
		20-85+	477	518
	Women	20-24	--	--
		25-29	--	--
		30-34	--	--
		35-39	--	1
		40-44	--	--
		45-49	6	--
		50-54	9	8
		55-59	8	13
		60-64	20	18
		65-69	34	29
		70-74	55	55
		75-79	60	45
		80-84	47	58
		85-	75	78
		20-85+	314	305
Both sexes	20-24	--	--	

		25-29	1	--
		30-34	--	--
		35-39	2	5
		40-44	3	3
		45-49	10	6
		50-54	31	30
		55-59	39	68
		60-64	74	66
		65-69	99	89
		70-74	129	134
		75-79	151	134
		80-84	103	126
		85-	149	162
		20-85+	791	823
Persons with at least one hospital admission with AMI as principal diagnosis by age, sex and year	Men	20-24	--	--
		25-29	1	--
		30-34	--	--
		35-39	2	3
		40-44	3	3
		45-49	4	5
		50-54	21	20
		55-59	26	52
		60-64	52	43
		65-69	58	54
		70-74	67	69
		75-79	80	75
		80-84	47	57
		85-	60	65
	20-85+	421	446	
	Women	20-24	--	--
		25-29	--	--
		30-34	--	--
		35-39	--	1
		40-44	--	--
		45-49	5	--
		50-54	9	8
		55-59	6	13
		60-64	19	15
		65-69	28	24
		70-74	51	49
		75-79	48	34
80-84		35	41	
85-	57	60		
20-85+	258	245		
Both sexes	20-24	--	--	
	25-29	1	--	
	30-34	--	--	
	35-39	2	4	
	40-44	3	3	
	45-49	9	5	
	50-54	30	28	
	55-59	32	65	
	60-64	71	58	
	65-69	86	78	
	70-74	118	118	
	75-79	128	109	
	80-84	82	98	
85-	117	125		
20-85+	679	691		