

[ALOS06] Mental and behavioural disorders, average length of stay in ordinary and specialized hospitals by Year, Diagnostic group, Country and Sex, 2004-2020

		Iceland		
		Men	Women	Men and Women
2004	Main group: Mental and behavioural disorders	11,0	9,6	10,3
	Dementia	24,5	22,4	23,2
	Mental and behavioural disorders due to alcohol	5,9	5,1	5,6
	Mental and behavioural disorders due to use of other psychoactive subst.	9,5	6,9	8,3
	Schizophrenia, schizotypal and delusional disorders	14,4	8,2	11,8
	Mood [affective] disorders	11,6	10,8	11,1
2005	Other mental and behavioural disorders	9,3	7,0	7,9
	Main group: Mental and behavioural disorders	14,3	15,7	15,0
	Dementia	14,9	22,4	19,3
	Mental and behavioural disorders due to alcohol	6,7	7,1	6,9
	Mental and behavioural disorders due to use of other psychoactive subst.	12,0	11,0	11,5
	Schizophrenia, schizotypal and delusional disorders	18,2	20,3	19,1
2006	Mood [affective] disorders	21,7	19,4	20,3
	Other mental and behavioural disorders	12,8	11,9	12,2
	Main group: Mental and behavioural disorders	15,5	16,2	15,9
	Dementia	19,4	25,3	22,9
	Mental and behavioural disorders due to alcohol	6,8	8,9	7,5
	Mental and behavioural disorders due to use of other psychoactive subst.	8,9	8,9	8,9
2007	Schizophrenia, schizotypal and delusional disorders	20,9	22,7	21,7
	Mood [affective] disorders	20,3	18,3	19,0
	Other mental and behavioural disorders	21,5	13,3	16,1
	Main group: Mental and behavioural disorders	14,6	14,8	14,7
	Dementia	19,0	17,2	17,9
	Mental and behavioural disorders due to alcohol	7,3	8,3	7,6
2008	Mental and behavioural disorders due to use of other psychoactive subst.	7,6	10,4	8,7
	Schizophrenia, schizotypal and delusional disorders	22,5	18,7	20,9
	Mood [affective] disorders	18,3	17,7	17,9
	Other mental and behavioural disorders	16,8	12,8	14,2
	Main group: Mental and behavioural disorders	14,2	14,9	14,6
	Dementia	29,8	38,2	35,0
2009	Mental and behavioural disorders due to alcohol	7,3	6,8	7,1
	Mental and behavioural disorders due to use of other psychoactive subst.	7,6	7,2	7,4
	Schizophrenia, schizotypal and delusional disorders	16,6	18,5	17,4
	Mood [affective] disorders	15,9	16,6	16,4
	Other mental and behavioural disorders	21,5	10,3	14,3
	Main group: Mental and behavioural disorders	13,6	14,4	14,0
2010	Dementia	33,0	30,2	31,3
	Mental and behavioural disorders due to alcohol	7,4	8,1	7,6
	Mental and behavioural disorders due to use of other psychoactive subst.	7,3	7,8	7,5
	Schizophrenia, schizotypal and delusional disorders	19,1	14,4	17,2
	Mood [affective] disorders	13,4	14,1	13,8
	Other mental and behavioural disorders	17,2	15,1	15,8
2011	Main group: Mental and behavioural disorders	12,1	11,9	12,0
	Dementia	24,8	22,3	23,3
	Mental and behavioural disorders due to alcohol	4,9	5,6	5,1
	Mental and behavioural disorders due to use of other psychoactive subst.	6,8	8,5	7,5
	Schizophrenia, schizotypal and delusional disorders	16,0	15,2	15,7
	Mood [affective] disorders	11,8	10,0	10,7
2012	Other mental and behavioural disorders	18,5	13,6	15,4
	Main group: Mental and behavioural disorders	11,6	12,6	12,1
	Dementia	20,6	26,0	23,9
	Mental and behavioural disorders due to alcohol	4,9	7,6	5,9
	Mental and behavioural disorders due to use of other psychoactive subst.	6,9	7,9	7,3
	Schizophrenia, schizotypal and delusional disorders	19,0	14,3	17,1
2012	Mood [affective] disorders	12,7	13,0	12,9
	Other mental and behavioural disorders	12,8	11,5	12,0
	Main group: Mental and behavioural disorders	12,8	12,1	12,4
	Dementia	26,7	26,2	26,4
	Mental and behavioural disorders due to alcohol	6,2	8,1	6,9
	Mental and behavioural disorders due to use of other psychoactive subst.	7,1	9,4	8,1
2012	Schizophrenia, schizotypal and delusional disorders	21,4	16,8	19,5
	Mood [affective] disorders	14,0	11,7	12,6
	Other mental and behavioural disorders	11,4	9,7	10,3

2013	Main group: Mental and behavioural disorders	12,2	12,6	12,4
	Dementia	30,3	29,2	29,7
	Mental and behavioural disorders due to alcohol	6,2	7,1	6,5
	Mental and behavioural disorders due to use of other psychoactive subst.	7,1	7,2	7,1
	Schizophrenia, schizotypal and delusional disorders	19,1	18,3	18,8
	Mood [affective] disorders	12,4	13,4	13,0
	Other mental and behavioural disorders	11,0	10,1	10,4
2014	Main group: Mental and behavioural disorders	12,2	11,5	11,8
	Dementia	36,5	28,8	32,2
	Mental and behavioural disorders due to alcohol	5,9	6,5	6,1
	Mental and behavioural disorders due to use of other psychoactive subst.	7,1	5,7	6,6
	Schizophrenia, schizotypal and delusional disorders	17,9	14,6	16,5
	Mood [affective] disorders	12,7	12,7	12,7
	Other mental and behavioural disorders	9,4	9,3	9,4
2015	Main group: Mental and behavioural disorders	11,4	11,3	11,3
	Dementia	25,0	27,2	26,2
	Mental and behavioural disorders due to alcohol	6,0	5,9	6,0
	Mental and behavioural disorders due to use of other psychoactive subst.	6,7	8,6	7,4
	Schizophrenia, schizotypal and delusional disorders	15,2	12,1	14,0
	Mood [affective] disorders	13,5	12,7	13,0
	Other mental and behavioural disorders	10,5	9,2	9,6
2016	Main group: Mental and behavioural disorders	12,0	10,3	11,1
	Dementia	26,6	21,1	23,7
	Mental and behavioural disorders due to alcohol	6,9	5,7	6,4
	Mental and behavioural disorders due to use of other psychoactive subst.	6,9	8,2	7,4
	Schizophrenia, schizotypal and delusional disorders	19,7	16,7	18,5
	Mood [affective] disorders	13,5	10,6	11,8
	Other mental and behavioural disorders	8,0	8,3	8,2
2017	Main group: Mental and behavioural disorders	12,1	11,1	11,6
	Dementia	26,0	26,4	26,3
	Mental and behavioural disorders due to alcohol	6,4	7,0	6,6
	Mental and behavioural disorders due to use of other psychoactive subst.	8,6	6,8	7,9
	Schizophrenia, schizotypal and delusional disorders	18,4	15,5	17,4
	Mood [affective] disorders	13,3	13,6	13,5
	Other mental and behavioural disorders	9,0	7,7	8,1
2018	Main group: Mental and behavioural disorders	11,9	11,8	11,8
	Dementia	27,4	34,2	31,1
	Mental and behavioural disorders due to alcohol	7,3	6,9	7,2
	Mental and behavioural disorders due to use of other psychoactive subst.	8,7	6,2	7,8
	Schizophrenia, schizotypal and delusional disorders	17,4	17,3	17,4
	Mood [affective] disorders	12,6	14,7	13,8
	Other mental and behavioural disorders	8,1	7,2	7,5
2019	Main group: Mental and behavioural disorders	10,5	10,7	10,6
	Dementia	17,6	23,2	20,6
	Mental and behavioural disorders due to alcohol	7,8	5,6	7,0
	Mental and behavioural disorders due to use of other psychoactive subst.	7,9	8,6	8,2
	Schizophrenia, schizotypal and delusional disorders	14,2	20,0	16,3
	Mood [affective] disorders	12,2	11,8	12,0
	Other mental and behavioural disorders	8,4	7,5	7,8
2020	Main group: Mental and behavioural disorders	10,4	10,1	10,3
	Dementia	26,9	24,8	25,8
	Mental and behavioural disorders due to alcohol	5,9	5,7	5,8
	Mental and behavioural disorders due to use of other psychoactive subst.	6,2	6,6	6,4
	Schizophrenia, schizotypal and delusional disorders	16,0	14,3	15,4
	Mood [affective] disorders	11,8	12,1	12,0
	Other mental and behavioural disorders	7,5	7,1	7,3

A bed-day is counted as each overnight stay of an in-patient in hospitals. Diagnostic group reflects main diagnoses i.e., the main health conditions for which an individual is admitted to hospital.

Source: Denmark: The National Patient Register, The Danish Health Data Authority#Finland: The national in-patient registers#Åland: The national in-patient registers#Iceland: The national in-patient registers#Norway: Norwegian Directorate of Health, NPR#Sweden: The national in-patient registers; The National Board of Health and Welfare#

Units: Days

Internal reference code: ALOS06