

[DISCHA06] Mental and behavioural disorders, number of discharges in ordinary and specialized hospitals, per 100 000 inhabitants by Year, Diagnostic group, Sex, Country and Age group, 2004-2020

			Iceland																			
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	All
			years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Ages
2004	Main group: Mental and behavioural disorders	Men	116	210	312	717	1326	1243	1107	1214	1214	1249	1130	1000	1175	1077	1336	1595	2363	2552	3949	977
		Women	64	76	198	1012	1535	1266	1185	1354	1611	1201	1170	1203	1183	1236	1517	2189	3054	3948	3116	1132
	Dementia	Men	91	145	256	862	1429	1254	1145	1284	1411	1225	1149	1099	1179	1158	1431	1920	2764	3424	3379	1054
		Women	2	0	0	0	0	0	2	0	0	0	2	3	29	66	178	831	1554	1535	2923	68
	Mental and behavioural disorders due to alcohol	Men	0	0	0	0	0	0	0	0	0	0	0	0	0	42	42	318	755	1246	2302	101
		Women	1	0	0	0	0	0	1	0	0	0	1	1	35	54	251	789	1376	2187	2498	84
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	7	72	156	169	261	343	440	441	389	469	607	331	280	214	56	104	0	234
		Women	0	0	0	56	119	140	219	170	282	255	251	216	241	269	174	41	21	37	0	141
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	3	64	138	154	240	257	362	349	322	346	422	299	224	119	36	62	0	188
		Women	2	0	3	213	410	278	208	135	66	52	30	33	29	22	9	6	0	21	0	107
	Mood [affective] disorders	Men	2	0	5	134	326	182	130	82	143	109	48	57	31	38	21	25	14	12	0	90
		Women	2	0	4	174	369	230	170	109	105	80	39	45	30	30	16	17	8	16	0	98
	Other mental and behavioural disorders	Men	0	0	0	57	238	322	301	236	273	341	426	162	115	115	187	86	9	0	154	180
		Women	0	2	7	17	95	151	164	349	346	207	149	78	161	126	110	66	68	12	0	126
	Main group: Mental and behavioural disorders	Men	0	1	3	38	168	237	234	292	309	275	291	121	138	121	147	75	44	8	48	153
		Women	2	0	36	130	310	222	204	343	278	341	177	263	309	463	481	324	433	539	256	219
	Dementia	Men	2	0	39	310	376	347	396	498	621	438	550	662	528	546	695	877	1198	635	233	401
		Women	2	0	37	218	342	284	298	420	449	389	359	458	420	506	593	626	876	599	240	310
	Mental and behavioural disorders due to alcohol	Men	111	210	266	245	212	253	131	156	157	75	106	70	86	79	201	134	311	353	615	169
		Women	60	74	147	495	620	446	276	255	219	192	172	189	178	214	199	426	507	672	581	273
Main group: Mental and behavioural disorders	Men	86	144	208	367	412	349	203	205	188	133	138	128	133	149	200	294	424	553	592	221	
	Women	80	139	288	662	1205	1073	1059	1054	1106	1136	992	900	1080	997	1140	1277	2280	2668	3342	879	
Dementia	Men	43	53	180	984	1460	1092	1037	1197	1485	1187	1159	1080	1192	1262	1440	1810	2231	3571	2500	1037	
	Women	62	97	235	819	1330	1082	1048	1125	1294	1161	1073	987	1136	1132	1297	1569	2252	3229	2754	958	
Mental and behavioural disorders due to use of other psychoactive subst.	Men	2	0	0	0	0	0	2	0	0	0	2	2	33	57	161	594	1486	1577	2416	60	
	Women	0	0	0	0	0	0	0	0	0	0	0	3	33	80	253	595	1062	2337	1750	87	
Main group: Mental and behavioural disorders	Men	1	0	0	0	0	0	1	0	0	0	1	3	33	69	209	595	1240	2049	1951	74	
	Women	0	0	5	52	138	131	197	305	401	411	403	416	640	299	274	247	65	58	0	217	
Dementia	Men	0	0	0	45	83	102	173	143	217	259	255	185	248	300	150	49	13	72	0	125	
	Women	0	0	3	49	111	117	185	225	310	337	330	304	443	299	209	139	35	67	0	171	
Mental and behavioural disorders due to alcohol	Men	2	0	2	227	390	277	248	118	96	63	42	29	37	22	9	6	0	19	51	111	
	Women	2	0	4	132	328	181	152	106	142	110	55	39	36	51	30	24	20	24	0	93	
Main group: Mental and behavioural disorders	Men	2	0	3	181	360	230	201	112	119	86	48	34	36	37	20	16	12	22	16	102	
	Women	2	0	3	181	360	230	201	112	119	86	48	34	36	37	20	16	12	22	16	102	

2006	Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	64	198	286	294	215	221	299	298	161	110	105	166	76	18	0	154	158
		Women	0	0	7	15	75	156	109	235	335	243	160	104	152	127	81	49	80	12	0	154
	Mood [affective] disorders	Men and Women	0	0	4	40	138	222	204	225	278	272	231	134	131	116	121	61	54	7	47	137
		Men	2	0	36	109	267	175	224	282	236	297	180	232	223	439	416	241	425	643	257	194
	Other mental and behavioural disorders	Women	2	0	38	319	349	287	289	479	593	398	454	583	558	519	707	732	601	599	205	358
		Men and Women	2	0	37	212	307	230	256	379	413	346	314	402	391	480	569	510	527	616	220	275
	Main group: Mental and behavioural disorders	Men	75	139	243	209	212	203	94	135	152	66	67	59	37	75	114	112	286	370	463	138
		Women	39	53	132	473	626	366	315	235	197	178	235	167	165	186	219	361	454	527	545	259
	Dementia	Men and Women	57	97	189	338	415	284	201	184	175	121	149	111	101	131	169	248	384	468	519	198
		Men	66	98	257	675	1144	920	1019	915	1076	934	902	864	981	923	1077	1124	2091	2520	2333	808
	Mental and behavioural disorders due to alcohol	Women	33	36	146	856	1435	971	832	1055	1378	1153	988	950	1060	1173	1287	1662	2371	2932	2308	941
		Men and Women	50	67	203	763	1287	945	929	982	1224	1039	944	906	1020	1050	1187	1417	2253	2773	2314	874
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	2	0	0	0	0	0	2	0	0	0	2	0	49	35	164	492	1277	1342	1489	51
		Women	0	0	0	0	0	0	0	0	0	0	0	2	13	71	251	513	1163	1723	1604	79
	Schizophrenia, schizotypal and delusional disorders	Men and Women	1	0	0	0	0	0	1	0	0	0	1	1	31	53	210	503	1210	1576	1568	65
		Men	0	0	2	31	102	92	156	249	381	364	366	398	564	322	245	215	91	73	0	194
	Mood [affective] disorders	Women	0	0	0	25	68	84	104	123	191	228	236	165	229	302	182	57	26	68	0	110
		Men and Women	0	0	1	28	85	88	131	188	288	299	304	285	398	312	212	129	53	70	0	153
	Other mental and behavioural disorders	Men	0	0	0	238	437	292	275	126	122	82	52	28	37	22	0	17	0	18	50	124
		Women	2	0	4	113	292	144	136	129	135	122	64	32	41	54	43	14	26	34	22	89
	Schizophrenia, schizotypal and delusional disorders	Men and Women	1	0	2	177	366	220	209	128	128	101	58	30	39	38	23	15	15	28	30	106
		Men	0	0	2	62	191	245	270	195	210	210	219	184	93	74	164	73	18	0	149	139
	Mood [affective] disorders	Women	0	0	7	13	64	175	81	179	334	232	130	102	110	126	69	47	65	57	0	105
		Men and Women	0	0	4	38	129	211	180	187	271	221	176	145	101	100	114	59	46	35	46	123
Other mental and behavioural disorders	Men	2	0	36	123	253	157	229	237	235	205	207	198	213	383	409	220	407	562	248	180	
	Women	2	0	40	329	336	257	246	431	543	400	351	521	505	453	550	731	666	525	176	328	
Main group: Mental and behavioural disorders	Men and Women	2	0	38	223	294	206	237	331	386	298	277	354	358	418	483	498	558	539	198	253	
	Men	63	98	218	221	160	134	87	108	129	72	56	56	25	87	96	107	299	526	397	120	
Dementia	Women	29	36	95	376	675	310	265	193	174	171	207	127	163	168	191	299	425	525	505	230	
	Men and Women	46	67	158	296	413	220	172	149	151	119	129	90	93	128	146	212	372	525	472	174	
Mental and behavioural disorders due to alcohol	Men	49	84	215	656	1125	927	984	874	1062	896	957	787	1008	936	960	925	2032	2344	2676	788	
	Women	23	23	145	863	1356	991	843	1014	1311	1167	957	974	1023	1168	1235	1547	2279	2436	1948	915	
Other mental and behavioural disorders	Men and Women	36	54	181	756	1238	958	918	940	1183	1025	957	878	1015	1054	1105	1260	2175	2400	2172	850	
	Men	0	0	0	0	0	0	0	0	0	0	2	2	38	29	146	396	1196	1283	1460	46	
Mood [affective] disorders	Women	0	0	0	0	0	0	0	0	0	0	0	0	5	18	61	231	445	1038	1386	69	
	Men and Women	0	0	0	0	0	0	0	0	0	0	1	3	28	46	191	422	1104	1346	1423	57	
Schizophrenia, schizotypal and delusional disorders	Men	0	0	3	20	85	98	156	219	335	345	371	341	565	367	213	160	88	34	0	183	
	Women	0	0	0	11	59	67	95	128	181	219	196	180	205	236	196	66	32	65	0	102	
Mood [affective] disorders	Men and Women	0	0	2	15	72	83	127	176	261	285	287	263	388	300	204	109	55	53	0	143	

2008	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	233	418	304	246	139	139	96	61	27	32	25	0	17	9	17	97	126
		Women	0	0	4	116	255	149	136	126	128	116	64	38	39	61	65	9	32	32	21	87
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	2	176	338	230	194	133	133	105	62	33	35	43	34	13	22	27	44	106
		Men	0	0	2	62	204	227	236	211	222	195	229	187	104	63	150	50	53	0	146	139
	Mood [affective] disorders	Women	0	0	2	14	54	167	90	163	304	259	142	122	93	130	65	33	38	54	21	103
		Men and Women	0	0	2	39	130	198	167	189	261	225	187	156	99	97	106	41	44	33	59	121
	Other mental and behavioural disorders	Men	2	0	33	140	232	174	259	211	230	181	223	165	223	371	359	198	396	411	292	177
		Women	0	0	36	374	325	270	259	404	515	398	345	504	529	541	524	662	662	433	105	327
	Main group: Mental and behavioural disorders	Men and Women	1	0	34	254	278	220	259	303	369	284	281	329	373	458	446	448	550	424	161	250
		Men	47	84	178	201	186	124	86	94	135	80	72	65	46	80	92	105	290	599	681	117
	Dementia	Women	23	23	103	348	663	338	263	193	183	174	210	125	138	138	153	331	477	466	398	228
		Men and Women	35	54	141	272	420	227	170	141	159	125	138	94	91	110	124	227	399	517	484	171
	Mental and behavioural disorders due to alcohol	Men	36	80	240	624	1126	991	1012	956	1155	917	960	779	998	920	895	941	1737	2343	2448	802
		Women	18	28	161	926	1271	966	932	1049	1260	1257	1000	966	912	1198	1218	1497	2166	2439	2224	922
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	28	54	201	771	1197	979	974	1001	1206	1081	979	870	956	1062	1064	1239	1985	2404	2288	861
		Men	0	0	0	0	0	0	0	0	0	0	2	2	41	28	131	372	932	1287	1617	42
	Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	0	5	20	85	252	464	973	1344	1618	71
		Men and Women	0	0	0	0	0	0	0	0	0	0	1	3	31	57	195	421	957	1323	1614	56
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	5	15	95	105	148	249	359	345	367	321	507	430	224	159	68	17	0	185
		Women	0	0	0	17	52	66	100	149	150	205	194	177	152	247	155	90	44	62	0	98
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	3	16	74	86	125	202	257	277	283	252	334	336	188	122	54	45	0	142
		Men	0	0	2	217	405	342	261	161	154	106	63	22	39	24	10	11	8	0	92	132
	Mood [affective] disorders	Women	0	0	2	109	239	165	143	151	125	125	54	42	46	58	66	14	31	31	20	89
		Men and Women	0	0	2	164	324	258	205	156	140	115	59	32	42	41	39	13	22	19	42	111
Other mental and behavioural disorders	Men	0	0	2	56	194	240	239	211	233	166	205	176	88	44	126	66	51	0	0	134	
	Women	0	0	0	14	39	126	107	113	259	304	172	133	75	112	84	19	25	52	40	98	
Main group: Mental and behavioural disorders	Men and Women	0	0	1	35	118	186	177	164	246	233	189	155	82	79	104	41	36	32	28	116	
	Men	0	0	28	141	238	180	285	236	228	211	261	170	273	330	311	202	373	446	139	185	
Dementia	Women	0	0	38	422	307	273	291	432	541	424	377	457	506	582	501	587	615	506	121	335	
	Men and Women	0	0	33	278	272	224	288	329	381	314	317	309	387	458	410	409	513	483	126	259	
Other mental and behavioural disorders	Men	36	80	204	195	194	124	80	99	181	89	62	88	50	64	92	131	305	594	600	123	
	Women	18	28	121	364	635	337	291	205	185	199	203	152	112	116	159	322	477	444	425	232	
Main group: Mental and behavioural disorders	Men and Women	28	54	163	278	409	225	179	149	183	142	130	119	80	90	127	234	404	502	477	177	
	Men	25	83	291	614	1167	1161	1156	972	1197	952	994	711	984	939	873	927	1606	2500	2174	832	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	18	40	185	967	1188	1090	1035	1052	1218	1394	1031	981	842	1249	1342	1565	2237	2426	2595	957	
	Men and Women	22	62	239	786	1177	1127	1098	1010	1207	1169	1012	843	914	1098	1116	1269	1964	2453	2462	894	
Dementia	Men	0	0	0	0	0	0	0	0	0	0	2	4	40	42	126	384	868	1330	1261	43	
	Women	0	0	0	0	0	0	0	0	0	0	2	11	19	80	247	447	912	1268	1776	70	
Main group: Mental and behavioural disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	2	8	30	61	189	418	893	1291	1614	56	

2010	Mental and behavioural disorders due to alcohol	Men	0	0	5	15	109	141	150	286	334	343	353	267	455	460	247	121	65	32	0	184	
		Women	0	0	0	21	53	69	92	165	128	206	177	173	173	124	240	139	119	43	40	0	95
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	0	0	3	18	81	106	122	228	232	276	267	221	293	347	191	120	53	37	0	140	
		Men	0	0	2	192	392	418	301	146	162	125	77	28	34	19	10	11	24	0	87	139	
	Schizophrenia, schizotypal and delusional disorders	Women	0	0	0	108	221	220	165	142	98	131	60	50	41	44	67	5	37	30	20	91	
		Men and Women	0	0	1	151	308	322	236	144	131	128	69	39	38	32	40	8	32	18	41	115	
	Mood [affective] disorders	Men	0	0	2	54	214	260	286	241	272	167	207	147	106	49	97	49	49	0	0	142	
		Women	0	0	0	15	47	111	129	106	239	352	173	152	66	102	94	33	18	50	40	101	
	Other mental and behavioural disorders	Men and Women	0	0	1	35	132	188	210	176	256	258	191	150	86	76	96	41	32	31	27	122	
		Men	0	0	27	148	244	214	318	221	263	206	286	176	288	316	286	225	284	465	304	194	
	Main group: Mental and behavioural disorders	Women	0	0	41	412	297	304	314	414	559	472	401	416	481	653	606	571	659	489	120	346	
		Men and Women	0	0	34	277	270	258	316	314	409	337	342	293	383	489	452	410	497	480	178	269	
	Dementia	Men	25	83	255	205	209	128	100	77	166	111	69	89	61	53	107	137	316	673	522	130	
		Women	18	40	145	410	569	386	334	225	193	233	218	179	110	131	189	390	567	549	639	255	
	Mental and behavioural disorders due to alcohol	Men and Women	22	62	201	305	386	253	213	148	179	171	142	133	85	93	149	273	459	596	602	192	
		Men	22	89	331	584	1177	1259	1168	971	1205	935	969	721	868	834	907	905	1444	2397	2564	827	
	Mental and behavioural disorders due to use of other psychoactive subst.	Women	19	53	166	968	1143	1083	1110	1064	1139	1288	1072	861	778	1127	1174	1516	2045	2368	2807	927	
		Men and Women	20	71	250	771	1160	1173	1140	1016	1172	1111	1020	790	824	983	1045	1233	1785	2381	2727	876	
	Mood [affective] disorders	Men	0	0	0	0	0	0	0	0	0	0	0	0	4	33	67	106	444	776	1354	1496	45
		Women	0	0	0	0	0	0	0	0	0	0	4	11	21	62	252	428	865	1257	1891	70	
	Other mental and behavioural disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	2	8	27	64	182	436	827	1295	1765	57	
		Men	0	0	4	18	91	147	151	271	326	315	321	265	345	424	256	61	62	47	0	171	
	Mental and behavioural disorders due to alcohol	Women	0	0	0	23	66	67	96	168	136	182	178	148	90	199	135	120	41	10	0	91	
		Men and Women	0	0	2	20	79	108	124	221	232	249	250	207	221	310	193	93	50	24	0	131	
Mood [affective] disorders	Men	0	0	2	143	400	457	321	170	173	125	84	37	25	14	39	11	23	0	43	141		
	Women	0	0	0	120	232	235	176	134	115	111	63	48	42	45	67	19	30	19	19	93		
Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	1	132	318	348	250	153	144	118	73	42	34	30	54	15	27	12	27	118		
	Men	0	0	0	38	214	266	243	245	290	176	204	155	109	42	87	50	39	0	0	139		
Mood [affective] disorders	Women	0	0	0	17	58	80	131	113	197	313	231	132	98	75	99	43	6	39	58	98		
	Men and Women	0	0	0	28	137	175	188	181	244	244	217	144	104	59	93	46	20	24	40	118		
Other mental and behavioural disorders	Men	0	6	27	148	247	225	283	195	253	197	277	161	274	230	294	189	241	296	342	182		
	Women	0	0	30	393	248	273	320	394	473	427	378	346	422	603	459	481	605	487	156	311		
Main group: Mental and behavioural disorders	Men and Women	0	3	28	267	247	249	301	292	362	312	327	253	346	419	380	346	447	414	214	246		
	Men	22	83	299	237	225	164	170	90	162	121	84	99	81	57	125	150	303	700	684	149		
2011	Main group: Mental and behavioural disorders	Women	19	53	136	415	538	427	386	255	218	256	218	176	104	144	162	424	498	556	682	263	
		Men and Women	20	69	219	324	379	293	275	170	190	189	150	137	92	101	144	297	413	612	682	206	
		Men	13	98	364	606	1153	1369	1181	1072	1134	963	949	698	855	756	821	923	1489	2558	2653	836	
		Women	19	57	194	1038	1100	1243	1253	1087	1124	1249	1158	915	871	1128	1103	1544	1814	2258	2746	957	
		Men and Women	16	78	280	817	1127	1307	1216	1079	1129	1107	1052	805	863	942	967	1257	1672	2375	2717	896	

Dementia	Men	0	0	0	0	0	0	0	0	0	0	0	2	8	20	69	76	430	718	1301	1551	43
	Women	0	0	0	0	0	0	0	0	0	0	0	4	11	18	68	227	443	820	1294	1781	70
Mental and behavioural disorders due to alcohol	Men and Women	0	0	0	0	0	0	0	0	0	0	3	10	19	68	154	437	776	1298	1709	56	
	Men	0	0	7	18	94	159	150	261	286	309	330	207	337	370	286	51	52	30	0	164	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	27	81	67	98	189	116	174	178	178	107	172	80	112	23	0	0	92	
	Men and Women	0	0	4	22	87	114	124	226	201	241	255	192	224	271	180	84	36	12	0	128	
Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	144	381	502	329	200	154	124	89	44	34	23	38	0	22	0	41	145	
	Women	0	0	0	150	253	300	200	127	138	105	61	62	49	39	58	24	23	9	0	104	
Mood [affective] disorders	Men and Women	0	0	1	147	319	403	266	164	146	115	75	53	41	31	48	13	23	6	13	124	
	Men	0	0	4	49	194	256	268	273	284	190	176	141	128	46	62	57	45	0	0	139	
Other mental and behavioural disorders	Women	0	0	0	19	48	67	159	97	167	307	258	133	146	55	93	44	0	0	56	98	
	Men and Women	0	0	2	34	123	163	214	187	226	249	216	137	136	51	78	50	20	0	38	118	
Main group: Mental and behavioural disorders	Men	0	6	24	141	238	242	252	209	233	214	246	204	260	196	263	249	322	553	327	183	
	Women	0	0	24	368	232	281	370	384	455	407	407	323	437	614	467	375	468	453	186	306	
Dementia	Men and Women	0	3	24	252	235	261	310	294	343	311	326	263	347	406	368	317	404	492	230	244	
	Men	13	92	327	254	246	211	183	130	177	124	106	93	76	52	95	136	329	673	735	162	
Mental and behavioural disorders due to alcohol	Women	19	57	169	474	485	527	426	290	248	257	250	208	115	179	178	546	479	501	724	289	
	Men and Women	16	75	250	361	363	367	302	208	212	191	177	150	95	116	138	356	414	568	727	225	
Mental and behavioural disorders due to use of other psychoactive subst.	Men	23	109	398	630	1165	1431	1210	1147	1086	1003	905	696	798	670	759	1030	1535	2839	2614	848	
	Women	23	62	219	1047	1164	1312	1252	1067	1052	1229	1223	857	895	996	1066	1519	1805	2333	2989	961	
Schizophrenia, schizotypal and delusional disorders	Men and Women	23	86	310	833	1164	1372	1230	1108	1069	1118	1063	776	846	832	918	1292	1685	2529	2866	904	
	Men	0	0	0	0	0	0	0	0	0	0	2	10	22	74	78	472	785	1419	1705	49	
Mood [affective] disorders	Women	0	0	0	0	0	0	0	0	0	0	4	8	12	69	193	461	856	1376	1904	72	
	Men and Women	0	0	0	0	0	0	0	0	0	0	3	9	17	71	138	466	825	1392	1838	61	
Other mental and behavioural disorders	Men	0	0	6	15	82	137	129	249	265	317	319	210	308	311	262	91	51	43	0	155	
	Women	0	0	0	30	75	65	95	181	123	164	184	183	106	150	86	103	17	9	0	90	
Mental and behavioural disorders due to alcohol	Men and Women	0	0	3	23	79	101	112	216	194	239	252	197	208	231	171	97	32	22	0	123	
	Men	0	0	2	129	390	537	364	214	158	130	90	47	48	22	37	6	15	0	0	151	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	148	279	306	185	138	119	105	81	63	64	41	43	39	23	9	0	106	
	Men and Women	0	0	1	138	336	423	276	177	138	117	85	55	56	31	40	24	19	6	0	128	
Schizophrenia, schizotypal and delusional disorders	Men	0	0	4	44	212	278	316	287	271	213	140	118	113	43	32	46	7	0	0	139	
	Women	0	0	0	27	51	76	165	93	136	294	280	129	175	59	107	69	0	0	36	100	
Mood [affective] disorders	Men and Women	0	0	2	36	134	178	242	191	204	254	210	124	143	51	71	58	3	0	24	120	
	Men	0	5	33	148	237	241	213	223	230	222	239	214	243	154	244	267	313	596	303	180	
Other mental and behavioural disorders	Women	0	0	23	337	264	249	377	364	405	386	396	269	413	509	443	333	443	374	320	287	
	Men and Women	0	3	28	240	250	245	293	293	317	305	317	241	327	330	347	303	385	460	314	234	
Main group: Mental and behavioural disorders	Men	23	103	354	294	245	238	189	174	162	120	116	96	65	68	106	148	364	781	606	174	
	Women	23	62	196	505	495	616	430	291	269	281	278	204	125	169	193	515	466	565	730	305	
Dementia	Men and Women	23	83	276	397	366	425	307	231	215	202	197	150	95	118	151	345	420	649	689	239	

2013	Main group: Mental and behavioural disorders	Men	37	102	389	726	1237	1413	1210	1086	1033	982	868	709	745	587	735	1027	1522	2957	2308	843
		Women	26	93	250	1118	1237	1465	1317	1109	994	1176	1179	874	875	912	1030	1521	1833	2417	2542	977
	Dementia	Men and Women	32	97	320	917	1237	1439	1262	1097	1014	1081	1024	791	809	748	888	1289	1695	2628	2467	910
		Men	0	0	0	0	0	0	0	0	0	0	2	12	16	70	92	496	761	1561	1294	50
	Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	4	8	10	51	158	471	879	1441	1555	70
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	10	13	61	126	482	827	1487	1471	60
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	4	14	73	132	129	201	271	310	302	222	290	234	249	90	72	41	0	146
		Women	0	0	0	24	75	58	108	196	134	166	147	201	117	126	93	99	23	18	0	91
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	2	19	74	95	119	199	203	237	224	212	205	180	168	95	45	27	0	118
		Men	0	0	0	167	423	530	364	227	162	127	93	48	49	18	39	11	14	0	0	157
	Mood [affective] disorders	Women	0	0	0	162	301	302	224	133	114	95	84	67	60	42	45	40	29	9	0	110
		Men and Women	0	0	0	164	364	418	296	181	139	111	88	57	54	30	42	26	22	5	0	133
	Other mental and behavioural disorders	Men	0	0	6	55	249	262	317	257	279	225	130	122	124	53	39	23	7	0	0	142
		Women	0	0	2	34	87	92	152	118	118	254	278	136	163	66	89	74	17	0	17	101
		Men and Women	0	0	4	45	170	178	236	188	199	240	205	129	143	59	65	50	13	0	11	122
		Men	0	5	32	157	232	258	210	201	212	208	211	218	192	146	214	271	251	507	315	171
		Women	0	0	23	347	296	241	339	341	330	382	375	268	379	440	422	317	414	331	284	272
		Men and Women	0	3	27	249	263	250	273	270	270	296	293	243	284	291	322	295	341	400	294	222
2014	Main group: Mental and behavioural disorders	Men	37	97	348	333	260	232	190	199	109	113	130	86	75	67	101	135	417	849	699	178
		Women	26	93	225	552	477	772	494	320	299	278	291	195	146	188	223	520	471	618	686	333
	Dementia	Men and Women	32	95	287	439	366	499	338	259	203	197	211	140	110	127	164	340	447	708	690	255
		Men	62	97	376	805	1276	1307	1243	1063	1004	924	850	790	621	532	689	993	1574	2921	2432	835
	Mental and behavioural disorders due to alcohol	Women	32	103	266	1220	1266	1411	1339	1097	951	1035	1172	913	896	812	906	1425	1676	2354	2598	963
		Men and Women	47	100	322	1007	1271	1358	1290	1080	978	981	1012	851	757	670	802	1221	1631	2581	2550	899
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	0	0	0	0	0	0	0	2	16	9	64	103	469	837	1618	1520	52
		Women	0	0	0	0	0	0	0	0	0	0	6	2	7	51	145	449	829	1488	1606	70
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	4	9	8	58	125	458	833	1540	1581	61
		Men	0	0	4	14	70	101	152	134	245	256	309	259	241	175	219	112	64	66	0	134
	Mood [affective] disorders	Women	0	0	0	18	74	53	117	186	155	125	153	239	126	109	88	70	35	26	0	91
		Men and Women	0	0	2	16	72	77	135	160	201	190	231	249	184	142	151	89	48	42	0	112
		Men	0	0	0	182	451	466	362	262	193	122	93	63	45	17	41	17	0	0	0	160
		Women	0	2	0	160	307	246	212	158	117	103	74	69	65	40	50	40	35	9	0	108
	Mood [affective] disorders	Men and Women	0	1	0	171	381	358	289	210	155	113	83	66	55	28	46	29	19	5	0	134
		Men	0	0	6	75	268	255	313	262	270	233	130	129	98	64	58	17	7	0	0	144
		Women	0	0	2	46	101	133	144	126	101	182	311	146	159	60	65	65	46	0	16	102
		Men and Women	0	0	4	61	186	195	231	194	186	207	221	138	128	62	62	42	29	0	11	123
		Men	0	5	28	172	214	255	215	203	180	206	192	231	157	148	182	229	258	500	236	165
		Women	0	0	38	403	317	206	294	312	260	346	337	254	357	380	363	304	311	324	236	253
		Men and Women	0	3	33	285	264	231	254	257	220	277	265	243	256	262	276	268	287	394	237	209

2015	Other mental and behavioural disorders	Men	62	92	339	361	272	231	202	203	116	107	123	92	70	64	87	151	408	737	676	181
		Women	32	101	226	593	467	773	572	316	318	279	292	203	182	172	195	498	421	508	740	340
		Men and Women	47	97	283	474	367	497	382	259	216	194	208	147	126	117	143	334	415	599	721	260
	Main group: Mental and behavioural disorders	Men	78	89	390	887	1335	1405	1249	1061	1008	917	787	806	610	495	631	970	1713	2768	2318	849
		Women	68	130	299	1493	1349	1420	1360	1067	1002	981	1055	964	870	806	932	1379	1717	2308	2452	988
		Men and Women	73	109	345	1184	1342	1412	1303	1064	1005	949	923	884	739	647	786	1186	1716	2492	2405	918
	Dementia	Men	0	0	0	0	0	0	0	0	0	0	2	15	7	64	107	419	918	1528	1457	52
		Women	0	0	0	0	0	0	0	0	0	0	4	0	5	44	119	420	835	1516	1554	68
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	8	6	54	113	420	872	1521	1520	60
	Mental and behavioural disorders due to alcohol	Men	0	0	4	11	86	105	158	148	237	267	279	258	243	146	199	110	65	50	0	133
		Women	0	0	0	20	71	71	118	161	202	119	123	253	131	99	76	69	47	25	0	92
		Men and Women	0	0	2	15	79	88	139	155	220	193	200	255	188	123	136	89	55	35	0	113
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	215	456	488	359	268	175	104	92	61	45	16	23	17	0	0	0	161
		Women	0	2	2	125	315	216	214	165	100	96	79	79	65	44	51	30	35	8	0	104
		Men and Women	0	1	1	171	388	355	288	217	138	100	85	70	55	30	37	23	19	5	0	133
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	7	92	290	285	329	248	283	224	105	130	98	61	50	6	7	13	0	148
		Women	0	0	2	52	132	141	145	117	95	151	258	156	122	97	47	64	53	0	0	99
		Men and Women	0	0	5	72	213	215	239	184	190	188	182	143	110	79	48	37	32	5	0	123
	Mood [affective] disorders	Men	0	0	26	204	215	298	242	200	193	209	191	245	152	146	153	254	301	476	199	174
		Women	0	0	46	408	363	223	309	308	249	347	353	283	337	367	416	341	269	261	213	261
	Men and Women	0	0	36	304	287	261	275	253	221	278	273	264	244	255	288	300	283	347	208	217	
Other mental and behavioural disorders	Men	78	89	353	365	288	229	161	196	121	112	120	96	65	61	99	165	423	701	662	181	
	Women	68	128	250	888	468	770	574	315	355	268	240	193	210	155	224	455	479	497	685	364	
	Men and Women	73	108	302	621	376	492	362	255	237	191	180	144	137	107	164	318	454	579	677	272	
Main group: Mental and behavioural disorders	Men	84	69	360	915	1380	1460	1256	992	972	843	777	783	547	458	638	981	1576	2637	2353	838	
	Women	97	181	312	1534	1404	1310	1474	1047	953	901	952	890	832	786	872	1323	1583	2353	2265	971	
	Men and Women	90	123	337	1219	1392	1388	1361	1019	962	872	865	836	689	619	757	1160	1580	2467	2291	904	
Dementia	Men	0	0	0	0	0	0	0	0	0	0	0	11	9	64	131	428	930	1640	1526	55	
	Women	0	0	0	0	0	0	0	0	0	0	4	0	4	40	103	402	727	1542	1441	65	
	Men and Women	0	0	0	0	0	0	0	0	0	0	2	6	7	52	117	414	818	1581	1467	60	
Mental and behavioural disorders due to alcohol	Men	0	0	0	14	82	104	172	158	241	252	266	271	213	134	181	108	58	49	0	131	
	Women	0	0	0	17	58	68	126	129	209	111	100	221	151	90	82	64	47	25	0	87	
	Men and Women	0	0	0	15	70	87	150	144	225	182	182	247	182	112	131	85	52	34	0	109	
Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	2	0	180	471	509	370	252	177	89	76	62	37	5	21	16	7	12	32	160	
	Women	0	2	2	107	325	177	235	176	104	94	71	73	53	58	48	24	41	8	0	102	
	Men and Women	0	2	1	144	400	350	305	215	141	91	73	67	45	31	35	21	26	10	10	131	
Schizophrenia, schizotypal and delusional disorders	Men	0	0	4	82	318	337	290	239	251	200	114	134	96	54	46	5	0	12	0	147	
	Women	0	0	2	46	137	150	116	135	82	115	243	170	90	117	52	103	53	0	0	96	
	Men and Women	0	0	3	64	230	248	206	188	168	158	179	152	93	85	49	57	29	5	0	122	

2017	Mood [affective] disorders	Men	0	0	24	229	219	311	264	189	180	194	205	207	128	141	145	217	225	328	191	270
		Women	0	0	53	401	379	220	288	301	226	307	330	233	313	335	385	358	272	221	206	248
	Other mental and behavioural disorders	Men and Women	0	0	38	313	296	268	276	244	203	250	268	220	220	237	267	291	251	264	201	208
		Men	84	68	333	409	290	198	160	154	123	109	116	98	65	59	113	206	356	595	604	175
	Main group: Mental and behavioural disorders	Women	97	179	256	964	506	695	708	307	332	274	205	193	221	146	203	372	443	558	618	374
		Men and Women	90	122	295	682	395	436	425	229	225	191	161	145	143	102	159	293	404	573	613	274
	Dementia	Men	98	49	365	940	1423	1411	1233	997	962	751	715	797	534	482	610	925	1513	2479	2012	828
		Women	97	246	288	1569	1426	1245	1585	1043	910	810	828	894	790	884	840	1378	1651	2221	2350	968
	Mental and behavioural disorders due to alcohol	Men and Women	97	145	327	1250	1425	1333	1400	1019	937	780	772	845	661	681	726	1162	1589	2327	2246	897
		Men	0	0	0	0	0	0	0	0	0	0	0	2	7	8	73	160	361	855	1606	1261
	Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	0	0	0	0	0	0	0	4	0	8	36	105	372	754	1424	1567	64
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	4	8	54	133	367	799	1498	1471	58
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	0	22	87	104	158	166	249	223	218	270	209	125	170	110	44	47	0	127
		Women	0	0	0	15	59	74	111	108	189	109	79	183	157	100	69	62	53	24	0	80
	Mood [affective] disorders	Men and Women	0	0	0	18	73	90	135	138	220	167	148	227	183	113	119	85	49	34	0	104
		Men	0	2	0	180	486	502	393	272	166	80	71	76	25	8	20	10	7	12	30	165
	Other mental and behavioural disorders	Women	0	2	2	109	301	195	246	192	114	91	48	64	34	51	43	29	24	8	0	100
		Men and Women	0	2	1	145	397	357	323	234	141	85	60	70	29	29	31	20	16	10	10	133
	Mood [affective] disorders	Men	0	0	4	88	311	337	271	250	235	175	102	134	102	63	37	16	0	12	0	145
		Women	0	0	2	39	153	144	98	126	83	78	196	164	72	151	36	119	53	0	0	89
	Other mental and behavioural disorders	Men and Women	0	0	3	64	235	246	189	190	161	127	149	149	87	106	36	70	29	5	0	118
		Men	0	0	21	243	234	296	258	168	180	169	218	210	129	151	113	178	241	236	150	167
Main group: Mental and behavioural disorders	Women	0	0	54	403	378	227	304	295	221	283	314	274	299	386	389	400	285	228	85	251	
	Men and Women	0	0	37	322	303	263	280	229	199	225	266	242	214	267	252	294	265	231	106	208	
Mood [affective] disorders	Men	98	48	340	407	305	172	153	142	133	104	105	100	61	63	110	251	365	567	571	172	
	Women	97	245	230	1004	536	605	827	323	303	250	187	208	219	161	198	396	481	537	698	383	
Other mental and behavioural disorders	Men and Women	97	143	286	701	416	376	473	229	215	176	146	154	139	111	154	327	429	549	658	276	
	Men	85	67	315	927	1446	1404	1227	1034	874	698	724	787	573	488	598	847	1504	2468	1958	824	
Dementia	Women	93	349	279	1508	1361	1141	1565	1009	916	672	759	831	840	859	811	1293	1597	2110	2476	937	
	Men and Women	88	205	298	1215	1405	1281	1385	1022	894	686	741	809	705	672	704	1081	1555	2259	2305	879	
Mental and behavioural disorders due to alcohol	Men	0	0	0	0	0	0	0	0	0	0	2	9	18	80	171	289	882	1592	1175	51	
	Women	0	0	0	2	0	0	0	0	0	0	5	2	8	40	101	306	723	1374	1706	62	
Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	0	0	0	1	0	0	0	0	0	0	4	6	13	60	136	298	796	1465	1531	57	
	Men	0	0	0	22	91	103	150	152	205	191	212	276	196	126	142	110	87	46	0	121	
Main group: Mental and behavioural disorders	Women	0	0	0	13	53	70	88	86	176	107	87	156	158	99	57	59	42	25	0	73	
	Men and Women	0	0	0	17	73	88	121	121	191	150	150	217	178	113	99	83	62	34	0	97	
Other mental and behavioural disorders	Men	0	2	0	161	490	489	406	299	155	77	63	77	24	5	13	10	14	23	28	167	
	Women	0	2	2	90	265	204	239	206	112	69	43	52	37	60	47	23	18	0	0	96	
Mood [affective] disorders	Men and Women	0	2	1	126	382	356	328	255	134	73	53	65	31	32	30	17	16	10	9	132	

	Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	94	299	360	250	286	218	168	103	121	103	56	28	15	0	12	0	147	
		Women	0	0	0	29	117	146	121	113	84	43	167	164	86	154	35	153	42	0	0	85	
	Mood [affective] disorders	Men and Women	0	0	1	62	211	260	190	205	154	108	135	142	95	104	32	88	23	5	0	116	
		Men	0	0	22	273	244	271	242	161	165	153	250	220	148	153	101	174	231	254	112	168	
	Other mental and behavioural disorders	Women	0	0	69	388	372	222	312	297	245	234	290	249	340	353	362	347	289	164	69	245	
		Men and Women	0	0	45	330	305	248	275	225	203	192	270	234	243	252	232	265	263	201	83	205	
2019	Main group: Mental and behavioural disorders	Men	85	66	291	378	323	181	179	135	131	109	94	84	83	68	142	249	289	542	643	171	
		Women	93	347	209	986	553	498	805	306	300	219	167	208	210	154	211	405	482	548	702	375	
	Dementia	Men and Women	88	203	251	679	434	329	471	216	212	162	130	146	146	111	177	331	394	546	682	271	
		Men	60	87	275	896	1484	1379	1132	1035	840	753	688	736	592	465	535	827	1357	2239	1969	805	
	Mental and behavioural disorders due to alcohol	Women	89	453	290	1434	1386	1087	1465	1038	909	680	657	774	838	846	756	1260	1543	1986	2162	916	
		Men and Women	74	266	282	1162	1436	1243	1285	1036	873	718	673	755	714	654	646	1055	1457	2091	2097	859	
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	0	0	0	0	0	0	0	2	4	24	73	165	263	764	1373	1076	46	
		Women	0	0	0	4	0	0	0	0	0	0	2	2	12	39	87	279	652	1244	1459	56	
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	0	2	0	0	0	0	0	0	2	3	18	56	126	271	704	1298	1330	51	
		Men	0	0	0	18	90	103	136	155	198	221	182	264	184	123	111	141	113	46	0	118	
	Mood [affective] disorders	Women	0	0	0	15	46	60	72	83	155	141	77	127	164	94	45	59	43	16	13	69	
		Men and Women	0	0	0	16	69	83	106	121	178	183	131	195	174	109	78	98	75	29	9	94	
	Other mental and behavioural disorders	Men	0	2	0	138	496	504	390	304	143	103	55	65	28	9	12	9	14	23	26	168	
		Women	0	0	2	97	279	227	259	216	127	68	42	46	32	58	39	21	6	0	0	101	
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	1	1	118	391	375	330	263	135	86	49	56	30	33	26	16	10	10	9	135	
		Men	0	0	2	82	280	341	225	272	211	154	98	109	113	43	15	19	0	23	0	138	
	Mood [affective] disorders	Women	0	0	0	15	110	124	130	118	93	57	129	156	112	157	63	144	85	0	0	85	
		Men and Women	0	0	1	49	198	240	181	200	155	107	113	132	112	99	39	85	46	10	0	112	
	Other mental and behavioural disorders	Men	0	0	28	288	252	260	214	168	176	160	257	209	158	146	90	141	205	208	79	166	
		Women	0	0	65	397	360	251	298	305	262	205	259	264	332	337	294	359	274	148	80	242	
2020	Main group: Mental and behavioural disorders	Men and Women	0	0	46	342	304	256	253	232	217	182	258	237	244	241	192	256	242	173	79	203	
		Men	60	85	245	369	366	171	167	136	112	115	93	85	87	71	141	254	262	565	787	169	
	Dementia	Women	89	453	223	908	591	424	706	315	273	209	147	180	186	162	228	397	482	577	610	363	
		Men and Women	74	266	234	635	474	289	415	220	189	160	120	132	136	116	185	329	380	572	670	263	
	Mental and behavioural disorders due to alcohol	Men	66	116	199	847	1449	1310	1119	1077	840	757	687	695	617	467	490	826	1296	2164	1878	788	
		Women	52	497	325	1190	1225	1054	1342	1000	803	674	587	693	840	771	741	1181	1500	1970	2084	855	
	Mood [affective] disorders	Men and Women	59	303	260	1016	1340	1190	1222	1041	823	717	638	694	727	619	615	1012	1405	2052	2014	821	
		Men	0	0	0	0	0	0	0	0	0	0	0	0	2	7	27	56	155	274	721	1296	1049
	Other mental and behavioural disorders	Women	0	0	0	4	0	0	0	0	0	0	0	4	2	12	33	87	267	672	1215	1321	54
		Men and Women	0	0	0	2	0	0	0	0	0	0	0	3	5	19	44	121	270	694	1249	1229	49
	Mental and behavioural disorders due to alcohol	Men	0	0	0	23	81	98	133	146	192	216	190	257	198	130	86	148	153	58	0	117	
		Women	0	0	0	9	39	51	67	76	117	153	88	102	160	95	35	52	24	25	13	63	
	Other mental and behavioural disorders	Men and Women	0	0	0	16	60	76	103	114	156	186	140	179	179	113	60	98	84	39	8	91	

Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	2	0	134	505	498	388	314	153	112	43	66	33	9	6	9	14	23	24	168
	Women	0	0	0	97	262	255	250	231	110	63	24	38	25	49	41	24	6	0	13	99
Schizophrenia, schizotypal and delusional disorders	Men and Women	0	1	0	116	386	384	324	275	132	89	34	52	29	29	23	17	10	10	17	135
	Men	0	0	0	62	261	344	236	287	225	160	90	98	106	35	20	26	0	12	0	137
Mood [affective] disorders	Women	0	0	0	9	77	120	129	112	93	63	97	147	143	116	98	127	85	17	0	80
	Men and Women	0	0	0	36	172	239	187	206	162	114	93	123	124	76	59	79	45	15	0	110
Other mental and behavioural disorders	Men	0	0	29	274	251	213	199	182	170	167	267	195	175	144	106	126	139	185	49	161
	Women	0	0	77	422	335	266	268	288	269	208	242	229	326	312	258	326	236	109	76	233
	Men and Women	0	0	53	347	292	238	231	232	217	187	255	212	250	228	181	231	191	141	67	196
	Men	66	114	170	355	351	158	164	146	101	101	95	71	79	93	117	244	270	590	756	161
	Women	52	497	248	649	512	363	628	293	214	187	132	175	174	165	223	386	478	604	661	325
	Men and Women	59	302	208	499	429	254	377	215	155	142	113	123	126	129	170	318	381	598	694	241

Calculated 5 year moving average for Åland, Iceland

Source: Denmark: The National Patient Register, The Danish Health Data Authority#Finland: The national in-patient registers#Åland: The national in-patient registers#Iceland: The national in-patient registers#Norway: Norwegian Directorate of Health, NPR#Sweden: The national in-patient registers; The National Board of Health and Welfare#

Units: Per 100 000

Internal reference code: DISCHA06