

[PATIENT01] Main diagnostic groups, patients treated in ordinary and specialized hospitals, per 100 000 by Year, Diagnostic group, Sex, Country and Age group, 2004-2014

			Iceland																				
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	All	
			years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	Ages
2004	Main group: Certain infectious and parasitic diseases	Men	1439	354	156	161	142	130	128	84	77	92	84	88	133	252	308	562	772	851	1385	269	
		Women	1291	323	157	310	281	171	134	121	102	89	140	143	143	307	398	547	739	1083	1116	306	
		Men and Women																					
	Main group: Neoplasms	Women	1366	339	157	234	210	150	131	102	90	91	112	115	138	280	356	554	753	996	1201	287	
		Men	79	89	80	87	88	100	116	114	223	308	445	799	1347	2150	3378	3936	4708	5041	5077	584	
		Women	110	68	44	97	134	182	290	486	823	1149	1387	1582	1795	2156	2666	2574	2965	2877	2558	809	
		Men and Women																					
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	94	79	62	92	110	141	202	300	522	723	905	1181	1574	2153	3004	3191	3699	3689	3347	696	
		Men	96	36	22	7	22	29	25	15	20	33	39	70	57	137	285	355	640	664	1385	69	
		Women	79	17	32	39	32	37	41	69	93	99	75	68	129	206	271	345	712	822	1047	106	
		Men and Women																					
	Main group: Endocrine, nutritional and metabolic diseases	Women	88	27	27	23	26	33	33	42	56	65	56	69	94	172	278	349	682	763	1153	87	
		Men	81	63	85	61	59	33	42	53	74	67	121	119	165	335	472	532	640	643	462	117	
		Women	132	91	90	120	99	105	148	174	219	162	197	173	210	303	593	674	760	1196	1023	207	
		Men and Women																					
	Main group: Mental and behavioural disorders	Women	106	77	87	90	79	68	94	114	146	114	158	145	188	319	535	609	710	988	849	162	
		Men	107	184	263	515	833	724	640	753	755	705	605	662	729	715	832	1149	1610	1992	2359	618	
		Women	56	70	157	689	796	665	653	697	860	713	674	689	717	752	941	1338	1760	2765	2326	659	
		Men and Women																					
	Main group: Diseases of the nervous system	Women	82	129	211	600	815	695	646	725	807	709	639	675	723	734	889	1252	1697	2475	2338	639	
		Men	287	211	134	137	120	176	194	307	357	422	508	667	833	998	1308	1467	1554	1307	1231	408	
		Women	244	171	120	143	184	219	201	318	351	359	378	516	626	681	1047	1120	1020	959	535	360	
		Men and Women																					
	Main group: Diseases of the eye and adnexa	Women	266	192	127	140	152	198	198	312	354	391	444	594	729	835	1171	1277	1245	1089	753	384	
		Men	115	76	25	48	36	34	50	53	37	69	108	108	108	159	192	226	348	602	564	83	
		Women	107	55	21	31	30	31	28	46	35	47	63	87	112	185	246	345	472	623	349	85	
		Men and Women																					
	Main group: Diseases of the ear and mastoid process	Women	111	66	23	40	33	33	39	50	36	58	86	98	110	172	220	291	420	615	416	84	
		Men	460	87	76	46	45	31	30	34	57	62	56	64	25	49	47	147	75	41	51	84	
		Women	320	107	71	21	37	29	43	75	52	73	52	65	115	67	136	152	110	112	70	85	
		Men and Women																					
	Main group: Diseases of the circulatory system	Women	391	96	74	34	41	30	37	54	55	67	54	65	71	58	93	150	95	86	64	84	
		Men	39	43	39	89	108	82	126	232	436	945	1465	2370	3758	5999	7657	9670	10386	12054	13744	1410	
		Women	37	36	46	91	134	126	142	199	292	440	692	1192	1946	3009	4268	5979	6929	8157	8395	965	
		Men and Women																					
	Main group: Diseases of the respiratory system	Women	38	40	42	90	120	104	134	216	364	696	1087	1796	2840	4467	5879	7651	8386	9619	10072	1188	
		Men	3033	1392	419	356	367	393	335	292	359	316	361	629	783	1064	1789	2689	3465	5207	5436	867	
		Women	2326	1307	692	488	365	335	329	274	292	330	412	603	878	1425	1933	2458	2965	3263	3744	868	
		Men and Women																					
	Main group: Diseases of the digestive system	Women	2685	1350	552	420	366	364	332	283	326	323	386	616	831	1249	1864	2562	3176	3992	4275	867	
		Men	659	362	587	517	556	557	524	604	667	830	894	1095	1272	1646	2289	3160	3606	4295	5436	879	
		Women	471	335	469	604	752	787	822	860	907	1155	1323	1822	1704	2080	2454	3238	3430	4408	4116	1130	
		Men and Women																					
	Main group: Diseases of the skin and subcutaneous tissue	Women	566	348	529	560	652	672	671	732	786	990	1104	1450	1491	1869	2375	3202	3505	4366	4532	1004	
		Men	265	108	85	87	143	138	114	185	192	173	212	247	269	393	505	672	669	1037	1026	208	
		Women	194	87	62	114	154	138	138	188	182	219	238	241	308	353	458	507	644	585	814	209	
		Men and Women																					
		Women	230	98	74	100	149	138	126	186	187	196	224	244	289	372	480	582	654	755	881	208	

2005	Main group: Diseases of the musculoskeletal system and connective tissue	Men	145	110	149	137	219	330	459	549	687	662	711	994	1333	1805	2014	1895	2024	1722	2359	604
		Women	132	110	168	186	214	264	424	569	600	725	980	1179	1708	2387	2844	3096	3204	3001	2581	795
	Main group: Diseases of the genitourinary system	Men and Women	138	110	158	161	216	297	442	559	644	693	842	1084	1523	2103	2449	2551	2708	2521	2514	700
		Men	481	157	175	120	179	188	189	202	182	281	298	505	780	1435	2028	2555	3032	3900	4410	476
	Main group: Pregnancy, childbirth and the puerperium	Women	570	310	97	623	1241	1320	1228	1450	1771	1783	1568	1609	1666	1790	1780	1768	1883	1980	1512	1218
		Men and Women	525	232	137	366	700	751	700	824	973	1023	918	1044	1229	1617	1898	2125	2367	2700	2418	846
	Main group: Certain conditions originating in the perinatal period	Men	23	0	0	0	2	0	0	0	0	0	0	3	0	0	0	0	0	0	0	2
		Women	35	0	18	2481	9292	14570	12668	7111	1936	130	5	0	3	8	0	0	7	12	0	3440
	Main group: Congenital malformations, deformations and chromosomal abnormalities	Men and Women	29	0	9	1214	4560	7243	6227	3546	964	64	2	1	2	4	0	0	4	8	0	1718
		Men	4730	4	2	0	0	0	2	0	0	2	0	0	4	0	0	0	9	0	0	345
	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	3818	4	2	0	9	10	6	2	4	0	0	0	3	4	8	0	0	12	0	274
		Men and Women	4280	4	2	0	5	5	4	1	2	1	0	0	4	2	4	0	4	8	0	309
	Main group: Injury, poisoning and certain other consequences of external causes	Men	1371	347	190	87	81	42	29	25	28	33	30	26	29	22	42	37	28	21	0	173
		Women	984	181	142	114	84	48	51	48	58	45	52	65	45	59	30	41	34	25	47	139
	Main group: Factors influencing health status and contact with health services	Men and Women	1181	266	166	100	82	45	40	36	43	39	41	45	37	41	36	39	32	23	32	156
		Men	903	315	285	345	393	339	398	438	477	562	620	876	1089	1452	2252	3032	4331	5290	7385	751
	Main group: All causes	Women	833	340	348	747	824	729	593	720	702	723	862	1017	1120	1656	2047	2691	3239	4259	4395	949
		Men and Women	869	327	316	542	604	533	494	579	589	641	738	945	1104	1557	2144	2845	3699	4646	5332	850
	Main group: All causes	Men	755	945	887	1209	1192	973	831	848	821	770	808	925	999	1112	1458	2029	2599	2905	4923	1014
		Women	626	650	608	848	562	552	451	527	554	606	699	808	1064	1534	2089	2873	4074	5629	7140	938
	Main group: All causes	Men and Women	691	802	751	1032	883	764	644	688	688	689	755	868	1032	1328	1789	2490	3454	4607	6453	976
		Men	3762	257	176	172	109	113	105	149	155	158	181	201	331	547	771	1265	1394	1826	2513	519
Main group: All causes	Women	3448	350	172	569	1353	1746	1441	1067	674	440	364	424	500	698	776	1044	1328	1818	2047	1001	
	Men and Women	3607	302	174	366	719	925	762	606	413	297	271	310	417	624	773	1144	1356	1821	2194	760	
Main group: All causes	Men	15424	4743	3524	3831	4304	4004	3948	4497	5016	5657	6572	8865	11791	16332	21345	26601	30395	35332	42051	7889	
	Women	13021	4218	3265	7203	14228	19359	17615	13291	9194	8082	8768	10366	12413	15734	19547	23228	26806	31768	32116	12223	
Main group: All causes	Men and Women	14239	4487	3398	5481	9172	11637	10666	8883	7095	6854	7645	9598	12106	16026	20400	24753	28323	33105	35244	10052	
	Men	1286	260	129	132	136	116	103	74	71	98	75	88	130	242	322	512	711	876	1234	238	
Main group: All causes	Women	1123	253	129	278	268	160	105	123	105	83	108	154	158	283	381	502	708	995	1068	275	
	Men and Women	1206	256	129	203	201	138	104	98	88	91	91	120	144	263	353	507	709	950	1117	256	
Main group: All causes	Men	62	75	54	82	82	109	107	122	209	308	461	800	1420	2219	3500	3760	4818	5063	5193	590	
	Women	93	59	41	92	139	173	311	534	851	1160	1346	1598	1790	2198	2734	2473	2879	2852	2500	817	
Main group: All causes	Men and Women	77	67	48	87	110	141	206	325	527	724	893	1186	1606	2208	3097	3058	3694	3697	3320	703	
	Men	88	29	19	7	15	26	18	17	22	31	46	81	63	119	298	382	581	837	1131	68	
Main group: All causes	Women	68	17	25	41	36	41	41	68	100	98	81	78	172	198	287	317	795	923	977	111	
	Men and Women	78	23	22	24	25	34	29	42	60	64	63	79	118	159	292	347	705	891	1023	89	
Main group: All causes	Men	77	55	75	55	58	28	42	65	65	74	122	134	170	299	416	535	609	701	514	114	
	Women	101	61	75	132	107	111	190	201	240	197	193	190	215	262	574	659	762	1174	1023	211	
Main group: All causes	Men and Women	88	58	75	93	82	69	114	132	152	134	157	161	192	280	499	603	698	995	865	162	

Main group: Mental and behavioural disorders	Men	75	124	252	472	786	665	608	676	740	640	608	601	673	699	766	1006	1643	2045	2211	578
	Women	43	51	141	650	757	611	596	667	807	729	641	614	707	722	921	1239	1697	2612	2114	625
Main group: Diseases of the nervous system	Men and Women	59	89	198	559	772	638	603	671	773	684	624	608	690	710	847	1134	1674	2398	2140	601
	Men	211	181	126	123	114	155	173	282	312	369	440	592	780	971	1268	1442	1671	1285	1183	376
Main group: Diseases of the eye and adnexa	Women	190	133	105	122	185	226	208	295	330	363	375	458	571	641	1071	1161	1035	911	500	345
	Men and Women	201	158	116	123	149	190	190	288	321	366	409	527	675	803	1164	1289	1302	1054	708	361
Main group: Diseases of the ear and mastoid process	Men	105	75	20	39	42	46	48	55	44	68	103	130	123	167	213	212	332	545	463	84
	Women	85	55	20	26	28	43	33	45	39	48	70	86	102	236	240	366	407	467	250	84
Main group: Diseases of the circulatory system	Men and Women	95	65	20	33	35	45	41	50	41	58	87	108	113	202	227	296	376	497	315	84
	Men	390	75	65	41	38	26	35	36	58	63	63	64	30	53	38	147	92	39	103	77
Main group: Diseases of the respiratory system	Women	298	97	61	24	30	32	52	74	55	64	57	73	86	63	99	132	94	144	68	80
	Men and Women	345	86	63	33	34	29	43	55	57	63	60	68	58	58	70	139	93	104	79	78
Main group: Diseases of the digestive system	Men	39	31	46	84	102	79	136	232	448	946	1472	2445	3723	6011	7938	9420	10337	11509	13882	1423
	Women	33	32	41	92	143	130	122	217	300	465	696	1166	1813	2903	4310	5854	6854	8244	8318	965
Main group: Diseases of the skin and subcutaneous tissue	Men and Women	36	32	44	88	122	105	129	225	375	711	1093	1825	2763	4425	6033	7473	8318	9495	10008	1195
	Men	2738	1232	374	326	387	356	309	303	337	323	356	579	757	1054	1731	2695	3627	5278	5964	820
Main group: Diseases of the musculoskeletal system and connective tissue	Women	2140	1113	591	472	347	324	313	289	271	320	437	593	802	1460	1975	2405	2839	3176	4091	826
	Men and Women	2444	1174	480	397	367	341	311	296	304	322	396	586	780	1261	1859	2537	3171	3979	4658	823
Main group: Diseases of the genitourinary system	Men	532	289	527	488	595	532	498	603	700	838	914	1081	1277	1630	2285	2895	3784	3992	5244	857
	Women	401	285	432	581	774	811	804	859	916	1193	1333	1816	1681	2160	2485	3107	3367	4374	3750	1124
Main group: Pregnancy, childbirth and the puerperium	Men and Women	468	287	481	533	683	670	647	729	807	1011	1118	1437	1480	1900	2389	3012	3543	4232	4201	990
	Men	250	101	83	82	151	148	105	175	174	162	203	220	260	365	468	653	646	837	1080	197
Main group: Certain conditions originating in the perinatal period	Women	196	88	63	100	147	153	157	184	206	232	266	250	284	414	437	468	655	611	818	215
	Men and Women	223	94	73	91	149	150	130	179	190	196	234	234	272	390	452	552	651	698	897	206
Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	125	111	133	127	214	279	408	535	686	646	671	961	1280	1709	2067	1965	1994	1714	2211	587
	Women	134	97	141	169	187	241	383	553	592	728	918	1184	1644	2443	2935	3171	3146	3020	2659	789
Main group: Diseases of the eye and adnexa	Men and Women	129	104	137	148	201	260	396	544	639	686	791	1069	1463	2083	2522	2625	2663	2524	2518	687
	Men	412	135	165	109	158	151	180	188	178	258	285	450	777	1463	2025	2513	3129	3564	4524	457
Main group: Diseases of the ear and mastoid process	Women	480	245	75	552	1295	1450	1321	1621	1847	1936	1651	1702	1793	1878	1855	1805	1937	1953	1841	1276
	Men and Women	446	189	121	325	716	794	735	895	1005	1078	952	1056	1287	1674	1935	2126	2438	2569	2659	864
Main group: Diseases of the respiratory system	Men	13	0	0	0	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1
	Women	23	0	20	2457	9668	14668	12990	7549	2027	139	4	0	7	4	0	0	7	12	0	3520
Main group: Diseases of the digestive system	Men and Women	18	0	10	1199	4745	7259	6315	3723	1005	68	2	1	3	2	0	0	4	7	0	1751
	Men	4632	4	2	0	2	0	0	0	0	2	0	0	3	0	0	0	9	0	0	334
Main group: Diseases of the skin and subcutaneous tissue	Women	3764	6	4	0	8	6	2	0	2	0	0	0	0	4	9	0	0	0	0	266
	Men and Women	4206	5	3	0	5	3	1	0	1	1	0	0	2	2	4	0	4	0	0	300
Main group: Diseases of the circulatory system	Men	1329	302	187	86	76	52	31	32	29	35	29	42	33	18	33	35	28	19	0	166
	Women	924	147	113	118	90	49	45	51	48	44	61	70	46	55	39	44	47	36	45	131
Main group: Diseases of the musculoskeletal system and connective tissue	Men and Women	1130	226	151	102	83	50	38	41	38	40	45	55	40	37	36	40	39	30	31	148

2006	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	793	269	240	329	388	299	382	443	453	590	627	897	1100	1520	2280	3177	4402	5005	6838	739
		Women	761	274	309	669	806	698	614	728	697	729	850	999	1133	1646	2121	2756	3387	4266	4432	939
	Main group: Injury, poisoning and certain other consequences of external causes	Men and Women	777	271	274	495	594	496	495	584	574	658	736	947	1116	1584	2196	2948	3814	4551	5161	839
		Men	649	886	801	1113	1138	870	765	765	785	767	763	822	923	1054	1575	2018	2630	3350	4524	956
	Main group: Factors influencing health status and contact with health services	Women	544	594	557	736	571	473	425	526	525	581	703	799	991	1532	2022	2756	4102	5752	6977	902
		Men and Women	598	743	682	929	860	674	600	647	656	676	733	811	957	1298	1809	2423	3484	4840	6216	929
	All causes	Men	3811	227	179	161	120	114	118	169	176	194	208	257	433	650	1008	1377	1754	1986	2828	552
		Women	3429	274	175	406	923	1143	1022	917	724	450	404	510	571	895	1020	1244	1409	1929	1932	903
	Main group: Certain infectious and parasitic diseases	Men and Women	3623	250	177	280	514	623	557	538	448	319	303	379	503	775	1014	1305	1554	1952	2203	727
		Men	14355	4119	3209	3525	4194	3673	3715	4340	4900	5571	6478	8597	11673	16257	21769	26019	31075	34781	42725	7634
	Main group: Neoplasms	Women	12201	3578	2896	6779	14541	19317	17892	13880	9372	8294	8724	10403	12197	15924	19807	22839	26754	31612	31727	12179
		Men and Women	13298	3854	3056	5112	9271	11416	10608	9045	7118	6902	7575	9472	11936	16085	20735	24290	28574	32843	35043	9894
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men	1036	162	96	104	106	96	85	69	71	86	82	96	133	248	308	497	679	943	1241	200
		Women	873	196	88	249	232	148	121	111	104	89	92	140	141	272	442	456	732	1027	989	244
	Main group: Endocrine, nutritional and metabolic diseases	Men and Women	956	179	92	175	168	121	102	89	87	88	86	117	137	260	378	475	709	994	1065	222
		Men	46	59	36	70	97	103	100	134	193	296	468	767	1412	2324	3540	3706	4690	4823	4963	581
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	77	38	36	93	145	179	314	562	851	1195	1361	1655	1797	2338	2717	2636	2939	2613	2242	834
		Men and Women	61	49	36	81	120	140	202	341	514	727	899	1196	1603	2331	3107	3126	3672	3466	3075	706
	Main group: Mental and behavioural disorders	Men	61	22	15	12	13	17	12	17	24	30	40	86	68	109	279	362	616	925	1092	64
		Women	44	15	16	38	41	49	36	60	93	84	81	75	157	193	308	370	738	1050	791	108
	Main group: Diseases of the nervous system	Men and Women	53	19	16	25	27	33	24	37	58	56	60	81	112	152	294	367	687	1001	883	86
		Men	57	52	69	50	62	31	42	67	61	77	100	147	170	261	390	446	579	707	645	107
Main group: Diseases of the eye and adnexa	Women	82	55	68	109	113	131	202	220	273	244	230	209	241	285	641	651	810	1072	1121	225	
	Men and Women	70	53	69	78	87	80	118	141	164	157	163	177	205	273	522	558	713	931	974	165	
Main group: Diseases of the ear and mastoid process	Men	61	87	221	464	758	583	563	590	688	596	570	557	620	657	765	893	1621	1940	1836	536	
	Women	33	34	121	582	754	579	520	608	760	698	579	576	655	679	901	1164	1803	2327	2000	588	
Main group: Diseases of the circulatory system	Men and Women	47	61	172	521	756	581	542	599	723	645	574	566	638	668	836	1040	1726	2178	1948	562	
	Men	163	144	130	128	104	120	125	213	247	300	329	482	672	931	1255	1463	1593	1215	893	329	
Main group: Diseases of the ear and mastoid process	Women	144	99	95	113	151	212	200	248	305	318	334	381	505	603	1053	1164	1071	936	615	318	
	Men and Women	153	122	113	121	127	165	161	230	275	308	331	434	589	764	1149	1301	1290	1043	700	323	
Main group: Diseases of the eye and adnexa	Men	79	50	19	33	44	52	47	58	47	60	106	112	136	178	241	271	389	544	546	83	
	Women	67	30	18	16	40	47	40	40	47	48	77	85	103	256	260	332	379	445	286	82	
Main group: Diseases of the circulatory system	Men and Women	73	40	18	25	42	50	43	49	47	54	92	99	120	218	251	305	383	483	365	83	
	Men	336	72	51	38	36	30	31	35	61	61	66	68	28	52	48	147	81	18	99	71	
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	240	86	56	22	30	27	53	68	55	78	55	87	82	67	82	147	118	148	66	75	
	Men and Women	289	79	54	30	33	29	42	51	58	69	61	77	54	60	66	147	102	98	76	73	
Main group: Injury, poisoning and certain other consequences of external causes	Men	35	26	38	84	91	103	121	223	435	865	1460	2337	3676	5540	7792	8757	10249	10970	13846	1369	
	Women	25	27	34	89	143	110	102	207	280	436	650	1084	1718	2799	4342	5704	6924	8009	8264	943	
Main group: Factors influencing health status and contact with health services	Men and Women	30	26	36	86	117	106	112	215	359	659	1068	1732	2706	4143	5976	7101	8314	9153	9970	1159	

	Main group: Diseases of the respiratory system	Men	2431	1029	343	315	383	346	279	297	320	307	343	534	660	1044	1708	2723	3812	4914	6303	761
		Women	1865	945	521	442	322	307	268	280	256	308	415	556	774	1400	1989	2341	2946	3423	4022	775
	Main group: Diseases of the digestive system	Men and Women	2153	988	429	377	353	327	274	289	289	307	378	544	717	1225	1855	2517	3307	3999	4718	768
		Men	414	245	504	468	599	503	489	573	697	750	892	1137	1298	1645	2294	2836	3857	4225	4764	836
	Main group: Diseases of the skin and subcutaneous tissue	Women	318	228	422	567	733	800	783	894	896	1197	1363	1760	1765	2154	2462	2892	3403	4278	3582	1108
		Men and Women	367	237	464	516	665	648	629	728	794	964	1120	1438	1530	1904	2382	2868	3592	4258	3942	970
	Main group: Diseases of the musculoskeletal system and connective tissue	Men	231	103	84	72	148	148	106	147	153	163	193	212	268	326	404	638	652	816	744	187
		Women	190	84	50	89	141	153	168	189	236	242	243	222	298	402	390	427	660	570	879	211
	Main group: Diseases of the genitourinary system	Men and Women	211	94	68	80	145	151	136	167	194	201	217	217	283	365	397	524	656	665	837	199
		Men	120	99	123	120	189	263	374	525	654	641	695	962	1268	1693	2102	2096	2046	1777	2134	584
	Main group: Pregnancy, childbirth and the puerperium	Women	132	86	124	158	187	232	382	518	591	715	907	1212	1646	2543	3107	3130	3181	3092	2418	794
		Men and Women	126	93	124	138	188	248	378	522	623	677	798	1083	1455	2126	2630	2659	2704	2584	2329	687
	Main group: Certain conditions originating in the perinatal period	Men	371	110	144	84	138	123	166	163	165	266	279	426	762	1427	2020	2418	3024	3391	4814	434
		Women	437	164	70	487	1331	1477	1382	1696	1943	1952	1676	1740	1859	1928	2015	1710	1953	1997	2000	1300
	Main group: Congenital malformations, deformations and chromosomal abnormalities	Men and Women	404	137	108	280	724	784	748	904	1034	1074	954	1061	1306	1682	2017	2034	2401	2535	2861	861
		Men	9	0	0	0	2	0	3	0	0	0	0	0	2	0	0	0	0	0	0	0
	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	10	0	18	2367	9829	14341	13282	7794	2092	139	4	0	3	4	0	0	0	11	0	3545
		Men and Women	9	0	9	1148	4831	6997	6354	3764	1023	67	2	1	2	2	0	0	0	7	0	1750
	Main group: Injury, poisoning and certain other consequences of external causes	Men	4645	0	2	0	2	0	0	0	0	2	0	0	0	0	0	0	9	0	0	327
		Women	3687	2	2	0	4	5	2	0	0	0	0	0	0	4	4	0	0	0	0	258
	Main group: Factors influencing health status and contact with health services	Men and Women	4175	1	2	0	3	3	1	0	0	1	0	0	0	2	2	0	4	0	0	293
		Men	1204	280	187	77	69	50	35	22	38	39	38	44	34	17	19	40	36	0	50	152
	Main group: All causes	Women	844	135	101	120	77	49	45	64	45	53	62	75	66	50	39	38	39	46	44	124
		Men and Women	1028	209	145	98	73	50	40	42	42	46	49	59	50	34	30	39	38	28	46	138
	Main group: Main group: Injury, poisoning and certain other consequences of external causes	Men	637	184	194	262	324	263	293	356	368	550	536	792	1005	1523	2280	2938	4328	4406	6203	657
		Women	641	179	254	549	743	681	580	652	629	695	758	897	1057	1462	1868	2626	3325	3902	4396	857
	Main group: Main group: Factors influencing health status and contact with health services	Men and Women	639	181	223	401	530	467	430	499	496	619	643	843	1031	1492	2063	2770	3744	4097	4947	755
		Men	508	779	720	1067	1066	804	724	720	725	737	743	804	916	1049	1573	1983	2499	3500	4367	900
	Main group: All causes	Women	480	546	528	660	535	444	389	501	509	552	671	768	972	1450	1989	2702	4187	5784	7341	872
		Men and Women	494	664	626	870	805	628	564	614	619	648	708	786	944	1253	1791	2375	3478	4902	6423	886
	Main group: All causes	Men	3938	193	183	151	129	113	107	156	176	193	201	298	466	735	1087	1503	1956	2103	2680	566
		Women	3491	188	175	347	850	1001	960	938	749	459	409	568	596	947	1101	1463	1470	1951	1956	897
	Main group: All causes	Men and Women	3719	191	179	246	484	546	515	533	456	320	302	429	530	843	1094	1482	1673	2010	2177	729
		Men	13315	3388	2920	3297	3991	3394	3396	3994	4568	5239	6263	8312	11346	15718	21578	25090	30982	33762	42481	7229
	Main group: Main group: Certain infectious and parasitic diseases	Women	11268	2909	2603	6304	14510	18835	17976	14031	9414	8273	8564	10216	12046	15822	19822	22413	26911	31158	31648	11976
		Men and Women	12311	3153	2766	4755	9161	10927	10368	8841	6937	6694	7375	9231	11695	15771	20650	23645	28606	32164	34947	9571
	Main group: All causes	Men	624	98	74	95	99	87	76	55	80	77	74	74	136	244	330	424	580	907	1411	157
		Women	550	114	60	187	203	149	106	108	97	88	70	134	150	212	415	449	694	996	942	200
		Men and Women	588	106	67	140	150	117	91	80	88	82	72	103	143	228	374	438	646	961	1086	178

Main group: Neoplasms	Men	54	48	48	77	92	100	98	133	161	306	467	756	1431	2288	3536	3656	4670	4671	4964	576
	Women	68	34	31	85	137	147	300	543	810	1133	1331	1619	1850	2251	2728	2702	2794	2501	2283	816
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	61	41	40	81	114	123	193	328	476	700	880	1174	1636	2270	3111	3143	3581	3341	3096	693
	Men	50	13	16	15	14	19	13	20	20	22	34	70	70	97	272	374	598	907	876	60
Main group: Endocrine, nutritional and metabolic diseases	Women	30	13	16	30	46	46	26	47	81	79	83	70	150	199	332	426	675	1018	901	105
	Women	40	13	16	22	30	32	19	33	50	49	57	70	109	149	303	402	642	974	895	82
Main group: Mental and behavioural disorders	Men	54	35	60	52	50	35	42	68	56	67	93	149	165	274	407	474	554	650	779	104
	Women	68	53	70	101	102	149	214	230	275	263	237	252	292	277	633	625	834	1083	1215	232
Main group: Diseases of the nervous system	Men and Women	61	44	65	75	75	90	123	145	162	160	162	199	227	275	526	555	716	915	1086	167
	Men	45	78	193	439	721	564	560	549	659	565	579	498	608	619	703	727	1530	1865	2190	511
Main group: Diseases of the eye and adnexa	Women	21	19	107	540	721	565	517	551	713	694	567	576	650	659	886	1126	1731	1982	1759	562
	Men and Women	33	49	151	488	721	564	540	550	685	626	573	536	629	640	800	942	1647	1936	1893	536
Main group: Diseases of the ear and mastoid process	Men	164	130	124	110	92	100	118	172	196	259	295	413	608	830	1188	1426	1618	1215	1022	299
	Women	113	88	83	108	133	203	198	213	271	298	307	331	454	509	973	1136	1044	964	691	293
Main group: Diseases of the circulatory system	Men and Women	139	109	104	109	112	149	156	191	233	278	301	373	533	667	1075	1270	1285	1061	792	296
	Men	68	37	9	32	41	48	47	60	54	61	93	111	136	202	301	319	413	616	487	85
Main group: Diseases of the respiratory system	Women	45	25	18	18	37	53	45	41	47	43	76	89	99	252	266	341	331	422	293	80
	Women	57	31	13	25	39	50	46	51	51	53	85	100	118	228	283	331	366	497	352	82
Main group: Diseases of the digestive system	Men	193	63	52	38	34	32	33	27	51	65	51	63	26	59	53	110	79	17	146	58
	Women	113	76	61	26	31	25	63	59	59	71	58	86	66	69	92	147	127	141	84	66
Main group: Diseases of the skin and subcutaneous tissue	Men and Women	153	70	56	33	33	29	47	42	55	68	54	74	46	64	74	130	107	93	103	62
	Men	38	22	33	92	94	101	125	219	423	819	1489	2285	3567	5183	7504	8425	9868	10624	13869	1325
Main group: Diseases of the musculoskeletal system and connective tissue	Women	23	19	23	86	131	95	93	191	260	424	621	1012	1675	2650	4094	5408	6531	7537	7832	894
	Men and Women	30	21	28	89	112	98	110	205	344	631	1074	1668	2638	3895	5709	6803	7931	8731	9670	1114
Main group: Diseases of the genitourinary system	Men	1918	787	288	305	344	282	244	265	281	302	320	489	707	1087	1654	2555	3676	4688	6472	676
	Women	1430	756	470	400	281	256	257	282	255	289	398	520	767	1303	1942	2210	2884	3259	3937	701
Main group: Diseases of the eye and adnexa	Men and Women	1679	772	377	351	313	269	251	273	268	296	357	504	736	1197	1806	2370	3216	3812	4710	689
	Men	344	214	488	461	547	473	474	531	654	754	887	1065	1260	1681	2246	2731	3782	3661	4769	801
Main group: Diseases of the ear and mastoid process	Women	246	226	378	559	732	780	793	839	848	1135	1296	1614	1705	2072	2370	2702	3316	3866	3581	1058
	Men and Women	296	220	434	509	637	620	624	677	748	936	1082	1331	1479	1880	2311	2716	3511	3785	3947	927
Main group: Diseases of the nervous system	Men	202	78	78	62	119	127	96	123	151	159	189	217	275	295	369	490	686	770	730	171
	Women	176	61	40	78	127	146	157	169	235	225	239	204	313	395	380	364	681	531	880	200
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	189	70	59	69	123	136	125	145	192	190	213	210	294	346	374	422	683	623	836	185
	Men	121	74	102	131	182	219	329	480	574	632	671	954	1179	1648	2071	2280	1865	1814	2190	560
Main group: Endocrine, nutritional and metabolic diseases	Women	116	70	94	159	157	181	366	484	577	627	862	1170	1567	2479	3047	3151	3138	3097	2304	761
	Men and Women	119	72	98	145	170	201	346	482	575	629	763	1059	1369	2071	2585	2749	2603	2599	2274	658
Main group: Diseases of the circulatory system	Men	322	80	124	70	106	100	140	128	164	230	293	397	756	1370	1887	2406	2788	3114	4720	401
	Women	402	128	65	415	1129	1261	1268	1475	1787	1872	1539	1607	1853	1795	1894	1689	1980	1938	2031	1198
Main group: Diseases of the respiratory system	Men and Women	361	103	95	237	607	655	672	767	952	1013	889	983	1294	1586	1891	2021	2319	2393	2847	792

Main group: Pregnancy, childbirth and the puerperium	Men	4	0	0	0	2	0	3	0	0	0	0	2	0	0	0	0	0	0	1	
	Women	8	0	13	2080	9204	13855	13279	7576	1965	126	2	2	3	4	0	0	0	0	11	0
Main group: Certain conditions originating in the perinatal period	Men and Women	6	0	6	1010	4505	6633	6260	3594	954	60	1	2	1	2	0	0	0	7	0	1683
	Men	4621	0	3	0	2	0	0	0	0	2	0	0	0	0	0	0	0	9	0	0
Main group: Congenital malformations, deformations and chromosomal abnormalities	Women	3653	2	4	0	2	5	2	2	0	0	0	0	0	0	0	0	0	0	0	256
	Men and Women	4147	1	4	0	2	3	1	1	0	1	0	0	0	0	0	0	4	0	0	291
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	1177	232	179	85	66	48	30	25	36	41	34	52	35	29	24	39	18	0	49	145
	Women	805	114	101	115	76	51	35	65	45	56	64	77	66	53	39	47	25	32	63	120
Main group: Injury, poisoning and certain other consequences of external causes	Men and Women	995	174	141	99	71	50	33	44	40	48	48	64	50	41	32	43	22	20	59	133
	Men	545	136	191	220	259	222	253	293	320	510	545	758	953	1458	2173	2786	4125	4363	5645	605
Main group: Factors influencing health status and contact with health services	Women	511	124	229	496	676	689	565	567	557	608	712	832	1116	1453	1886	2664	3221	3628	4105	809
	Men and Women	528	130	210	354	463	446	400	423	435	557	625	794	1033	1456	2022	2721	3600	3911	4578	705
All causes	Men	432	691	700	1052	1006	791	707	696	718	734	743	823	930	1037	1547	2032	2375	3764	4866	880
	Women	368	483	497	552	471	405	407	455	478	544	662	813	1008	1372	1868	2692	4297	5772	6702	836
Main group: Certain infectious and parasitic diseases	Men and Women	401	588	601	809	744	606	565	582	601	643	705	818	968	1207	1716	2387	3489	4992	6163	858
	Men	3815	132	162	133	129	118	113	135	174	227	204	334	507	775	1125	1525	2076	2173	3066	560
Main group: Neoplasms	Women	3208	105	166	335	811	1006	938	866	647	439	429	595	635	973	1152	1576	1598	2068	2136	869
	Men and Women	3518	118	164	231	463	543	502	482	404	328	312	460	570	876	1140	1553	1798	2108	2421	712
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men	11919	2746	2671	3177	3694	3146	3232	3653	4263	5105	6177	8104	11076	15188	21154	24455	30378	33174	42725	6863
	Women	9831	2352	2332	5632	13466	17993	17814	13288	8866	7842	8252	9833	11946	15152	19275	22020	26461	29561	30597	11403
Main group: Endocrine, nutritional and metabolic diseases	Men and Women	10897	2552	2506	4369	8476	10253	10105	8223	6497	6408	7170	8942	11502	15171	20165	23148	28100	30951	34321	9090
	Men	607	76	85	100	90	81	81	64	85	77	80	79	132	277	302	410	559	957	1478	158
Main group: Mental and behavioural disorders	Women	552	108	53	160	169	133	96	109	101	88	76	128	129	216	408	398	691	1003	1052	192
	Men and Women	580	92	70	130	129	106	88	85	93	83	78	103	131	246	357	404	635	986	1179	175
Main group: Diseases of the nervous system	Men	59	43	49	66	100	101	100	123	169	309	489	817	1400	2262	3487	3835	4712	4851	4480	586
	Women	60	36	27	71	121	135	261	501	831	1097	1357	1550	1821	2219	2782	2790	2851	2584	2386	809
Main group: Certain conditions originating in the perinatal period	Men and Women	60	39	38	68	111	117	176	303	492	688	908	1173	1606	2240	3118	3275	3646	3459	3018	695
	Men	49	15	21	21	17	20	12	26	17	17	35	75	72	121	287	470	585	957	600	64
Main group: Injury, poisoning and certain other consequences of external causes	Women	35	17	15	26	41	37	28	38	72	70	78	77	150	185	399	559	703	1127	991	110
	Men and Women	42	16	18	24	29	28	19	32	44	43	56	76	110	153	345	518	653	1062	870	87
Main group: Factors influencing health status and contact with health services	Men	54	32	71	57	36	41	50	64	66	79	93	154	190	237	423	487	610	792	693	109
	Women	55	51	66	83	96	145	207	214	270	300	233	271	325	300	642	687	873	1054	1132	234
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	54	41	69	70	65	91	124	135	165	186	161	211	256	269	538	594	762	954	996	171
	Men	33	74	212	411	723	581	592	586	685	571	593	511	587	607	661	744	1305	1832	2125	515
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	16	25	115	569	654	554	532	570	677	730	575	595	587	647	913	1108	1683	1943	1881	561
	Men and Women	25	50	165	488	689	568	564	578	681	648	584	552	587	627	793	939	1523	1901	1951	537
Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	142	123	104	102	80	81	118	130	183	245	256	372	518	691	1070	1417	1390	1469	1109	271
	Women	102	72	79	109	109	165	196	164	239	262	257	292	403	420	819	1042	1049	972	647	260
Main group: Factors influencing health status and contact with health services	Men and Women	123	97	92	105	94	121	155	146	210	253	256	333	462	553	939	1216	1195	1164	786	265

Main group: Diseases of the eye and adnexa	Men	50	39	14	26	36	44	46	55	66	70	93	119	132	177	297	317	508	627	416	85
	Women	33	21	16	21	36	47	46	27	54	50	82	91	112	281	292	365	345	403	324	82
Main group: Diseases of the ear and mastoid process	Men and Women	42	30	15	24	36	46	46	42	60	60	88	105	122	230	294	343	415	490	351	83
	Men	165	54	44	36	29	27	40	19	52	62	47	57	39	64	54	88	102	50	92	54
Main group: Diseases of the circulatory system	Women	118	55	51	34	23	32	61	50	58	59	54	82	58	92	106	142	138	145	101	64
	Men and Women	142	54	47	35	26	30	50	34	55	60	50	69	48	79	81	117	123	108	98	59
Main group: Diseases of the respiratory system	Men	36	22	35	99	90	108	139	198	416	840	1496	2279	3512	4822	7276	8107	9508	10561	12979	1300
	Women	33	17	22	86	127	101	93	185	259	420	569	938	1545	2423	4044	5239	6449	7514	7604	864
Main group: Diseases of the digestive system	Men and Women	35	20	29	93	108	105	117	192	339	638	1048	1628	2549	3597	5584	6569	7757	8693	9221	1086
	Men	1673	668	254	309	320	261	226	263	281	295	328	458	686	1109	1576	2642	3542	4455	6328	642
Main group: Diseases of the skin and subcutaneous tissue	Women	1253	648	389	381	244	231	248	252	273	260	381	518	762	1140	1896	2245	2857	3297	3782	658
	Men and Women	1468	658	320	344	283	247	236	258	277	278	354	487	724	1125	1743	2429	3151	3746	4547	650
Main group: Diseases of the musculoskeletal system and connective tissue	Men	328	202	482	473	534	487	485	511	704	744	891	1057	1315	1732	2232	2752	3881	4092	4573	812
	Women	217	208	351	595	744	759	767	822	824	1071	1257	1533	1657	1984	2454	2762	3347	3711	3579	1039
Main group: Diseases of the genitourinary system	Men and Women	274	205	418	532	636	617	618	659	763	902	1068	1288	1482	1860	2348	2757	3577	3860	3874	923
	Men	189	82	71	67	114	128	100	126	143	168	172	214	300	301	384	531	703	677	693	172
Main group: Pregnancy, childbirth and the puerperium	Women	175	70	35	72	114	141	169	170	226	214	239	210	302	378	403	369	703	599	910	200
	Men and Women	182	76	53	70	114	135	132	147	184	190	204	212	301	340	394	444	704	630	842	186
Main group: Certain conditions originating in the perinatal period	Men	116	67	84	131	173	188	300	442	516	614	690	938	1263	1676	1999	2358	1966	1815	2079	551
	Women	113	63	80	136	143	173	335	447	520	562	806	1172	1484	2438	2937	3145	3152	2915	2144	729
Main group: Congenital malformations, deformations and chromosomal abnormalities	Men and Women	115	65	82	134	158	181	317	444	518	589	746	1051	1371	2065	2490	2780	2649	2493	2119	638
	Men	321	72	89	77	95	89	141	118	147	218	287	388	684	1330	1800	2314	2686	3201	4157	384
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	393	112	75	372	954	1071	1163	1254	1624	1733	1452	1515	1784	1737	1878	1672	1852	1912	2144	1108
	Men and Women	356	92	82	221	514	556	624	658	868	948	850	935	1222	1538	1841	1970	2209	2410	2751	740
Main group: Injury, poisoning and certain other consequences of external causes	Men	3	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Women	7	0	11	1843	8555	13450	13044	7445	1906	129	0	2	3	0	0	0	0	0	0	3326
Main group: Diseases of the eye and adnexa	Men and Women	5	0	5	899	4176	6399	6167	3540	930	62	0	1	1	0	0	0	0	0	0	1634
	Men	4611	0	2	0	2	0	0	0	0	3	0	0	0	0	0	5	0	0	0	330
Main group: Certain conditions originating in the perinatal period	Women	3681	2	4	0	2	3	0	2	0	0	2	5	0	0	0	0	0	0	0	261
	Men and Women	4157	1	3	0	2	2	0	1	0	2	1	2	0	0	0	3	0	0	0	296
Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	1151	215	177	89	53	47	30	31	36	34	35	40	50	24	24	33	25	0	46	142
	Women	738	102	88	105	71	47	48	65	47	66	54	77	78	46	35	38	31	72	81	114
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	949	159	134	97	62	47	39	47	42	50	44	58	63	35	30	36	29	45	70	128
	Men	474	117	190	235	247	217	251	312	321	516	567	746	907	1467	2160	2741	3975	4488	5219	598
Main group: Injury, poisoning and certain other consequences of external causes	Women	470	127	227	502	612	658	591	545	532	551	648	815	1113	1352	1962	2729	3221	3318	4105	787
	Men and Women	472	122	208	365	425	427	411	423	424	533	606	780	1008	1408	2056	2734	3544	3771	4435	691
Main group: Injury, poisoning and certain other consequences of external causes	Men	403	575	701	1051	958	773	715	646	737	773	809	832	926	1085	1620	2123	2339	3845	4942	878
	Women	321	424	479	553	439	362	417	466	469	527	678	829	1053	1325	1838	2724	4352	5726	6714	825
Main group: Injury, poisoning and certain other consequences of external causes	Men and Women	363	501	593	808	704	577	574	561	606	655	746	831	988	1207	1734	2444	3498	5005	6161	852

2009	Main group: Factors influencing health status and contact with health services	Men	3888	145	169	148	126	113	118	133	173	242	207	326	507	776	1187	1521	2025	2360	2864	575
		Women	3320	110	184	326	806	1062	939	843	588	417	439	574	673	951	1214	1615	1670	1974	2063	882
	All causes	Men and Women	3610	127	176	235	458	565	506	471	376	326	319	446	588	865	1201	1571	1823	2124	2302	726
		Men	11446	2420	2587	3194	3528	3090	3250	3510	4256	5150	6270	8074	10936	14852	20715	24464	29703	33762	40185	6778
	Main group: Certain infectious and parasitic diseases	Women	9544	2114	2177	5356	12444	17280	17479	12725	8503	7513	8004	9600	11600	14511	19265	21999	26436	29282	30455	11060
		Men and Women	10517	2268	2388	4249	7880	9841	9975	7891	6329	6289	7108	8815	11261	14676	19954	23140	27847	31027	33347	8882
	Main group: Neoplasms	Men	545	85	92	103	95	78	85	60	78	76	90	82	138	247	242	428	584	962	1348	156
		Women	500	95	48	165	142	129	108	102	91	91	74	129	113	174	359	447	672	1068	1058	184
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	523	90	71	133	118	103	96	80	84	83	82	105	125	210	303	438	634	1027	1149	170
		Men	57	33	53	62	93	94	106	135	175	303	510	811	1410	2175	3427	3802	4534	4888	3913	590
	Main group: Endocrine, nutritional and metabolic diseases	Women	50	36	20	64	97	131	241	458	793	1104	1313	1542	1780	2178	2716	2883	2859	2546	2176	797
		Men and Women	54	35	37	63	95	112	171	291	479	697	903	1168	1591	2177	3058	3310	3582	3443	2722	692
	Main group: Mental and behavioural disorders	Men	46	13	18	26	20	19	10	26	18	18	45	76	71	133	257	466	519	1170	783	67
		Women	34	13	6	27	47	40	37	38	72	66	78	86	143	174	444	642	727	1188	978	115
	Main group: Diseases of the nervous system	Men and Women	40	13	12	27	34	29	23	32	45	41	61	81	107	154	354	561	637	1180	917	91
		Men	56	42	82	51	41	44	63	70	65	88	95	180	193	209	422	516	649	865	652	117
	Main group: Diseases of the eye and adnexa	Women	41	47	57	79	90	148	211	219	251	313	237	318	349	341	629	714	967	1128	1078	241
		Men and Women	49	45	70	65	65	94	134	142	156	199	165	247	270	277	529	622	830	1027	944	178
	Main group: Diseases of the ear and mastoid process	Men	22	78	259	420	718	670	662	566	710	611	626	486	569	624	611	741	1233	2035	1870	532
		Women	14	36	128	589	631	573	568	570	672	761	593	602	539	650	934	1127	1670	1987	2116	571
	Main group: Diseases of the respiratory system	Men and Women	18	57	195	503	675	623	617	568	692	685	610	542	554	637	778	948	1481	2004	2038	551
		Men	125	87	103	82	73	72	119	111	186	222	235	336	484	620	969	1257	1411	1538	1174	253
	Main group: Diseases of the digestive system	Women	87	61	67	98	97	138	191	151	213	220	251	259	347	381	718	985	924	859	758	234
Men and Women		107	74	85	90	85	104	154	130	199	221	243	298	417	498	839	1111	1134	1119	889	244	
Main group: Diseases of the circulatory system	Men	44	41	18	21	42	44	53	44	70	67	77	121	130	179	291	329	511	705	348	85	
	Women	28	21	19	22	30	40	44	26	56	49	88	89	107	269	305	352	302	369	359	80	
Main group: Diseases of the respiratory system	Men and Women	36	31	18	22	36	42	49	36	63	58	82	105	119	225	298	341	392	498	356	83	
	Men	137	39	32	26	36	23	37	19	50	56	50	69	50	61	68	93	105	96	87	51	
Main group: Diseases of the digestive system	Women	100	30	35	31	23	34	62	30	56	58	60	73	52	87	94	133	142	200	100	58	
	Men and Women	119	35	34	29	29	28	49	25	53	57	55	71	51	74	82	115	126	160	96	55	
Main group: Diseases of the respiratory system	Men	32	18	28	90	81	114	143	186	417	833	1457	2237	3323	4480	6718	7890	9181	10577	12826	1276	
	Women	37	17	24	72	104	104	97	191	273	417	539	849	1477	2200	3861	5138	6315	7599	7964	845	
Main group: Diseases of the digestive system	Men and Women	35	18	26	81	92	109	121	189	346	628	1007	1559	2418	3314	5235	6417	7553	8737	9494	1063	
	Men	1486	491	198	299	327	257	228	249	290	312	351	436	677	1069	1517	2497	3471	4423	6391	616	
Main group: Diseases of the respiratory system	Women	1086	523	323	373	239	215	226	233	249	239	350	531	718	977	1886	2307	2699	3275	3553	615	
	Men and Women	1291	507	259	335	284	237	227	241	270	276	351	482	697	1022	1708	2396	3032	3713	4446	615	
Main group: Diseases of the digestive system	Men	321	203	463	487	507	505	521	525	732	729	865	1051	1325	1727	2055	2848	3755	4503	4435	820	
	Women	199	205	345	592	747	774	739	804	865	1009	1216	1385	1675	1906	2370	2759	3222	3904	3792	1024	
		Men and Women	262	204	405	539	625	635	626	660	798	867	1037	1214	1497	1819	2219	2801	3452	4132	3995	921

2010	Main group: Diseases of the skin and subcutaneous tissue	Men	198	76	66	69	122	124	102	127	159	162	166	219	291	323	368	516	681	657	652	173
		Women	160	66	33	60	100	131	187	161	232	200	245	220	303	349	386	376	684	609	858	196
	Main group: Diseases of the musculoskeletal system and connective tissue	Men and Women	179	71	50	65	111	127	143	143	195	181	205	220	297	336	378	441	683	627	793	185
		Men	108	57	73	118	170	207	335	445	516	627	738	917	1243	1662	2089	2288	2109	1827	1957	562
	Main group: Diseases of the genitourinary system	Women	101	49	69	108	127	166	298	437	497	567	751	1158	1430	2374	2873	3340	3167	2896	1996	716
		Men and Women	105	53	71	113	148	187	317	441	507	597	744	1035	1335	2027	2496	2852	2710	2484	1984	638
	Main group: Pregnancy, childbirth and the puerperium	Men	319	59	71	84	90	91	145	112	146	229	276	388	643	1179	1789	2305	2693	3141	3739	381
		Women	383	112	93	357	782	904	1035	1071	1513	1603	1362	1385	1736	1706	1859	1727	1848	2017	2216	1034
	Main group: Certain conditions originating in the perinatal period	Men and Women	350	85	82	217	430	483	573	574	820	904	808	875	1179	1449	1825	1995	2213	2447	2695	704
		Men	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Main group: Congenital malformations, deformations and chromosomal abnormalities	Women	9	0	4	1633	8053	13496	13093	7459	1845	137	0	2	3	0	4	0	0	0	0	3265
		Men and Women	4	0	2	798	3955	6509	6299	3591	909	67	0	1	1	0	2	0	0	0	0	1615
	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	4644	2	2	0	2	0	0	0	0	2	0	0	0	0	0	5	0	0	0	342
		Women	3772	2	4	0	0	3	0	4	0	0	2	5	0	0	0	5	0	0	0	270
	Main group: Injury, poisoning and certain other consequences of external causes	Men and Women	4219	2	3	0	1	2	0	2	0	1	1	2	0	0	0	5	0	0	0	307
		Men	1148	183	142	95	63	45	32	33	40	30	35	43	53	30	24	27	24	16	130	142
	Main group: Factors influencing health status and contact with health services	Women	655	104	72	101	63	44	62	62	52	66	49	75	69	51	31	33	37	90	60	107
		Men and Women	908	144	108	98	63	45	47	47	46	47	42	59	61	41	28	31	32	61	82	125
	All causes	Men	496	148	211	266	254	238	269	320	348	500	609	763	913	1396	2060	2722	3820	4696	5217	617
		Women	447	133	236	498	624	663	603	532	561	534	652	783	1081	1252	1948	2759	3309	3535	4112	790
	Main group: Certain infectious and parasitic diseases	Men and Women	472	140	223	379	436	443	430	422	453	517	630	773	995	1323	2002	2742	3529	3978	4460	703
		Men	365	486	658	996	921	787	753	689	741	794	788	848	960	1053	1716	1975	2393	4183	4739	873
Main group: Neoplasms	Women	279	409	458	541	432	348	390	420	486	505	658	876	1034	1292	1800	2854	4276	5961	6946	820	
	Men and Women	323	448	560	774	681	575	578	559	616	652	724	862	997	1176	1760	2446	3463	5275	6252	847	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men	3791	135	163	146	114	113	128	123	170	227	205	295	442	692	1076	1432	1857	2564	2478	563	
	Women	3218	108	182	312	828	1063	906	781	577	404	416	534	668	795	1095	1584	1639	1937	2136	856	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	3512	122	172	227	464	571	502	440	370	314	309	411	553	745	1086	1514	1733	2176	2244	708	
	Men	11041	2096	2476	3137	3494	3234	3447	3514	4378	5167	6254	7956	10693	14174	19806	23995	29051	34679	38609	6755	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	9066	1915	2040	5056	11680	17101	17348	12382	8300	7301	7774	9289	11338	13839	18712	22217	26149	29636	30838	10801	
	Men and Women	10079	2007	2263	4075	7515	9923	10133	7784	6311	6216	6998	8606	11009	14005	19238	23045	27402	31552	33283	8756	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men	489	78	97	96	81	76	87	48	87	82	95	84	127	240	241	439	543	794	1197	150	
	Women	428	76	43	131	124	130	116	107	80	87	73	108	93	161	315	462	611	965	994	168	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	459	77	71	113	102	102	101	77	84	84	84	96	110	200	279	451	582	900	1056	159	
	Men	62	28	50	63	90	86	102	124	166	279	471	777	1251	1845	3074	3671	4175	4529	3632	554	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	42	34	19	58	80	119	222	411	779	1007	1181	1432	1622	2008	2469	2883	2750	2544	1891	751	
	Men and Women	52	31	35	60	85	102	161	264	470	642	821	1101	1432	1928	2761	3250	3368	3310	2433	652	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men	47	17	16	33	24	17	17	27	21	20	48	73	81	138	290	489	543	1105	1154	73	
	Women	44	11	7	23	45	35	35	30	71	51	67	77	109	178	468	693	599	1140	1033	111	
Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	45	14	12	28	34	25	26	28	46	35	57	75	95	158	382	598	575	1127	1070	92	

2011	Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	1139	181	124	106	57	35	35	25	45	33	33	32	46	35	34	33	23	31	128	141	
		Women	664	99	77	113	75	50	71	75	63	76	52	75	64	45	27	39	41	97	78	113	
	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	908	141	101	110	66	42	52	50	54	54	42	53	54	40	30	36	34	72	94	127	
		Men	785	190	268	337	319	319	316	346	441	589	791	908	1135	1697	2418	3310	4486	6023	6538	779	
	Main group: Injury, poisoning and certain other consequences of external causes	Women	704	180	282	576	860	1005	908	739	756	656	732	927	1258	1508	2293	3206	3859	4435	5263	1008	
		Men and Women	745	185	275	453	585	654	605	538	597	622	762	918	1195	1601	2354	3255	4131	5049	5655	893	
	Main group: Factors influencing health status and contact with health services	Men	346	464	661	929	873	791	753	699	743	757	817	850	957	1046	1612	1922	2406	4280	4744	863	
		Women	262	407	454	530	381	391	389	417	484	509	619	813	998	1220	1722	2739	4126	5828	7251	805	
	All causes	Men and Women	305	436	559	735	631	595	576	561	615	633	719	832	977	1135	1669	2360	3382	5235	6457	834	
		Men	3354	148	164	172	122	131	142	124	219	257	273	398	581	827	1163	1661	1979	2661	2735	585	
	2011	Main group: Certain infectious and parasitic diseases	Women	2832	117	172	338	830	1062	948	835	528	460	464	542	738	802	1156	1656	1642	2066	2261	854
			Men and Women	3100	132	168	253	470	586	536	470	372	358	367	469	658	814	1159	1658	1788	2297	2406	719
	2011	Main group: Neoplasms	Men	10873	1975	2522	3150	3381	3359	3451	3417	4354	5082	6199	7878	10091	13125	18605	23593	27901	34755	38632	6686
			Women	8889	1786	1996	4878	10839	17304	17138	12461	8021	6833	7400	8721	10817	13074	17837	21998	25163	29649	31754	10530
	2011	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	9908	1882	2264	3992	7046	10177	10133	7824	6173	5956	6790	8295	10446	13100	18212	22744	26353	31634	33864	8596
			Men	479	90	95	87	69	79	94	43	86	90	96	82	138	216	301	442	591	703	1061	151
	2011	Main group: Endocrine, nutritional and metabolic diseases	Women	402	67	38	113	108	149	105	107	69	87	76	107	138	166	285	477	618	860	983	164
			Men and Women	442	79	67	100	88	114	99	74	77	88	86	95	138	191	292	461	606	800	1008	157
	2011	Main group: Mental and behavioural disorders	Men	63	30	44	62	80	83	94	115	169	278	500	807	1221	1711	2893	3668	4183	4413	3469	554
			Women	40	40	28	48	72	112	202	387	765	987	1131	1339	1626	1928	2447	2875	2709	2617	2004	742
	2011	Main group: Diseases of the nervous system	Men and Women	52	35	36	55	77	97	147	249	466	635	812	1071	1420	1820	2662	3242	3351	3314	2462	647
			Men	50	20	13	30	26	19	19	27	25	24	59	70	76	144	272	509	546	1077	1184	76
2011	Main group: Diseases of the eye and adnexa	Women	51	13	8	19	43	28	36	36	67	58	61	79	107	185	449	653	670	1049	1020	111	
		Men and Women	50	17	10	25	34	24	27	31	46	41	60	74	91	165	364	587	616	1060	1071	93	
2011	Main group: Diseases of the ear and mastoid process	Men	63	44	73	54	25	47	70	61	82	103	113	179	206	213	401	498	688	763	857	122	
		Women	35	46	51	76	69	160	173	202	224	282	225	311	329	374	512	750	843	1162	965	229	
2011	Main group: Diseases of the eye and adnexa	Men and Women	49	45	62	65	46	102	120	130	153	193	169	244	267	293	458	634	776	1008	931	175	
		Men	13	87	318	435	700	777	692	639	671	624	610	483	469	520	554	696	1130	2004	2245	536	
2011	Main group: Diseases of the ear and mastoid process	Women	16	48	143	626	594	630	632	612	669	676	625	563	526	631	770	1096	1398	1871	2263	568	
		Men and Women	14	68	232	528	648	705	663	625	670	650	617	523	497	576	665	911	1281	1924	2258	552	
2011	Main group: Diseases of the ear and mastoid process	Men	119	68	96	72	64	73	115	74	148	159	183	266	285	448	730	945	1130	1481	1020	203	
		Women	89	59	72	92	84	124	161	142	161	174	188	240	276	286	485	775	763	916	612	198	
2011	Main group: Diseases of the ear and mastoid process	Men and Women	104	64	84	82	74	98	137	107	155	166	186	253	280	367	603	854	922	1136	740	201	
		Men	38	39	27	17	23	29	49	29	62	66	54	95	98	134	224	266	367	583	367	70	
2011	Main group: Diseases of the ear and mastoid process	Women	30	25	11	21	15	27	31	24	45	45	68	84	128	195	254	278	243	368	278	69	
		Men and Women	34	32	19	19	19	28	40	27	54	55	61	89	113	165	239	272	297	452	306	69	
2011	Main group: Diseases of the ear and mastoid process	Men	114	35	35	30	30	35	40	27	39	62	44	76	96	75	91	96	127	180	122	56	
		Women	93	31	36	35	21	37	51	39	47	52	45	62	59	85	102	146	162	265	56	58	
2011	Main group: Diseases of the ear and mastoid process	Men and Women	104	33	35	33	25	36	45	33	43	57	45	69	78	80	97	123	147	232	77	57	

Main group: Diseases of the circulatory system	Men	46	17	20	72	77	102	141	176	373	756	1316	1930	2666	3729	5399	7489	8410	9993	12245	1171
	Women	31	13	21	53	84	87	101	165	240	360	459	717	1233	1746	3185	4414	5436	7208	7607	751
Main group: Diseases of the respiratory system	Men and Women	39	15	20	63	81	95	121	171	307	557	892	1329	1963	2734	4253	5837	6731	8291	9056	962
	Men	1145	288	127	259	237	226	216	201	241	295	324	407	602	978	1322	2281	3045	4129	5959	536
Main group: Diseases of the digestive system	Women	911	335	222	295	207	179	193	198	218	193	299	480	669	910	1713	2261	2409	2863	3080	540
	Men and Women	1031	311	174	276	222	203	205	200	230	244	312	443	635	944	1524	2270	2686	3355	3980	538
Main group: Diseases of the skin and subcutaneous tissue	Men	326	216	495	475	516	537	562	527	661	714	865	974	1224	1567	1895	2893	3636	4323	4571	817
	Women	206	188	314	610	739	749	665	778	785	812	1038	1169	1425	1700	2189	2831	3102	4138	4082	964
Main group: Diseases of the musculoskeletal system and connective tissue	Men and Women	268	202	406	541	625	642	612	650	723	763	951	1071	1322	1634	2047	2859	3334	4212	4235	890
	Men	185	65	49	81	118	114	110	113	163	159	163	236	283	324	487	521	643	778	857	178
Main group: Diseases of the genitourinary system	Women	161	56	30	60	108	112	172	140	189	164	199	210	276	254	378	409	578	652	705	179
	Men and Women	173	60	40	71	114	113	140	127	176	162	181	223	279	289	431	461	606	701	753	178
Main group: Pregnancy, childbirth and the puerperium	Men	122	59	85	116	126	181	283	369	434	536	632	858	1147	1590	1981	2230	2147	1915	2327	533
	Women	91	40	72	92	95	169	238	363	429	437	682	1015	1335	2058	2580	3220	3085	2664	2059	662
Main group: Certain conditions originating in the perinatal period	Men and Women	107	50	79	104	111	175	261	366	431	487	657	936	1239	1825	2291	2763	2676	2375	2143	597
	Men	301	54	69	89	72	95	108	94	140	203	222	388	543	906	1585	2117	2679	3022	4204	358
Main group: Congenital malformations, deformations and chromosomal abnormalities	Women	302	100	79	322	487	629	713	844	1224	1329	1167	1122	1471	1619	1708	1856	1768	2126	2523	873
	Men and Women	302	76	74	202	275	358	405	461	679	769	690	752	998	1264	1649	1977	2164	2474	3048	615
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	3	0	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	1
	Women	12	0	0	1302	6775	13680	12861	7579	1895	132	2	4	0	0	4	0	0	0	0	3097
Main group: Injury, poisoning and certain other consequences of external causes	Men and Women	8	0	0	634	3308	6744	6309	3715	942	67	3	2	0	0	2	0	0	0	0	1542
	Men	4730	2	2	2	0	0	0	0	0	2	0	0	0	3	0	6	0	0	0	358
Main group: Factors influencing health status and contact with health services	Women	3865	0	2	2	0	4	2	6	0	0	2	4	0	0	0	5	6	0	0	280
	Men and Women	4310	1	2	2	0	2	1	3	0	1	1	2	0	2	0	5	3	0	0	319
Main group: All causes	Men	1134	153	118	113	54	29	37	29	35	24	24	27	39	29	29	23	22	30	122	136
	Women	708	88	70	92	76	53	72	64	55	61	49	66	46	46	31	44	35	104	74	110
Main group: All causes	Men and Women	927	121	94	103	65	41	54	46	45	43	37	47	43	38	30	34	29	75	89	123
	Men	759	187	247	322	301	306	318	354	426	557	828	847	1032	1501	2243	3289	4512	6043	6327	761
Main group: All causes	Women	652	176	254	562	811	1016	907	739	748	620	745	872	1159	1476	2246	3167	3732	4402	5306	987
	Men and Women	707	181	251	439	550	656	607	543	586	588	787	859	1094	1489	2245	3223	4071	5041	5625	874
Main group: All causes	Men	329	439	609	890	838	791	727	689	706	743	791	845	951	1034	1604	1840	2432	4054	5224	844
	Women	217	392	397	516	393	394	432	427	504	540	622	842	996	1297	1730	2792	4136	5942	6883	817
Main group: All causes	Men and Women	274	416	505	708	620	595	582	560	605	641	707	843	973	1166	1669	2351	3393	5214	6365	831
	Men	2909	133	160	166	110	119	132	133	212	251	293	369	558	749	1160	1562	1848	2364	2612	540
Main group: All causes	Women	2397	111	175	324	785	1106	970	803	488	421	464	495	682	748	1085	1618	1600	1927	2115	803
	Men and Women	2660	122	167	243	440	606	543	461	349	337	378	431	618	748	1121	1592	1708	2097	2270	671
Main group: All causes	Men	10496	1865	2436	3085	3187	3322	3368	3380	4147	4894	6066	7569	9538	12496	17795	23255	27445	34076	38612	6532
	Women	8536	1693	1832	4607	10114	17381	16904	12260	7822	6474	7117	8257	10388	12555	16957	21793	24477	29211	31058	10238
Main group: All causes	Men and Women	9543	1780	2139	3826	6571	10253	10009	7733	5973	5689	6586	7910	9954	12526	17361	22469	25766	31112	33418	8378

2012	Main group: Certain infectious and parasitic diseases	Men	464	85	80	76	60	66	94	40	66	98	104	92	130	224	322	455	684	752	985	150
		Women	387	57	40	114	102	144	108	83	61	79	77	115	128	187	266	475	626	802	907	159
	Main group: Neoplasms	Men and Women	427	71	60	95	80	105	101	61	64	89	91	103	129	206	293	466	652	782	931	154
		Men	51	36	30	54	71	82	88	106	174	269	508	831	1146	1719	2605	3555	4000	4315	3220	544
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	44	32	29	34	70	114	199	366	732	968	1059	1291	1550	1976	2463	2754	2736	2579	1993	731
		Men and Women	48	34	29	44	70	97	142	234	451	623	782	1059	1345	1847	2531	3125	3293	3256	2382	637
	Main group: Endocrine, nutritional and metabolic diseases	Men	51	24	11	29	21	18	17	27	27	28	63	67	89	160	276	563	582	1150	1326	81
		Women	49	17	6	18	32	27	45	36	49	56	56	73	116	178	443	662	655	1075	925	110
	Main group: Mental and behavioural disorders	Men and Women	50	20	8	23	26	22	31	32	38	42	60	70	102	169	362	616	623	1104	1052	95
		Men	66	38	74	44	24	39	58	53	86	111	114	178	190	197	364	484	655	837	871	119
	Main group: Diseases of the nervous system	Women	39	40	38	62	65	148	167	219	219	256	216	277	315	365	494	760	833	1130	819	220
		Men and Women	53	39	56	53	44	93	111	135	152	185	165	227	252	280	431	632	754	1015	834	169
	Main group: Diseases of the eye and adnexa	Men	17	80	341	458	700	819	707	694	659	639	608	504	452	489	520	768	1178	2229	2159	550
		Women	18	51	154	681	629	654	644	638	629	660	655	534	514	584	714	1068	1408	1841	2384	573
	Main group: Diseases of the ear and mastoid process	Men and Women	17	66	249	567	666	737	676	666	644	650	632	519	482	536	620	929	1306	1991	2310	561
		Men	111	69	96	87	64	76	106	71	146	148	149	251	262	443	589	887	1062	1476	909	194
	Main group: Diseases of the respiratory system	Women	98	51	78	95	77	128	145	136	148	157	178	229	288	275	451	686	730	948	587	191
		Men and Women	105	60	87	90	70	102	125	103	147	153	164	240	275	359	518	779	876	1154	689	193
	Main group: Diseases of the circulatory system	Men	33	40	37	19	21	27	43	26	53	56	41	102	99	120	152	205	313	454	303	62
		Women	32	27	11	27	12	25	25	30	47	43	64	71	138	165	219	235	224	310	231	64
	Main group: Diseases of the digestive system	Men and Women	32	33	24	23	17	26	34	28	50	49	52	87	118	143	187	221	263	366	254	63
		Men	94	25	26	27	29	27	39	26	43	46	47	82	96	86	87	97	160	199	152	53
	Main group: Diseases of the skin and subcutaneous tissue	Women	89	19	19	34	14	34	38	42	36	49	47	71	64	97	99	142	138	292	53	54
		Men and Women	92	22	23	30	22	30	39	33	39	48	47	76	80	91	93	121	148	255	85	54
	Main group: Diseases of the musculoskeletal system and connective tissue	Men	43	25	24	61	66	99	142	187	316	712	1161	1779	2482	3499	4965	6980	8044	9766	12235	1119
		Women	39	13	19	48	78	92	104	172	214	337	434	709	1112	1564	2983	4175	5385	7235	7794	732
	Main group: Diseases of the respiratory system	Men and Women	41	19	22	55	72	96	124	179	265	522	798	1249	1805	2539	3940	5472	6558	8220	9202	926
		Men	978	248	102	224	225	216	216	201	214	254	327	400	572	938	1293	2275	3033	4173	5871	512
	Main group: Diseases of the digestive system	Women	776	263	160	255	191	173	185	147	188	178	280	463	635	965	1625	2382	2391	2861	2918	512
		Men and Women	880	256	131	239	208	195	201	175	201	216	303	431	603	951	1464	2332	2674	3372	3857	512
	Main group: Diseases of the skin and subcutaneous tissue	Men	333	225	471	482	534	504	539	511	612	688	868	935	1206	1525	1832	2787	3687	4400	4280	807
		Women	200	182	320	610	721	692	653	751	714	766	952	1103	1363	1655	2153	2862	3046	4100	3968	937
	Main group: Diseases of the respiratory system	Men and Women	268	204	396	544	625	597	595	629	663	727	910	1018	1283	1589	1998	2827	3329	4215	4063	872
		Men	169	73	39	76	113	124	110	110	133	145	162	249	298	357	465	586	662	809	871	179
	Main group: Diseases of the respiratory system	Women	154	53	30	54	95	106	165	128	176	169	184	202	248	262	348	524	546	747	605	175
		Men and Women	162	63	35	65	104	115	137	119	154	157	173	226	273	310	404	553	597	771	689	177
	Main group: Diseases of the musculoskeletal system and connective tissue	Men	109	54	76	107	109	160	249	337	394	510	586	842	1185	1590	1942	2247	2240	1874	2235	524
		Women	98	34	72	78	90	177	230	351	399	452	657	967	1419	2111	2480	3269	3184	2761	2295	672
		Men and Women	104	44	74	93	100	168	239	344	397	481	621	904	1300	1848	2220	2795	2767	2413	2273	598

	Main group: Diseases of the genitourinary system	Men	290	49	59	100	69	83	94	90	133	182	194	366	509	855	1546	1894	2836	2881	3712	346
		Women	245	89	86	312	453	622	656	838	1123	1236	1076	986	1346	1558	1582	1813	1695	2096	2544	823
	Main group: Pregnancy, childbirth and the puerperium	Men and Women	268	69	72	204	256	350	369	458	624	716	634	673	922	1204	1564	1850	2199	2402	2914	584
		Men	5	0	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	0
	Main group: Certain conditions originating in the perinatal period	Women	11	0	0	1197	6553	13709	12874	7795	2015	128	2	2	0	0	4	0	0	0	0	3071
		Men and Women	8	0	0	584	3186	6797	6297	3837	1000	66	3	1	0	0	2	0	0	0	0	1530
	Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	4799	2	0	2	0	0	0	0	0	2	0	0	0	3	0	6	0	0	0	360
		Women	3962	0	0	2	0	2	2	4	0	0	2	4	0	0	0	5	6	0	0	284
	Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	4392	1	0	2	0	1	1	2	0	1	1	2	0	2	0	5	3	0	0	322
		Men	1149	141	119	129	47	25	38	26	29	17	21	20	29	18	28	17	22	28	114	133
	Main group: Injury, poisoning and certain other consequences of external causes	Women	748	91	67	77	63	52	74	55	49	61	39	52	42	44	30	29	46	118	89	108
		Men and Women	954	117	93	104	55	38	55	40	39	39	30	36	35	31	29	24	35	83	97	121
	Main group: Factors influencing health status and contact with health services	Men	738	176	233	300	286	300	290	335	398	519	728	768	947	1485	2029	3151	4305	5649	6023	723
		Women	624	153	213	537	737	995	895	749	732	589	689	813	1009	1293	2042	2955	3672	4592	5391	943
	All causes	Men and Women	682	165	223	416	505	644	586	539	564	555	709	790	977	1390	2035	3046	3951	5003	5586	832
		Men	307	408	515	781	769	704	685	653	620	688	733	799	913	1058	1528	1769	2436	3889	5189	791
	Main group: Certain infectious and parasitic diseases	Women	210	327	362	508	395	427	394	442	488	541	633	813	1014	1311	1805	2710	3868	5877	7331	813
		Men and Women	260	369	439	648	587	567	543	549	555	613	683	806	963	1184	1671	2274	3235	5097	6638	802
	Main group: Neoplasms	Men	2622	138	167	170	100	110	132	126	216	248	304	366	536	769	1224	1547	1840	2285	2273	521
		Women	2134	114	164	282	723	1105	954	810	498	418	460	498	691	762	1143	1705	1609	1977	2082	781
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	2385	126	165	224	403	603	534	463	356	334	382	431	613	765	1182	1632	1711	2097	2140	651
		Men	10148	1764	2297	2960	3042	3170	3217	3288	3837	4619	5740	7320	9188	12184	16567	22270	27018	33442	37311	6328
	Main group: Endocrine, nutritional and metabolic diseases	Women	8314	1480	1687	4460	9764	17329	16790	12398	7530	6258	6748	7792	9993	12304	16303	21426	24236	29522	31103	10034
		Men and Women	9256	1625	1996	3691	6309	10190	9856	7773	5671	5450	6242	7553	9584	12245	16427	21814	25460	31037	33047	8174
2013	Main group: Mental and behavioural disorders	Men	428	79	58	65	52	47	81	34	61	89	102	94	140	210	341	446	711	767	804	141
		Women	344	59	40	118	102	149	124	69	54	73	78	118	141	173	255	485	580	707	769	153
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Men and Women	387	70	49	91	77	98	101	51	58	81	90	106	141	192	297	467	638	730	781	147
		Men	45	39	28	53	49	67	79	102	166	274	494	789	1128	1720	2357	3300	3741	4326	2937	526
	Main group: Endocrine, nutritional and metabolic diseases	Women	44	26	36	22	72	99	221	356	680	960	939	1218	1537	1896	2298	2655	2724	2525	1789	707
		Men and Women	45	32	32	38	60	83	148	228	421	623	717	1002	1330	1807	2326	2955	3175	3234	2162	616
	Main group: Mental and behavioural disorders	Men	50	21	6	22	16	12	15	22	29	26	65	56	103	161	236	542	632	1177	1329	80
		Women	47	17	8	16	28	25	42	36	43	59	46	67	105	159	353	604	615	1074	936	102
	Main group: Endocrine, nutritional and metabolic diseases	Men and Women	49	19	7	19	22	19	28	29	36	43	56	61	104	160	297	575	622	1114	1064	91
		Men	72	39	69	38	32	28	57	52	88	110	108	170	185	210	337	457	596	780	979	117
	Main group: Mental and behavioural disorders	Women	42	33	40	54	64	142	173	217	209	232	212	262	283	344	422	743	845	1155	870	213
		Men and Women	57	36	55	46	47	84	114	134	148	172	160	216	233	276	381	609	734	1006	905	164
	Main group: Endocrine, nutritional and metabolic diseases	Men	20	74	322	517	706	816	695	700	630	635	589	511	453	432	499	728	1235	2245	1923	547
		Women	21	48	156	737	715	727	665	671	609	644	644	525	532	550	677	1045	1454	1943	2057	587
	Main group: Mental and behavioural disorders	Men and Women	21	61	240	624	710	772	680	686	620	639	616	518	492	491	591	896	1356	2061	2015	567

Main group: Diseases of the nervous system	Men	117	65	101	90	71	72	102	82	141	132	147	234	278	441	538	750	1149	1437	979	193
	Women	111	59	82	100	90	126	132	149	140	126	173	221	290	275	490	634	672	967	619	190
Main group: Diseases of the eye and adnexa	Men and Women	114	62	92	95	81	99	117	115	140	129	160	228	284	359	513	688	884	1152	736	191
	Men	32	32	32	17	22	21	40	26	36	40	32	88	98	108	118	175	237	397	210	53
Main group: Diseases of the ear and mastoid process	Women	30	26	13	24	5	25	28	32	33	35	58	79	117	138	150	178	190	260	234	56
	Men and Women	31	29	23	20	14	23	34	29	35	37	45	84	108	123	135	177	211	314	226	55
Main group: Diseases of the circulatory system	Men	106	14	17	21	22	25	30	30	34	47	48	84	89	88	87	96	158	192	175	51
	Women	77	19	13	25	13	27	34	40	29	42	41	63	50	75	85	129	144	295	50	47
Main group: Diseases of the respiratory system	Men and Women	92	16	15	23	18	26	32	35	32	45	45	74	70	81	86	113	150	254	91	49
	Men	39	19	19	55	60	82	124	201	311	606	1073	1640	2303	3291	4439	6657	7935	9719	12028	1070
Main group: Diseases of the digestive system	Women	37	11	25	38	77	81	106	156	204	309	427	616	1050	1424	2594	3992	5213	7171	7709	698
	Men and Women	38	15	22	47	68	82	115	179	258	455	749	1131	1685	2368	3481	5236	6421	8172	9111	885
Main group: Diseases of the skin and subcutaneous tissue	Men	851	174	64	210	193	191	190	183	185	255	291	382	582	850	1268	2087	3138	4463	5629	481
	Women	718	167	107	201	191	166	169	145	155	168	277	426	650	996	1557	2328	2431	2829	2960	489
Main group: Diseases of the musculoskeletal system and connective tissue	Men and Women	786	171	85	206	192	179	180	164	170	211	284	404	615	922	1418	2215	2745	3472	3826	485
	Men	314	223	436	484	511	451	534	507	548	676	835	895	1089	1405	1780	2669	3483	4189	4196	773
Main group: Diseases of the genitourinary system	Women	191	169	341	570	643	639	653	701	688	732	893	1002	1271	1570	1925	2709	2994	3948	3562	886
	Men and Women	254	197	389	526	575	544	592	603	618	704	864	948	1178	1486	1855	2689	3210	4040	3769	829
Main group: Pregnancy, childbirth and the puerperium	Men	164	62	43	81	98	104	94	102	126	125	155	246	271	327	429	581	596	767	664	168
	Women	153	48	36	51	75	92	148	109	151	152	182	189	240	254	332	555	575	725	535	166
Main group: Certain conditions originating in the perinatal period	Men and Women	159	55	40	66	87	98	120	105	139	138	168	218	256	291	379	567	584	741	577	167
	Men	107	47	90	98	94	140	196	302	344	468	514	771	1077	1516	1798	2172	2255	1903	2168	492
Main group: Congenital malformations, deformations and chromosomal abnormalities	Women	95	35	74	78	94	160	210	314	372	461	627	904	1391	2022	2359	3165	3167	2686	2676	657
	Men and Women	101	42	82	88	94	150	203	308	358	465	571	837	1232	1766	2089	2700	2760	2374	2513	574
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	263	46	67	95	73	91	79	95	141	181	203	362	498	783	1452	1839	2729	2752	3601	339
	Women	202	74	67	327	413	605	584	804	1043	1152	963	908	1302	1522	1427	1803	1667	2193	2425	779
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	233	60	67	208	239	345	325	445	589	675	584	633	894	1148	1439	1819	2138	2412	2807	559
	Men	7	0	0	0	0	0	0	0	0	2	4	0	0	0	4	0	0	0	35	1
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	9	0	2	1053	6128	13063	12570	7736	2010	145	4	2	0	0	4	0	0	0	0	2951
	Men and Women	8	0	1	513	2982	6449	6126	3824	998	74	4	1	0	0	4	0	0	0	11	1471
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	4749	4	0	2	0	0	0	0	0	0	0	0	0	3	0	0	0	0	35	349
	Women	3964	2	0	2	0	4	2	4	0	0	0	2	0	0	0	5	6	0	0	281
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	4365	3	0	2	0	2	1	2	0	0	0	1	0	1	0	3	3	0	11	315
	Men	1129	125	109	129	46	21	34	19	25	15	22	22	9	12	17	17	22	41	105	125
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Women	793	85	72	78	60	45	60	46	41	44	41	41	24	33	32	30	40	90	84	104
	Men and Women	965	106	91	104	53	33	46	32	33	30	32	31	17	22	25	24	32	70	91	115
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men	763	181	225	286	274	290	297	330	378	499	715	763	948	1475	1911	3126	4488	5996	5979	727
	Women	632	130	215	526	760	990	866	739	708	600	679	779	969	1280	1925	2957	3839	4772	5435	941
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	699	156	220	403	511	635	574	532	542	550	697	770	958	1379	1918	3035	4126	5251	5614	833
	Women	699	156	220	403	511	635	574	532	542	550	697	770	958	1379	1918	3035	4126	5251	5614	833

2014	Main group: Injury, poisoning and certain other consequences of external causes	Men	262	376	433	639	653	584	586	618	546	619	626	769	885	990	1343	1800	2413	3792	5035	718
		Women	186	278	307	448	370	428	379	425	452	523	607	760	978	1271	1719	2556	3862	5927	7308	784
	Main group: Factors influencing health status and contact with health services	Men and Women	225	329	370	546	515	507	485	523	499	571	616	764	931	1129	1538	2201	3217	5078	6576	751
		Men	2275	157	191	200	101	121	153	145	227	245	345	436	563	806	1190	1659	1968	2642	3007	524
	All causes	Women	1808	113	179	307	643	1019	965	796	502	424	475	535	714	799	1188	1867	1879	2426	2659	777
		Men and Women	2047	135	185	252	365	564	549	467	364	336	410	485	638	802	1188	1769	1918	2509	2773	650
	Main group: Certain infectious and parasitic diseases	Men	9677	1615	2129	2844	2821	2880	2981	3204	3532	4338	5384	7001	8807	11665	15255	21343	26779	33511	36678	6058
		Women	8007	1265	1622	4235	9238	16603	16342	12192	7180	6035	6357	7294	9708	11829	15229	20901	24138	29534	30669	9687
	Main group: Neoplasms	Men and Women	8861	1444	1878	3521	5944	9654	9492	7647	5343	5200	5871	7146	9250	11745	15240	21099	25304	31082	32632	7867
		Men	408	67	41	60	49	43	77	35	62	73	91	106	146	217	351	385	708	829	878	135
	Main group: Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism	Women	338	51	44	99	102	151	110	75	57	75	85	110	154	186	279	454	611	726	740	153
		Men and Women	374	59	42	79	75	96	93	55	60	74	88	108	150	202	313	421	654	768	785	144
	Main group: Endocrine, nutritional and metabolic diseases	Men	41	44	22	53	39	61	68	90	171	250	479	761	1112	1668	2120	3097	3512	4197	2804	507
		Women	57	25	40	24	74	96	214	336	647	897	830	1128	1454	1778	2294	2602	2725	2556	1701	682
	Main group: Mental and behavioural disorders	Men and Women	49	35	31	39	56	78	139	212	406	577	656	944	1281	1722	2210	2835	3076	3212	2055	594
		Men	60	31	6	19	9	17	15	18	26	29	52	39	100	136	235	519	680	1013	1250	77
	Main group: Diseases of the nervous system	Women	44	16	8	18	17	20	42	28	33	51	37	51	100	169	279	513	541	937	1024	91
		Men and Women	52	24	7	19	13	18	28	23	29	40	44	45	100	152	258	516	603	967	1097	84
	Main group: Diseases of the eye and adnexa	Men	57	32	71	40	25	31	57	48	81	101	116	135	184	209	305	463	536	724	980	110
		Women	53	24	55	53	56	126	161	203	218	212	200	235	266	306	386	738	847	1068	835	203
	Main group: Diseases of the ear and mastoid process	Men and Women	55	28	63	47	40	77	108	125	149	157	158	185	225	257	347	608	708	931	882	156
		Men	29	68	300	566	756	770	740	691	616	594	557	551	405	393	487	714	1273	2132	2061	546
Main group: Diseases of the circulatory system	Women	27	43	171	832	757	725	671	682	568	620	647	554	535	506	619	957	1377	1873	2173	589	
	Men and Women	28	56	236	696	757	748	706	686	593	607	603	553	469	449	556	842	1331	1977	2141	567	
Main group: Diseases of the respiratory system	Men	146	70	91	107	64	73	92	88	146	136	157	214	264	457	507	675	1066	1447	1047	192	
	Women	117	63	84	109	106	140	114	158	124	125	160	211	275	317	482	613	760	902	551	192	
Main group: Diseases of the eye and adnexa	Men and Women	132	67	88	108	84	106	102	123	135	130	158	212	269	388	494	642	897	1120	710	192	
	Men	29	27	30	19	17	19	33	29	30	38	26	82	102	100	120	156	200	250	203	49	
Main group: Diseases of the ear and mastoid process	Women	25	27	13	24	10	23	26	32	23	28	46	71	112	117	138	130	190	271	189	51	
	Men and Women	27	27	22	22	14	21	30	31	27	33	36	77	107	109	129	142	195	263	194	50	
Main group: Diseases of the respiratory system	Men	93	7	11	25	14	22	28	29	36	40	39	71	80	86	83	89	165	145	270	46	
	Women	69	16	19	20	13	23	23	43	31	36	31	61	44	74	92	120	173	280	94	45	
Main group: Diseases of the circulatory system	Men and Women	81	11	15	22	14	23	26	36	33	38	35	66	62	80	87	105	169	226	151	45	
	Men	43	19	28	60	55	73	115	197	285	565	1035	1532	2121	3035	4142	6166	7854	9842	11824	1029	
Main group: Diseases of the respiratory system	Women	39	13	25	39	79	64	105	148	176	279	384	574	920	1272	2325	3743	5196	7142	7575	665	
	Men and Women	41	16	26	49	67	69	110	173	231	421	707	1054	1528	2165	3198	4885	6383	8223	8940	848	
Main group: Diseases of the respiratory system	Men	840	155	54	209	155	157	162	171	150	229	252	357	550	777	1254	2098	3054	4408	5338	456	
	Women	709	127	84	167	152	147	158	137	136	178	289	390	640	1015	1434	2168	2408	2783	3024	470	
		Men and Women	776	142	69	189	153	152	160	154	143	203	270	374	594	894	1347	2134	2697	3433	3765	463

Main group: Diseases of the digestive system	Men	309	217	449	486	501	434	503	483	512	670	800	859	1021	1345	1654	2483	3391	3961	4122	746
	Women	196	161	324	570	609	573	627	648	610	698	841	962	1181	1438	1755	2577	2921	3562	3244	836
Main group: Diseases of the skin and subcutaneous tissue	Men and Women	253	190	387	527	554	502	563	565	560	685	820	910	1100	1391	1706	2532	3131	3722	3529	791
	Men	132	62	34	82	88	106	88	88	105	113	162	231	271	309	363	580	622	803	777	160
Main group: Diseases of the musculoskeletal system and connective tissue	Women	153	43	30	48	64	74	110	94	119	131	160	164	203	223	321	563	553	753	441	150
	Men and Women	142	53	32	66	76	90	99	91	112	122	161	198	237	267	341	571	584	773	549	155
Main group: Diseases of the genitourinary system	Men	96	50	82	86	78	120	152	238	277	397	455	700	1016	1470	1621	2176	2239	2000	1858	457
	Women	85	31	82	83	83	161	214	259	316	433	565	798	1347	1821	2183	2930	2961	2600	2677	615
Main group: Pregnancy, childbirth and the puerperium	Men and Women	91	40	82	84	80	140	182	248	296	415	510	749	1179	1643	1913	2574	2639	2361	2421	536
	Men	238	44	69	105	72	75	75	96	137	162	203	361	484	763	1287	1685	2654	2618	3581	326
Main group: Certain conditions originating in the perinatal period	Women	171	60	51	304	384	566	553	705	951	1105	885	830	1172	1412	1357	1729	1601	2153	2630	729
	Men and Women	205	52	60	202	224	316	308	397	540	638	546	595	823	1083	1323	1708	2071	2340	2937	527
Main group: Congenital malformations, deformations and chromosomal abnormalities	Men	7	0	0	0	0	0	0	0	0	2	4	0	0	4	0	0	0	0	34	1
	Women	7	0	2	918	5912	12310	12073	7505	1938	157	4	2	0	0	0	0	0	0	0	0
Main group: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	Men and Women	7	0	1	448	2878	6040	5887	3715	959	80	4	1	0	0	2	0	0	0	11	1407
	Men	4827	2	0	2	0	0	0	0	0	0	0	2	0	3	0	0	0	13	34	344
Main group: Injury, poisoning and certain other consequences of external causes	Women	3915	2	0	2	0	2	2	4	0	0	0	2	0	0	0	0	6	0	0	271
	Men and Women	4379	2	0	2	0	1	1	2	0	0	0	2	0	1	0	0	3	5	11	307
Main group: Factors influencing health status and contact with health services	Men	1183	121	114	137	33	15	28	17	21	15	13	20	9	6	21	11	21	26	34	123
	Women	825	78	82	81	53	44	49	49	29	37	44	30	23	37	27	25	46	70	79	102
All causes	Men and Women	1007	100	98	110	43	30	38	33	25	26	29	25	16	21	24	18	35	53	65	113
	Men	712	142	177	244	230	261	277	315	305	472	654	718	878	1415	1877	2969	4464	5908	5912	685
Main group: Injury, poisoning and certain other consequences of external causes	Women	642	114	175	508	759	964	863	714	612	584	629	743	948	1244	1862	2806	3813	4613	5449	913
	Men and Women	677	128	176	373	488	606	563	513	457	529	642	730	912	1330	1869	2882	4104	5131	5605	799
Main group: Factors influencing health status and contact with health services	Men	240	333	372	587	570	545	528	564	498	546	598	747	843	969	1283	1741	2575	3618	5743	679
	Women	197	263	259	423	337	378	387	411	396	528	607	696	924	1201	1701	2512	3802	5952	7276	762
All causes	Men and Women	219	299	316	507	456	463	459	488	448	537	603	722	883	1083	1500	2148	3255	5021	6799	721
	Men	2010	212	218	224	111	128	153	158	244	258	386	469	589	841	1213	1830	2289	3105	3818	539
All causes	Women	1596	143	213	340	619	1021	993	817	507	436	491	520	777	869	1331	1974	2131	2915	3260	803
	Men and Women	1807	179	216	281	358	566	563	485	374	348	439	495	682	855	1274	1906	2202	2992	3443	670
All causes	Men	9618	1538	2020	2863	2635	2671	2833	3030	3255	4042	5214	6723	8326	11214	14410	20285	26481	32842	37365	5847
	Women	7982	1187	1562	4122	8938	15733	15737	11684	6659	5770	5941	6826	9111	11144	14403	20005	23894	29243	30787	9316
All causes	Men and Women	8814	1368	1794	3477	5704	9080	9126	7314	4939	4915	5581	6775	8712	11178	14405	20132	25052	30689	32932	7576

Calculated 5 year moving average for Åland, Iceland

Source: Denmark: The National Patient Register, The Danish Health Data Authority#Finland: The national in-patient registers#Åland: The national in-patient registers#Iceland: The national in-patient registers#Norway:

Units: Per 100 000

Internal reference code: PATIENT01