

[PATIENT06] Mental and behavioural disorders, patients treated in ordinary and specialized hospitals, per 100 000 by Year, Diagnostic group, Sex, Country and Age group, 2004-2020

			Iceland																			
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	All
			years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Ages
2004	Main group: Mental and behavioural disorders	Men	107	184	263	515	833	724	640	753	755	705	605	662	729	715	832	1149	1610	1992	2359	618
		Women	56	70	157	689	796	665	653	697	860	713	674	689	717	752	941	1338	1760	2765	2326	659
	Dementia	Men and Women	82	129	211	600	815	695	646	725	807	709	639	675	723	734	889	1252	1697	2475	2338	639
		Men	2	0	0	0	0	0	2	0	0	0	2	3	25	53	140	556	1036	1245	1692	47
	Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	0	0	17	42	246	542	911	1893	1698	74
		Men and Women	1	0	0	0	0	0	1	0	0	0	1	1	21	47	196	548	964	1650	1697	61
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	7	67	143	128	192	246	315	300	281	309	384	247	206	177	47	83	0	169
		Women	0	0	0	56	89	116	128	132	203	182	172	141	171	134	119	35	21	37	0	99
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	3	62	117	122	161	189	259	242	228	227	277	189	160	100	32	54	0	134
		Men	2	0	3	158	280	193	135	103	55	46	26	31	25	22	9	6	0	21	0	77
	Mood [affective] disorders	Women	2	0	5	105	210	120	93	59	100	67	38	49	28	38	21	25	7	12	0	64
		Men and Women	2	0	4	132	246	157	114	81	78	57	32	40	27	30	16	17	4	16	0	70
	Other mental and behavioural disorders	Men	0	0	0	35	127	155	152	133	157	148	121	103	75	84	93	49	9	0	51	89
		Women	0	2	4	12	60	66	67	107	141	105	86	62	77	88	76	51	48	12	0	60
	Mood [affective] disorders	Men and Women	0	1	2	24	94	111	110	120	149	127	104	83	76	86	84	50	32	8	16	74
		Men	2	0	29	106	201	161	133	198	168	173	127	183	172	287	290	251	301	332	205	140
	Other mental and behavioural disorders	Women	2	0	32	254	242	221	237	299	331	267	301	341	315	332	377	456	466	399	209	233
		Men and Women	2	0	30	178	221	191	184	248	249	219	212	260	245	310	336	363	397	374	208	186
	Main group: Mental and behavioural disorders	Men	101	184	226	180	143	142	95	126	110	65	73	54	50	62	131	134	245	332	462	128
		Women	52	68	126	314	287	229	185	163	154	150	118	149	143	147	148	304	336	523	535	178
Main group: Mental and behavioural disorders	Men and Women	77	128	177	245	214	185	140	144	132	107	95	100	98	105	140	227	297	451	512	153	
	Men	75	124	252	472	786	665	608	676	740	640	608	601	673	699	766	1006	1643	2045	2211	578	
Dementia	Women	43	51	141	650	757	611	596	667	807	729	641	614	707	722	921	1239	1697	2612	2114	625	
	Men and Women	59	89	198	559	772	638	603	671	773	684	624	608	690	710	847	1134	1674	2398	2140	601	
Mental and behavioural disorders due to alcohol	Men	2	0	0	0	0	0	2	0	0	0	2	2	23	44	132	482	1052	1324	1594	46	
	Women	0	0	0	0	0	0	0	0	0	0	0	3	17	59	219	502	868	1809	1523	71	
Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	1	0	0	0	0	0	1	0	0	0	1	3	20	52	178	494	946	1626	1542	58	
	Men	0	0	5	47	123	100	138	215	287	282	275	276	393	237	199	194	55	39	0	154	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	45	62	81	101	104	160	185	171	104	168	131	107	44	13	60	0	85	
	Men and Women	0	0	3	46	93	91	120	160	224	235	224	193	280	183	151	112	31	52	0	120	
Main group: Mental and behavioural disorders	Men	2	0	2	154	260	194	151	97	76	48	36	27	27	22	9	6	0	19	51	78	
	Women	2	0	4	85	211	119	99	72	90	83	42	31	33	42	26	24	13	24	0	64	
Main group: Mental and behavioural disorders	Men and Women	2	0	3	120	236	157	126	85	83	65	39	29	30	32	18	16	8	22	16	71	
	Women	2	0	3	120	236	157	126	85	83	65	39	29	30	32	18	16	8	22	16	71	

2006	Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	32	123	148	160	122	141	129	128	93	73	75	85	47	18	0	51	85
		Women	0	0	4	9	51	66	49	94	122	125	81	78	76	80	60	34	60	12	0	56
	Mood [affective] disorders	Men and Women	0	0	3	21	88	107	106	108	132	127	105	86	75	77	72	40	43	7	16	71
		Men	2	0	27	89	189	139	136	187	167	159	143	171	140	290	270	177	295	331	206	132
	Other mental and behavioural disorders	Women	2	0	29	263	237	202	208	291	337	262	274	315	324	304	407	439	428	371	182	226
		Men and Women	2	0	28	174	213	170	171	238	251	209	207	241	232	297	342	320	372	356	189	179
	Main group: Mental and behavioural disorders	Men	69	124	216	177	142	122	83	110	114	57	50	49	33	62	99	112	268	351	360	112
		Women	39	51	109	295	281	221	186	174	151	135	112	130	125	131	171	254	354	479	477	169
	Dementia	Men and Women	54	89	164	235	210	171	133	142	133	95	80	88	80	97	137	189	318	431	441	140
		Men	61	87	221	464	758	583	563	688	596	570	557	620	657	765	893	1621	1940	1836	536	
	Mental and behavioural disorders due to alcohol	Women	33	34	121	582	754	579	520	608	760	698	579	576	655	679	901	1164	1803	2327	2000	588
		Men and Women	47	61	172	521	756	581	542	599	723	645	574	566	638	668	836	1040	1726	2178	1948	562
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	2	0	0	0	0	0	2	0	0	0	2	0	34	26	130	401	1023	1106	1241	41
		Women	0	0	0	0	0	0	0	0	0	0	0	2	13	50	212	456	973	1495	1429	68
	Schizophrenia, schizotypal and delusional disorders	Men and Women	1	0	0	0	0	0	1	0	0	0	1	1	23	38	173	431	994	1345	1370	54
		Men	0	0	2	29	89	70	100	173	252	263	233	249	367	239	192	175	72	54	0	134
	Mood [affective] disorders	Women	0	0	0	25	49	53	70	87	144	152	153	97	150	138	134	52	26	57	0	74
		Men and Women	0	0	1	27	69	61	86	131	199	210	195	176	260	188	162	108	46	56	0	104
	Other mental and behavioural disorders	Men	0	0	0	149	277	200	161	100	96	61	42	26	28	22	0	17	0	18	50	83
		Women	2	0	4	69	196	102	87	75	87	89	53	25	38	46	39	14	20	34	22	61
	Mood [affective] disorders	Men and Women	1	0	2	110	237	152	126	88	92	75	47	25	33	34	21	15	11	28	30	72
		Men	0	0	2	26	122	132	154	119	120	114	125	103	62	52	91	45	18	0	50	80
	Other mental and behavioural disorders	Women	0	0	4	13	43	75	45	87	125	124	66	75	56	75	52	33	52	23	0	54
		Men and Women	0	0	3	19	83	104	102	104	123	119	97	89	59	64	71	39	38	14	15	67
Main group: Mental and behavioural disorders	Men	2	0	26	103	193	125	135	161	174	133	153	147	126	265	284	164	281	345	199	127	
	Women	2	0	31	264	238	201	198	266	325	266	243	309	307	272	351	442	438	376	154	219	
Dementia	Men and Women	2	0	28	181	215	162	165	212	248	197	197	225	216	269	319	315	372	364	167	172	
	Men	57	87	194	185	129	96	73	100	99	58	46	49	25	74	91	107	281	453	347	101	
Mental and behavioural disorders due to alcohol	Women	29	34	85	247	300	208	157	155	138	124	92	102	125	117	169	214	346	491	440	153	
	Men and Women	43	61	141	215	213	151	113	127	118	89	68	75	75	96	132	165	319	476	411	127	
Main group: Mental and behavioural disorders	Men	45	78	193	439	721	564	560	549	659	565	579	498	608	619	703	727	1530	1865	2190	511	
	Women	21	19	107	540	721	565	517	551	713	694	567	576	650	659	886	1126	1731	1982	1759	562	
Dementia	Men and Women	33	49	151	488	721	564	540	550	685	626	573	536	629	640	800	942	1647	1936	1893	536	
	Men	0	0	0	0	0	0	0	0	0	0	2	2	26	21	116	314	923	1061	1265	37	
Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	0	5	18	41	196	407	891	1224	1257	60	
	Men and Women	0	0	0	0	0	0	0	0	0	0	1	3	22	31	159	364	905	1160	1262	48	
Other mental and behavioural disorders	Men	0	0	3	20	73	71	105	139	215	234	225	212	359	236	170	132	70	34	0	122	
	Women	0	0	0	11	41	42	65	83	133	139	130	91	132	134	148	62	32	54	0	67	
Main group: Mental and behavioural disorders	Men and Women	0	0	2	15	57	57	86	112	175	189	180	153	248	184	159	94	48	46	0	95	

2008	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	138	259	201	148	105	103	72	44	25	23	25	0	17	9	17	97	83
		Women	0	0	4	69	174	103	88	69	74	84	52	31	39	53	57	9	32	32	21	59
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	2	104	217	154	120	88	89	78	47	28	31	39	30	13	22	27	44	71
		Men	0	0	2	28	122	126	146	133	119	108	129	92	70	46	92	44	26	0	49	80
	Mood [affective] disorders	Women	0	0	2	12	41	74	50	83	119	133	72	86	51	77	52	24	32	22	21	54
		Men and Women	0	0	2	21	82	101	101	109	119	120	102	90	60	62	71	33	30	13	29	67
	Other mental and behavioural disorders	Men	2	0	24	112	181	132	146	151	171	126	166	122	119	249	257	138	273	291	243	124
		Women	0	0	25	281	235	198	205	228	311	268	248	297	337	277	354	435	426	325	105	216
	Main group: Mental and behavioural disorders	Men and Women	1	0	25	194	207	164	174	188	239	194	205	207	226	263	308	298	362	312	147	170
		Men	43	78	165	170	138	87	73	87	103	61	51	59	35	67	87	105	273	496	633	98
	Dementia	Women	21	19	78	213	286	217	157	148	140	122	95	103	105	110	148	232	369	444	377	146
		Men and Women	32	49	123	191	211	149	113	116	121	90	72	80	69	89	119	173	329	464	455	122
	Mental and behavioural disorders due to alcohol	Men	33	74	212	411	723	581	592	586	685	571	593	511	587	607	661	744	1305	1832	2125	515
		Women	16	25	115	569	654	554	532	570	677	730	575	595	587	647	913	1108	1683	1943	1881	561
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	25	50	165	488	689	568	564	578	681	648	584	552	587	627	793	939	1523	1901	1951	537
		Men	0	0	0	0	0	0	0	0	0	0	2	2	28	20	102	306	712	1089	1386	34
	Other mental and behavioural disorders	Women	0	0	0	0	0	0	0	0	0	0	0	5	20	58	213	407	848	1168	1375	61
		Men and Women	0	0	0	0	0	0	0	0	0	0	1	3	24	39	160	360	790	1138	1375	47
	Mood [affective] disorders	Men	0	0	5	15	77	72	108	144	230	228	229	207	323	269	165	126	59	17	0	122
		Women	0	0	0	14	34	42	65	86	109	127	126	91	101	123	124	76	44	52	0	62
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	3	14	56	58	88	116	171	179	179	151	214	195	144	99	51	38	0	93
		Men	0	0	2	123	252	220	159	120	107	75	45	22	25	24	5	11	8	0	92	86
	Mood [affective] disorders	Women	0	0	2	59	153	106	91	78	69	83	44	35	40	50	58	14	31	31	20	57
		Men and Women	0	0	2	92	204	166	127	100	88	79	44	28	32	37	32	13	22	19	42	72
Other mental and behavioural disorders	Men	0	0	2	26	121	119	148	140	117	99	123	106	69	36	83	49	25	0	0	79	
	Women	0	0	0	12	27	62	57	67	100	142	80	91	49	69	66	14	25	21	40	51	
Main group: Mental and behavioural disorders	Men and Women	0	0	1	19	75	92	105	105	109	120	102	99	59	53	74	30	25	13	28	65	
	Men	0	0	23	112	180	131	168	168	176	141	188	123	132	221	233	148	263	297	139	129	
Dementia	Women	0	0	27	307	214	199	213	247	326	284	271	289	305	273	363	398	402	372	121	220	
	Men and Women	0	0	25	207	197	163	189	205	249	210	228	204	217	248	301	282	343	343	126	174	
Other mental and behavioural disorders	Men	33	74	183	161	141	93	68	92	112	72	47	62	36	52	88	126	288	462	554	99	
	Women	16	25	88	221	267	205	157	157	138	142	92	121	95	96	155	237	377	413	364	147	
Main group: Mental and behavioural disorders	Men and Women	25	50	136	190	203	147	110	123	125	106	68	91	65	75	123	185	339	432	421	123	
	Men	22	78	259	420	718	670	662	566	710	611	626	486	569	624	611	741	1233	2035	1870	532	
Mood [affective] disorders	Women	14	36	128	589	631	573	568	570	672	761	593	602	539	650	934	1127	1670	1987	2116	571	
	Men and Women	18	57	195	503	675	623	617	568	692	685	610	542	554	637	778	948	1481	2004	2038	551	
Other mental and behavioural disorders	Men	0	0	0	0	0	0	0	0	0	0	2	4	21	34	97	318	641	1170	1130	34	
	Women	0	0	0	0	0	0	0	0	0	0	2	9	19	54	211	400	758	1138	1457	59	
Main group: Mental and behavioural disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	2	7	20	45	156	362	707	1150	1354	47	

2010	Mental and behavioural disorders due to alcohol	Men	0	0	5	15	75	89	104	153	222	236	235	182	294	289	170	88	57	32	0	121	
		Women	0	0	0	17	37	42	64	87	91	122	119	93	85	116	108	86	43	30	0	60	
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	0	0	3	16	56	66	85	121	157	180	178	139	191	201	138	87	49	31	0	91	
		Men	0	0	2	110	248	257	191	112	117	86	52	28	24	19	5	11	24	0	87	91	
	Schizophrenia, schizotypal and delusional disorders	Women	0	0	0	62	141	123	105	79	54	87	49	41	36	36	58	5	37	30	20	58	
		Men and Women	0	0	1	86	195	192	149	97	86	87	51	34	30	28	33	8	32	18	41	74	
	Mood [affective] disorders	Men	0	0	2	25	120	131	169	146	130	102	123	91	74	42	58	38	24	0	0	81	
		Women	0	0	0	14	30	54	70	66	97	149	86	98	50	65	67	24	18	20	40	53	
	Other mental and behavioural disorders	Men and Women	0	0	1	19	76	94	121	108	113	125	105	94	62	54	63	31	21	12	27	67	
		Men	0	0	21	118	178	156	179	160	193	151	198	130	140	205	199	176	243	304	217	134	
	Main group: Mental and behavioural disorders	Women	0	0	28	287	202	207	221	233	334	299	268	270	267	305	404	400	413	359	100	219	
		Men and Women	0	0	24	201	190	181	199	195	263	224	233	198	202	256	305	296	340	338	137	176	
	Dementia	Men	22	78	230	171	148	102	90	72	105	88	54	63	48	53	102	132	284	561	478	107	
		Women	14	36	100	252	258	205	175	165	152	155	107	136	99	98	162	266	450	489	539	161	
	Mental and behavioural disorders due to alcohol	Men and Women	18	57	167	211	202	151	131	117	128	121	80	99	73	76	133	204	378	516	520	133	
		Men	18	79	295	424	716	716	675	572	688	614	609	488	487	541	627	716	1133	2054	2179	529	
	Mental and behavioural disorders due to use of other psychoactive subst.	Women	16	44	125	595	612	578	590	600	658	703	596	557	496	644	850	1083	1535	1940	2281	560	
		Men and Women	17	62	212	508	665	649	633	585	673	659	603	523	492	593	743	913	1361	1985	2246	544	
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	0	0	0	0	0	0	0	0	0	0	4	20	46	87	350	590	1214	1325	36
		Women	0	0	0	0	0	0	0	0	0	0	4	9	21	55	220	361	723	1092	1559	59	
	Mood [affective] disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	2	7	21	50	156	356	666	1139	1484	48	
		Men	0	0	4	18	61	98	109	143	211	219	217	172	221	251	179	50	54	47	0	112	
	Other mental and behavioural disorders	Women	0	0	0	19	47	42	60	87	100	105	105	95	64	117	94	82	41	10	0	57	
		Men and Women	0	0	2	19	54	70	85	116	156	162	162	134	144	183	135	67	47	24	0	85	
Mental and behavioural disorders due to alcohol	Men	0	0	2	83	253	271	207	127	119	91	54	32	20	14	29	11	23	0	43	92		
	Women	0	0	0	66	140	130	113	79	63	76	54	40	37	45	63	14	30	19	19	59		
Mood [affective] disorders	Men and Women	0	0	1	75	198	202	161	104	91	83	54	36	29	30	47	13	27	12	27	76		
	Men	0	0	0	25	122	141	146	152	130	116	117	101	69	35	53	39	16	0	0	80		
Schizophrenia, schizotypal and delusional disorders	Women	0	0	0	16	37	52	73	72	94	129	94	82	56	55	72	29	6	10	58	52		
	Men and Women	0	0	0	20	80	97	110	113	112	122	105	91	62	45	63	34	10	6	40	66		
Mood [affective] disorders	Men	0	4	23	119	179	165	174	147	187	150	193	125	127	159	179	161	202	233	256	128		
	Women	0	0	26	270	177	195	222	236	299	273	245	242	236	288	324	351	379	380	136	203		
Other mental and behavioural disorders	Men and Women	0	2	25	193	178	180	197	190	242	211	218	183	180	224	254	263	303	324	174	165		
	Men	18	78	268	202	157	121	120	81	104	89	67	71	66	57	116	144	272	576	641	120		
Main group: Mental and behavioural disorders	Women	16	44	99	270	248	213	202	183	168	173	141	137	98	110	135	308	391	487	604	170		
	Men and Women	17	61	185	235	202	166	160	130	136	131	104	103	82	84	126	232	339	522	615	145		
2011	Main group: Mental and behavioural disorders	Men	13	87	318	435	700	777	692	639	671	624	610	483	469	520	554	696	1130	2004	2245	536	
		Women	16	48	143	626	594	630	632	612	669	676	625	563	526	631	770	1096	1398	1871	2263	568	
		Men and Women	14	68	232	528	648	705	663	625	670	650	617	523	497	576	665	911	1281	1924	2258	552	

2012	Dementia	Men	0	0	0	0	0	0	0	0	0	0	2	6	12	52	67	340	531	1212	1347	35
		Women	0	0	0	0	0	0	0	0	0	0	0	4	9	18	59	205	365	682	1105	1484
	Mental and behavioural disorders due to alcohol	Men and Women	0	0	0	0	0	0	0	0	0	0	3	7	15	55	138	353	616	1147	1441	47
		Men	0	0	5	18	57	109	113	137	194	211	226	154	214	239	186	40	52	30	0	110
	Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	23	55	43	58	92	89	99	110	99	69	101	53	73	23	0	0	56
		Men and Women	0	0	3	21	56	76	86	115	142	155	169	126	143	170	117	58	36	12	0	83
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	86	246	287	205	146	103	88	57	40	25	23	29	0	22	0	41	93
		Women	0	0	0	74	146	162	125	73	77	76	45	51	38	39	53	19	23	9	0	63
	Mood [affective] disorders	Men and Women	0	0	1	80	198	225	166	110	90	82	52	46	31	31	41	10	23	6	13	78
		Men	0	0	4	35	115	142	165	160	138	123	107	99	81	39	38	45	22	0	0	83
	Other mental and behavioural disorders	Women	0	0	0	14	33	51	79	64	83	123	104	86	74	46	67	34	0	0	56	51
		Men and Women	0	0	2	25	75	97	123	113	111	123	106	92	78	42	53	39	10	0	38	67
	Main group: Mental and behavioural disorders	Men	0	4	22	114	171	176	158	162	177	165	174	135	115	137	153	175	232	224	245	126
		Women	0	0	21	262	162	194	235	239	295	257	250	218	250	286	320	302	312	359	167	197
	Dementia	Men and Women	0	2	21	186	166	185	196	200	236	211	212	176	182	212	239	244	277	307	191	162
		Men	13	85	289	212	163	154	130	108	113	90	82	67	61	49	91	130	292	553	694	127
	Mental and behavioural disorders due to alcohol	Women	16	48	122	311	243	247	219	211	193	179	171	152	92	127	138	375	404	425	631	186
		Men and Women	14	67	207	260	202	200	174	159	153	135	126	109	76	88	115	262	355	475	651	157
	Dementia	Men	17	80	341	458	700	819	707	694	659	639	608	504	452	489	520	768	1178	2229	2159	550
		Women	18	51	154	681	629	654	644	638	629	660	655	534	514	584	714	1068	1408	1841	2384	573
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	17	66	249	567	666	737	676	666	644	650	632	519	482	536	620	929	1306	1991	2310	561
		Men	0	0	0	0	0	0	0	0	0	0	2	8	14	58	69	347	575	1306	1439	39
	Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	4	6	12	59	176	377	713	1139	1566	61
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	7	13	59	124	363	652	1204	1524	50
Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	4	15	48	99	105	139	197	215	226	167	192	218	175	80	51	43	0	108	
	Women	0	0	0	25	56	41	52	87	81	97	115	108	74	87	47	69	17	9	0	55	
Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	2	20	52	71	79	113	139	155	170	138	134	153	109	74	32	22	0	82	
	Men	0	0	2	78	254	307	233	161	103	91	65	43	31	22	28	6	15	0	0	98	
Mood [affective] disorders	Women	0	0	0	75	163	155	117	85	75	70	58	44	47	37	39	25	17	9	0	64	
	Men and Women	0	0	1	77	210	231	176	124	89	80	62	43	39	29	33	16	16	6	0	81	
Other mental and behavioural disorders	Men	0	0	4	34	130	154	179	156	135	135	90	88	72	37	28	34	7	0	0	83	
	Women	0	0	0	18	32	63	88	70	71	115	115	83	84	41	69	54	0	0	36	53	
Mental and behavioural disorders due to alcohol	Men and Women	0	0	2	26	83	109	134	113	103	125	102	86	78	39	49	45	3	0	24	68	
	Men	0	4	30	126	161	179	144	172	177	172	164	145	125	114	143	193	225	241	227	127	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	21	248	177	178	230	245	259	256	244	190	229	259	301	260	305	292	231	188	
	Men and Women	0	2	25	185	169	179	186	208	218	215	204	167	176	186	224	229	270	272	230	157	
Schizophrenia, schizotypal and delusional disorders	Men	17	78	306	236	169	172	134	145	101	87	95	71	60	58	101	142	327	653	568	136	
	Women	18	51	133	362	248	272	231	223	196	182	188	150	96	119	146	368	402	446	641	196	
Mood [affective] disorders	Men and Women	17	65	221	297	208	222	182	183	148	135	141	110	78	88	124	263	369	527	617	166	

2013	Main group: Mental and behavioural disorders	Men	20	74	322	517	706	816	695	700	630	635	589	511	453	432	499	728	1235	2245	1923	547
		Women	21	48	156	737	715	727	665	671	609	644	644	525	532	550	677	1045	1454	1943	2057	587
	Dementia	Men and Women	21	61	240	624	710	772	680	686	620	639	616	518	492	491	591	896	1356	2061	2015	567
		Men	0	0	0	0	0	0	0	0	0	0	2	10	12	55	83	350	610	1328	1119	40
	Mental and behavioural disorders due to alcohol	Women	0	0	0	0	0	0	0	0	0	0	4	6	10	48	142	362	741	1200	1288	59
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	8	11	52	114	356	683	1249	1234	49
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	2	14	41	100	101	127	181	215	216	174	185	172	166	85	72	41	0	103
		Women	0	0	0	22	60	40	56	95	89	104	93	103	82	81	49	69	23	18	0	56
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	1	18	50	70	79	111	136	159	154	139	134	127	105	76	45	27	0	79
		Men	0	0	0	103	263	293	225	173	115	94	71	44	35	18	31	11	14	0	0	101
	Mood [affective] disorders	Women	0	0	0	83	176	158	141	90	79	68	63	47	48	36	41	25	23	9	0	69
		Men and Women	0	0	0	94	221	227	184	132	97	81	67	45	41	27	36	18	19	5	0	85
	Other mental and behavioural disorders	Men	0	0	6	38	147	163	183	136	136	144	86	86	75	41	26	23	7	0	0	84
		Women	0	0	2	18	49	79	86	82	72	102	121	83	84	48	57	59	6	0	17	56
	Mood [affective] disorders	Men and Women	0	0	4	28	99	122	136	109	104	123	103	85	79	44	42	42	6	0	11	70
		Men	0	4	28	136	160	195	138	166	164	166	149	146	117	108	122	181	180	192	210	123
	Other mental and behavioural disorders	Women	0	0	21	261	213	182	217	242	211	262	226	191	233	230	288	253	282	269	201	184
		Men and Women	0	2	25	197	186	188	176	203	188	215	188	168	174	168	208	219	236	238	204	154
2014	Main group: Mental and behavioural disorders	Men	20	72	290	272	179	163	136	164	92	77	106	78	72	55	96	118	373	712	664	141
		Women	21	48	133	408	273	333	252	236	207	177	200	142	101	132	170	371	414	510	635	211
	Dementia	Men and Women	21	60	213	339	225	247	193	200	149	128	153	110	86	93	135	253	396	590	645	176
		Men	29	68	300	566	756	770	740	691	616	594	557	551	405	393	487	714	1273	2132	2061	546
	Mental and behavioural disorders due to alcohol	Women	27	43	171	832	757	725	671	682	568	620	647	554	535	506	619	957	1377	1873	2173	589
		Men and Women	28	56	236	696	757	748	706	686	593	607	603	553	469	449	556	842	1331	1977	2141	567
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	0	0	0	0	0	0	0	2	12	9	53	87	335	680	1303	1284	42
		Women	0	0	0	0	0	0	0	0	0	0	6	2	7	49	130	319	720	1225	1370	58
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	0	0	0	0	0	0	0	0	4	7	8	51	109	326	702	1257	1345	50
		Men	0	0	2	14	49	91	117	101	171	189	207	190	164	139	144	106	64	66	0	98
	Mood [affective] disorders	Women	0	0	0	17	59	41	61	98	99	86	94	116	82	74	54	60	35	26	0	56
		Men and Women	0	0	1	15	54	66	90	100	135	137	150	153	123	107	97	82	48	42	0	77
	Other mental and behavioural disorders	Men	0	0	0	116	285	265	232	193	133	88	65	55	32	17	33	17	0	0	0	104
		Women	0	2	0	86	182	149	137	100	86	71	57	49	54	34	46	25	29	9	0	70
	Mood [affective] disorders	Men and Women	0	1	0	101	235	208	185	147	110	79	61	52	43	25	40	21	16	5	0	87
		Men	0	0	6	53	163	166	188	134	137	149	88	90	61	39	41	17	7	0	0	88
	Mood [affective] disorders	Women	0	0	2	20	58	99	79	90	65	84	129	91	82	43	42	55	23	0	16	57
		Men and Women	0	0	4	37	112	133	135	113	101	116	108	90	71	41	42	37	16	0	11	73
	Mood [affective] disorders	Men	0	3	26	147	163	188	150	168	144	160	147	155	107	106	120	151	172	197	203	122
		Women	0	0	30	320	241	172	200	235	170	245	223	187	236	203	245	214	242	245	173	180
		Men and Women	0	2	28	232	201	180	174	201	157	203	185	171	170	154	185	184	211	226	183	151

2015	Other mental and behavioural disorders	Men	29	67	270	295	194	155	140	166	99	65	97	78	68	53	83	134	379	605	642	140
		Women	27	42	141	462	277	335	277	248	199	197	200	158	105	120	164	364	363	429	709	217
	Main group: Mental and behavioural disorders	Men and Women	28	55	206	376	235	244	207	207	149	131	149	118	86	86	125	255	370	499	689	178
		Men	28	62	279	615	784	819	770	702	614	611	516	568	420	370	470	722	1341	1991	2020	555
	Dementia	Women	27	41	192	928	846	749	678	666	576	604	664	571	535	497	618	939	1425	1853	2041	606
		Men and Women	28	52	237	769	814	785	726	684	595	608	591	569	477	432	546	837	1387	1908	2030	581
	Mental and behavioural disorders due to alcohol	Men	0	0	0	0	0	0	0	0	0	0	2	11	7	56	92	309	738	1202	1258	42
		Women	0	0	0	0	0	0	0	0	0	0	4	0	5	41	101	311	730	1238	1295	57
	Mental and behavioural disorders due to use of other psychoactive subst.	Men and Women	0	0	0	0	0	0	0	0	0	0	3	6	6	49	97	310	734	1224	1281	49
		Men	0	0	2	11	62	92	117	111	163	195	189	199	172	122	134	105	65	50	0	99
Schizophrenia, schizotypal and delusional disorders	Women	0	0	0	18	58	47	67	97	112	84	95	121	88	69	54	64	47	25	0	59	
	Men and Women	0	0	1	14	60	70	93	104	138	140	141	160	130	96	93	83	55	35	0	79	
Mood [affective] disorders	Men	0	0	0	131	294	283	238	202	129	77	62	57	29	16	19	17	0	0	0	107	
	Women	0	2	2	78	191	140	132	99	79	67	64	56	52	33	43	20	29	8	0	69	
Other mental and behavioural disorders	Men and Women	0	1	1	105	244	213	187	151	104	72	63	57	40	24	32	18	16	5	0	88	
	Men	0	0	7	64	178	180	205	136	143	135	75	86	65	35	34	6	7	13	0	90	
Main group: Mental and behavioural disorders	Women	0	0	2	24	71	102	79	83	57	73	123	96	72	63	25	59	29	0	0	57	
	Men and Women	0	0	5	44	126	142	144	109	101	104	99	91	68	49	30	34	19	5	0	74	
Dementia	Men	0	0	24	168	170	210	164	166	154	174	142	165	112	109	119	171	172	188	166	129	
	Women	0	0	34	334	270	190	200	238	164	249	245	195	235	193	267	222	234	202	152	187	
Other mental and behavioural disorders	Men and Women	0	0	29	250	219	200	182	202	159	212	194	180	173	150	195	198	206	196	156	157	
	Men	28	62	252	303	193	159	136	163	96	79	92	78	58	51	96	149	401	589	629	139	
Main group: Mental and behavioural disorders	Women	27	39	160	554	323	345	279	244	214	192	181	150	122	116	188	331	391	430	640	228	
	Men and Women	28	51	207	426	256	250	206	203	154	136	137	114	90	83	143	245	396	493	635	183	
Dementia	Men	31	48	247	659	823	816	779	652	599	572	517	559	406	319	482	743	1235	2017	2099	550	
	Women	30	39	203	982	874	735	721	667	545	586	624	546	519	491	580	892	1335	1878	1897	602	
Mental and behavioural disorders due to alcohol	Men and Women	30	43	225	818	848	777	751	660	572	579	571	553	462	404	532	821	1290	1933	1960	576	
	Men	0	0	0	0	0	0	0	0	0	0	0	9	9	57	113	320	741	1300	1367	44	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	0	0	0	0	0	0	0	4	0	4	40	89	309	650	1263	1221	55	
	Men and Women	0	0	0	0	0	0	0	0	0	0	2	5	7	48	101	314	691	1278	1266	49	
Schizophrenia, schizotypal and delusional disorders	Men	0	0	0	14	65	87	117	110	171	188	188	203	163	100	124	103	58	49	0	97	
	Women	0	0	0	15	46	52	69	90	107	88	76	122	88	66	58	59	47	25	0	57	
Main group: Mental and behavioural disorders	Men and Women	0	0	0	15	56	70	94	100	140	138	132	163	125	84	91	80	52	34	0	77	
	Men	0	2	0	116	310	299	260	194	130	72	52	55	26	5	18	16	7	12	32	109	
Dementia	Women	0	2	2	78	194	130	144	111	82	66	62	48	44	43	41	15	35	8	0	70	
	Men and Women	0	2	1	97	254	218	204	153	106	69	57	51	35	24	30	15	23	10	10	89	
Mental and behavioural disorders due to alcohol	Men	0	0	4	57	191	199	184	134	128	122	76	81	56	28	32	5	0	12	0	88	
	Women	0	0	2	22	79	107	71	95	56	63	118	99	63	80	31	54	30	0	0	58	
Other mental and behavioural disorders	Men and Women	0	0	3	40	137	155	129	115	93	92	97	90	60	54	31	31	16	5	0	73	

2017	Mood [affective] disorders	Men	0	0	22	191	177	207	184	153	139	161	153	164	111	95	106	157	124	170	159	128
		Women	0	0	40	334	282	187	203	230	156	227	236	170	226	178	234	216	242	180	147	181
	Other mental and behavioural disorders	Men and Women	0	0	31	261	228	197	193	190	147	194	195	167	168	136	171	188	189	176	151	154
		Men	31	46	227	336	206	140	138	132	98	83	90	77	59	51	110	179	341	522	572	136
	Main group: Mental and behavioural disorders	Women	30	37	167	611	340	333	317	237	195	195	165	157	140	112	179	299	355	484	574	232
		Men and Women	30	42	197	471	271	232	225	183	145	139	128	117	99	81	145	242	349	499	573	183
	Dementia	Men	31	43	237	679	834	803	744	638	575	515	472	539	407	321	460	716	1213	1889	1862	537
		Women	30	38	193	1016	879	722	727	652	552	554	569	546	493	511	560	858	1360	1847	2066	597
	Mental and behavioural disorders due to alcohol	Men and Women	31	40	215	845	856	765	736	645	564	534	521	542	449	415	510	791	1294	1864	2004	567
		Men	0	0	0	0	0	0	0	0	0	0	0	2	6	8	63	133	298	709	1240	1171
	Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	0	0	0	0	0	0	0	4	0	8	36	89	286	659	1188	1368	54
		Men and Women	0	0	0	0	0	0	0	0	0	0	3	3	8	49	111	292	681	1209	1307	48
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	0	16	71	86	105	113	166	164	162	184	165	98	110	94	44	47	0	92
		Women	0	0	0	15	41	55	67	78	101	89	61	108	79	79	56	52	53	24	0	53
	Mood [affective] disorders	Men and Women	0	0	0	16	57	72	87	96	134	127	111	146	122	89	83	72	49	34	0	73
		Men	0	2	0	119	319	302	263	200	124	65	44	59	21	8	17	10	7	12	30	111
	Other mental and behavioural disorders	Women	0	2	2	83	184	149	149	117	88	68	48	47	32	38	40	29	24	8	0	70
		Men and Women	0	2	1	101	254	230	209	160	107	66	46	53	26	23	28	20	16	10	10	91
	Schizophrenia, schizotypal and delusional disorders	Men	0	0	4	59	179	197	166	150	121	108	67	89	65	35	23	16	0	12	0	87
		Women	0	0	2	20	83	97	63	84	61	52	95	100	59	84	26	33	30	0	0	54
	Mood [affective] disorders	Men and Women	0	0	3	40	133	150	117	118	92	81	81	95	62	60	25	25	16	5	0	71
		Men	0	0	20	203	190	204	175	139	124	138	156	158	108	88	87	125	139	118	120	124
Other mental and behavioural disorders	Women	0	0	41	351	282	187	211	223	162	198	232	179	212	184	214	215	232	187	85	179	
	Men and Women	0	0	30	276	234	196	192	179	142	167	194	169	160	135	151	172	190	159	97	151	
Main group: Mental and behavioural disorders	Men	31	41	219	342	205	130	132	116	105	82	84	74	54	58	100	204	351	531	541	133	
	Women	30	36	156	643	368	312	330	246	199	194	158	159	140	125	175	300	386	496	641	237	
Dementia	Men and Women	31	39	188	491	284	216	226	178	150	137	121	116	97	91	138	254	370	511	610	184	
	Men	29	43	210	658	868	807	731	618	550	472	466	532	421	335	468	698	1179	1972	1874	534	
Mental and behavioural disorders due to alcohol	Women	25	43	196	988	861	662	737	642	560	487	523	536	490	521	535	815	1290	1767	2201	581	
	Men and Women	27	43	203	821	865	739	734	630	554	479	495	534	455	427	501	759	1239	1853	2093	557	
Other mental and behavioural disorders	Men	0	0	0	0	0	0	0	0	0	0	2	7	14	63	139	264	723	1303	1119	43	
	Women	0	0	0	2	0	0	0	0	0	0	5	2	8	37	88	257	627	1153	1513	54	
Mood [affective] disorders	Men and Women	0	0	0	1	0	0	0	0	0	0	4	5	11	50	113	260	671	1216	1383	48	
	Men	0	0	0	16	73	86	101	107	151	135	158	188	154	104	98	95	58	46	0	89	
Mental and behavioural disorders due to use of other psychoactive subst.	Women	0	0	0	13	37	48	59	76	93	86	63	110	84	84	50	50	42	25	0	52	
	Men and Women	0	0	0	15	56	68	82	92	124	111	111	149	119	95	74	71	49	34	0	71	
Other mental and behavioural disorders	Men	0	2	0	108	333	308	276	200	118	61	38	59	22	5	13	10	14	23	28	113	
	Women	0	2	2	75	172	154	149	125	82	54	43	43	35	45	41	23	18	0	0	69	
Main group: Mental and behavioural disorders	Men and Women	0	2	1	92	256	236	217	165	101	58	41	51	29	25	27	17	16	10	9	91	

	Schizophrenia, schizotypal and delusional disorders	Men	0	0	2	58	170	194	147	158	124	100	59	82	77	32	22	15	0	12	0	86	
		Women	0	0	0	18	68	94	71	79	60	39	76	106	62	82	22	32	30	0	0	0	51
	Mood [affective] disorders	Men and Women	0	0	1	38	121	147	112	121	94	71	68	94	69	56	22	24	16	5	0	69	
		Men	0	0	21	224	199	194	178	128	111	126	173	163	111	97	82	130	130	138	112	125	
	Other mental and behavioural disorders	Women	0	0	53	342	274	167	212	218	177	163	221	164	212	184	195	180	229	139	69	172	
		Men and Women	0	0	36	283	235	182	194	170	143	144	197	163	161	140	139	156	184	139	83	148	
2019	Main group: Mental and behavioural disorders	Men	29	41	193	306	212	138	142	111	104	86	74	60	61	61	123	214	289	519	615	130	
		Women	25	41	152	622	385	277	338	230	209	176	143	162	140	117	182	311	374	499	633	232	
	Dementia	Men and Women	27	41	173	462	295	203	233	167	154	130	108	111	100	88	153	265	335	507	627	180	
		Men	22	40	183	618	872	805	676	634	525	490	449	513	438	335	427	658	1039	1812	1837	520	
	Mental and behavioural disorders due to alcohol	Women	19	38	184	935	877	660	714	657	581	482	464	512	482	506	495	816	1207	1673	1923	565	
		Men and Women	21	39	184	775	875	738	694	645	552	486	456	512	460	420	461	741	1129	1731	1894	542	
	Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	0	0	0	0	0	0	0	0	0	2	4	16	57	135	225	615	1154	1050	38	
		Women	0	0	0	4	0	0	0	0	0	0	2	2	12	34	75	245	573	1055	1300	49	
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	0	0	2	0	0	0	0	0	0	2	3	14	45	105	236	593	1096	1216	43	
		Men	0	0	0	13	70	81	99	113	140	149	148	185	152	102	84	113	78	46	0	88	
	Mood [affective] disorders	Women	0	0	0	15	30	40	55	75	84	103	63	103	84	82	39	47	43	16	13	50	
		Men and Women	0	0	0	14	51	62	79	95	113	127	106	144	118	92	62	78	59	29	9	69	
	Other mental and behavioural disorders	Men	0	2	0	91	334	321	269	201	109	73	39	51	26	9	12	9	14	23	26	114	
		Women	0	0	2	75	179	159	159	133	87	53	42	39	30	43	33	21	6	0	0	70	
	Schizophrenia, schizotypal and delusional disorders	Men and Women	0	1	1	83	259	245	219	169	99	63	41	45	28	26	23	16	10	10	9	93	
		Men	0	0	2	50	162	185	125	156	125	96	54	75	87	31	12	19	0	23	0	82	
	Mood [affective] disorders	Women	0	0	0	13	61	80	73	81	66	49	61	94	72	84	30	25	18	0	0	49	
		Men and Women	0	0	1	32	113	136	101	121	97	74	57	84	79	57	21	22	10	10	0	66	
	Other mental and behavioural disorders	Men	0	0	27	235	202	192	163	135	117	130	166	153	118	102	72	103	113	104	79	124	
		Women	0	0	51	348	267	191	207	227	192	150	197	172	202	166	168	194	213	132	80	171	
2020	Main group: Mental and behavioural disorders	Men and Women	0	0	39	291	234	192	183	178	153	140	181	163	160	134	120	151	167	120	79	147	
		Men	22	39	162	279	225	134	133	109	89	91	73	67	63	64	123	221	262	519	735	126	
	Dementia	Women	19	38	145	560	416	264	314	227	209	159	132	143	136	128	195	321	378	511	544	225	
		Men and Women	21	38	154	418	317	195	217	164	146	124	102	105	99	95	159	274	324	514	608	174	
	Mental and behavioural disorders due to alcohol	Men	23	36	142	568	870	776	671	662	523	487	441	492	448	337	381	644	977	1771	1707	509	
		Women	17	39	189	883	788	652	670	646	548	478	407	480	477	461	492	768	1180	1660	1842	539	
	Mood [affective] disorders	Men and Women	20	37	165	723	830	718	671	654	535	483	424	486	462	399	436	708	1085	1706	1797	523	
		Men	0	0	0	0	0	0	0	0	0	0	0	3	5	15	37	99	239	559	1074	1128	42
	Other mental and behavioural disorders	Women	0	0	0	2	0	0	0	0	0	0	0	3	5	15	37	99	239	559	1074	1128	42
		Men	0	0	0	18	62	75	100	109	135	144	154	181	158	102	69	117	104	58	0	87	
	Mood [affective] disorders	Women	0	0	0	9	24	39	51	68	76	104	52	89	80	79	32	40	24	25	13	45	
		Men and Women	0	0	0	13	44	59	78	90	107	125	104	135	119	91	50	77	61	39	8	67	

Mental and behavioural disorders due to use of other psychoactive subst.	Men	0	2	0	94	333	325	270	210	120	81	29	47	33	9	6	9	14	23	24	115
	Women	0	0	0	71	165	173	155	153	78	50	24	33	25	40	38	24	6	0	13	69
Schizophrenia, schizotypal and delusional disorders	Men and Women	0	1	0	83	251	254	217	183	100	66	27	40	29	24	22	17	10	10	17	93
	Men	0	0	0	35	151	188	125	159	120	109	48	77	79	28	17	26	0	12	0	80
Mood [affective] disorders	Women	0	0	0	9	47	80	73	84	72	56	58	91	90	61	46	16	18	17	0	49
	Men and Women	0	0	0	22	100	138	101	124	97	83	53	84	84	44	32	21	10	15	0	65
Other mental and behavioural disorders	Men	0	0	28	224	198	168	156	142	115	129	169	144	125	98	77	87	104	81	49	120
	Women	0	0	55	364	262	193	191	201	196	151	186	160	201	156	159	171	181	92	76	166
	Men and Women	0	0	41	293	229	180	172	170	154	139	177	152	163	127	118	131	145	88	67	142
	Men	23	34	120	249	228	125	127	116	88	79	77	58	60	77	103	204	243	544	707	118
	Women	17	39	150	499	363	242	279	211	183	144	117	144	123	130	179	318	405	520	559	208
	Men and Women	20	36	134	372	294	180	197	160	133	110	97	101	91	104	141	264	329	530	610	162

Calculated 5 year moving average for Åland, Iceland

Source: Denmark: The National Patient Register, The Danish Health Data Authority#Finland: The national in-patient registers#Åland: The national in-patient registers#Iceland: The national in-patient registers#Norway: Norwegian Directorate of Health, NPR#Sweden: The national in-patient registers; The National Board of Health and Welfare#

Units: Per 100 000

Internal reference code: PATIENT06