

Table 105-0054 [1.2.3.7.8](#)

Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography [7.8](#) = Nunavut [62]

Age group	Sex	Use of alternative tobacco products <a href="#">2.3</a>	Characteristics <a href="#">4.5.6.20</a>	2000/2001
Total, 12 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	19,494
			Percent	100.0
		Alternative tobacco products, used	Number of persons	2,142
			Percent	11.0
		Alternative tobacco products, not used	Number of persons	17,110
			Percent	87.8
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	10,219
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,837
			Percent	18.0
		Alternative tobacco products, not used	Number of persons	8,326
			Percent	81.5
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	9,275
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	8,783
			Percent	94.7
12 to 19 years	Both sexes	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	4,472
			Percent	100.0
		Alternative tobacco products, used	Number of persons	524
			Percent	11.7
	Males	Alternative tobacco products, not used	Number of persons	3,879
			Percent	86.7
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	2,248
			Percent	100.0
		Alternative tobacco products, used	Number of persons	346
			Percent	15.4
		Alternative tobacco products, not used	Number of persons	1,846
			Percent	82.1
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
			Number of persons	2,224

	Females	Total, use of alternative tobacco products	Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,034
			Percent	91.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
20 to 34 years	Both sexes	Total, use of alternative tobacco products	Number of persons	7,351
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,135
			Percent	15.4
		Alternative tobacco products, not used	Number of persons	6,041
			Percent	82.2
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	3,791
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,040
			Percent	27.4
		Alternative tobacco products, not used	Number of persons	2,750
			Percent	72.6
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	3,560
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	3,291
			Percent	92.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
35 to 44 years	Both sexes	Total, use of alternative tobacco products	Number of persons	3,440
			Percent	100.0
		Alternative tobacco products, used	Number of persons	267
			Percent	7.8
		Alternative tobacco products, not used	Number of persons	3,173
			Percent	92.2
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	1,831
			Percent	100.0
		Alternative tobacco products, used	Number of persons	267
			Percent	14.6
		Alternative tobacco products, not used	Number of persons	1,564
			Percent	85.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	1,609
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,609
			Percent	100.0
			Number of persons	F

		Alternative tobacco products, not stated	Percent	F
45 to 64 years	Both sexes	Total, use of alternative tobacco products	Number of persons	3,519
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	3,353
			Percent	95.3
	Males	Total, use of alternative tobacco products	Number of persons	1,937
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,803
			Percent	93.1
	Females	Total, use of alternative tobacco products	Number of persons	1,581
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,549
			Percent	98.0
65 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	713
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	664
			Percent	93.1
	Males	Total, use of alternative tobacco products	Number of persons	412
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	362
			Percent	88.0
	Females	Total, use of alternative tobacco products	Number of persons	301
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	301
			Percent	100.0

**Symbol legend:**

F Too unreliable to be published

**Footnotes:**

1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
2. Population aged 12 and over who reported on use of alternative tobacco products.
3. Alternative tobacco products included cigars, pipes, snuff and chewing tobacco.
4. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
7. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
8. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
20. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

**Source:** Statistics Canada. *Table 105-0054 - Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years, CANSIM (database).*

<http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?>

[Lang=E&CANSIMFile=CII\CII\\_1\\_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)

(accessed: October 1, 2008)

[Printer-friendly format](#)

---

Date modified: 2007-07-20