

Deaths caused by alcohol, narcotics and medicaments, by region, causes of death, contents and time

	Deaths  1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 201																
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
18 Nordland																	
Alcohol, total	18	25	12	16	15	20	29	19	17	23	11	16	21	14	22	18	13
¬Alcohol-induced pseudo-Cushing's syndrome (E244)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
¬Mental and behavioural disorders due to use of alcohol, acute intoxication (F100)	4	4	1	0	0	2	1	0	0	0	0	0	0	0	0	0	(
¬Mental and behavioural disorders due to use of alcohol: dependence syndrome (F102)	10	13	5	7	6	12	17	12	8	11	5	5	16	8	14	14	
¬Mental and behavioural disorders due alcohol: withdrawl state with delirium (F104)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
¬Mental and behavioural disorders due alcohol: others (F101,F103,F105-F109)	0	0	1	0	2	0	0	0	1	0	1	1	0	0	1	1	
¬Degeneration of nervous system due to alcohol (G312)	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	
¬Alcoholic polyneuropathy (G621)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
¬Alcoholic myopathy (G721)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
¬Alcoholic cardiomyopathy (I426)	1	0	1	3	0	0	1	0	0	0	0	0	0	1	0	0	
¬Alcoholic gastritis (K292)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	
¬Alcoholic liver disease (K70)	3	8	4	6	6	6	10	7	7	11	4	9	5	3	5	2	:
¬Alcohol-induced chronic pancreatitis (K860)	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0	
¬Maternal care for (suspected) damage to fetus from alcohol (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
¬Fetus and newborn affected by maternal use of alcohol (P043)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
¬Fetal alcohol syndrome (dysmorphic) (Q860)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Drug dependence, total	3	1	4	3	3	4	1	0	1	0	1	0	0	0	0	1	
¬Mental and behavioural disorders due to use of opioids, acute intoxication (F110)	3	1	4	3	3	4	1	0	0	0	0	0	0	0	0	0	
¬Mental and behavioural disorders due to use of opioids, dependence syndrome (F112)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
¬Mental and behavioural disorders due to use of opioids, others (F111,F113-F119)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
$\neg$ Mental and behavioural disorders due to other drugs, acuteintoxication (F120,F130,F140,F150,F160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
¬Mental and behavioural disorders due to other drugs, dependence syndrome (F122,F132,F142,F152,F1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	
¬Mental and behavioural disorders due to other drugs, others (Rest F12-F18)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
¬Maternal care for (suspected) damage to fetus by drugs (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
¬Fetus and newborn affected by mat use of drugs of addiction (P044)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Mental and behavioural disorders due multiple/psychoactive drug, total	0	4	0	1	3	8	2	0	2	0	1	1	0	1	1	0	
¬Mental and behavioural disorders due multiple/psychoactive drug: acute intoxication (F190)	0	1	0	0	2	4	2	0	0	0	0	0	0	0	0	0	

¬Mental and behavioural disorders due multiple/psychoactive drug: dependence syndrome (F192)	0	3	0	1	1	4	0	0	2	0	1	1	0	1	1	0	1
¬Mental and behavioural disorders due multiple/psychoactive drug: others (F191,F193-F199)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Accidental poisoning, total	5	1	5	1	2	3	3	6	8	15	11	12	8	9	5	12	20
¬Accidental poisoning/exposure to narcotics and psychodysleptics (hallucinogens) NEC (X42)	0	0	1	0	2	1	0	1	2	1	4	8	3	6	1	5	4
¬Accidental poisoning by and exposure to alcohol (X45)	0	1	2	1	0	0	2	3	2	3	1	1	1	2	1	2	1
¬Accidental poisoning/exposure to other and unspecified chemicals and noxious substances	5	0	2	0	0	2	1	2	4	11	6	3	4	1	3	5	15
Poisoning, undetremined intent, total	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisioning by/exposure to narcotics and psycodysleptics (hallucinogens), undetermined intent (Y12)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to alcohol undetermined intent (Y15)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to other/unspecified chemicals and noxious substances, undetermined in	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
19 Troms Romsa																	
Alcohol, total	19	17	10	13	13	11	15	12	7	9	12	8	12	8	7	7	9
¬Alcohol-induced pseudo-Cushing's syndrome (E244)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of alcohol, acute intoxication (F100)	2	5	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of alcohol: dependence syndrome (F102)	12	8	5	6	6	7	7	10	3	5	7	3	8	3	4	3	6
¬Mental and behavioural disorders due alcohol: withdrawl state with delirium (F104)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due alcohol: others (F101,F103,F105-F109)	0	1	0	1	0	0	0	0	1	0	0	1	0	0	0	1	0
¬Degeneration of nervous system due to alcohol (G312)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
¬Alcoholic polyneuropathy (G621)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Alcoholic myopathy (G721)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Alcoholic cardiomyopathy (I426)	1	1	0	1	0	1	1	0	0	1	0	0	0	2	0	0	0
¬Alcoholic gastritis (K292)	1	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0
¬Alcoholic liver disease (K70)	3	2	5	3	6	2	6	2	1	3	4	4	4	3	3	3	3
¬Alcohol-induced chronic pancreatitis (K860)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
¬Maternal care for (suspected) damage to fetus from alcohol (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetus and newborn affected by maternal use of alcohol (P043)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetal alcohol syndrome (dysmorphic) (Q860)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drug dependence, total	3	1	2	1	2	4	3	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, acute intoxication (F110)	2	1	2	1	2	4	2	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, dependence syndrome (F112)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, others (F111,F113-F119)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
$\neg Mental\ and\ behavioural\ disorders\ due\ to\ other\ drugs,\ acute into xication\ (F120,F130,F140,F150,F160$	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to other drugs, dependence syndrome (F122,F132,F142,F152,F1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to other drugs, others (Rest F12-F18)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Maternal care for (suspected) damage to fetus by drugs (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetus and newborn affected by mat use of drugs of addiction (P044)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mental and behavioural disorders due multiple/psychoactive drug, total	1	0	0	0	1	0	1	0	1	0	0	0	1	0	1	0	0

¬Mental and behavioural disorders due multiple/psychoactive drug: acute intoxication (F190)	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due multiple/psychoactive drug: dependence syndrome (F192)	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0
¬Mental and behavioural disorders due multiple/psychoactive drug: others (F191,F193-F199)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Accidental poisoning, total	2	1	1	1	1	6	2	8	4	6	7	10	7	8	7	4	8
¬Accidental poisoning/exposure to narcotics and psychodysleptics (hallucinogens) NEC (X42)	0	0	0	0	0	3	0	3	0	2	3	6	4	4	4	1	2
¬Accidental poisoning by and exposure to alcohol (X45)	0	1	1	0	0	0	0	4	2	1	3	1	1	2	0	1	1
¬Accidental poisoning/exposure to other and unspecified chemicals and noxious substances	2	0	0	1	1	3	2	1	2	3	1	3	2	2	3	2	5
Poisoning, undetremined intent, total	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
¬Poisioning by/exposure to narcotics and psycodysleptics (hallucinogens), undetermined intent (Y12)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to alcohol undetermined intent (Y15)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to other/unspecified chemicals and noxious substances, undetermined in	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
20 Finnmark Finnmárku																	
Alcohol, total	11	15	8	18	15	9	5	14	7	5	11	8	9	10	6	4	7
¬Alcohol-induced pseudo-Cushing's syndrome (E244)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of alcohol, acute intoxication (F100)	0	3	0	4	1	0	1	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of alcohol: dependence syndrome (F102)	4	3	6	11	7	7	3	10	7	2	7	4	7	7	3	3	4
¬Mental and behavioural disorders due alcohol: withdrawl state with delirium (F104)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
¬Mental and behavioural disorders due alcohol: others (F101,F103,F105-F109)	0	0	0	0	1	0	0	0	0	0	2	0	0	0	0	0	0
¬Degeneration of nervous system due to alcohol (G312)	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
¬Alcoholic polyneuropathy (G621)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Alcoholic myopathy (G721)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Alcoholic cardiomyopathy (I426)	0	0	1	1	2	0	0	1	0	1	0	0	0	1	0	0	0
¬Alcoholic gastritis (K292)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Alcoholic liver disease (K70)	7	8	1	1	4	2	1	3	0	1	2	4	1	2	2	1	3
¬Alcohol-induced chronic pancreatitis (K860)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
¬Maternal care for (suspected) damage to fetus from alcohol (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetus and newborn affected by maternal use of alcohol (P043)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetal alcohol syndrome (dysmorphic) (Q860)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drug dependence, total	1	1	0	0	1	4	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, acute intoxication (F110)	1	0	0	0	1	4	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, dependence syndrome (F112)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to use of opioids, others (F111,F113-F119)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
$\neg Mental\ and\ behavioural\ disorders\ due\ to\ other\ drugs,\ acute intoxication\ (F120,F130,F140,F150,F160$	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
$\neg Mental\ and\ behavioural\ disorders\ due\ to\ other\ drugs,\ dependence\ syndrome\ (F122,F132,F142,F152,F1$	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due to other drugs, others (Rest F12-F18)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Maternal care for (suspected) damage to fetus by drugs (O354)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Fetus and newborn affected by mat use of drugs of addiction (P044)	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mental and behavioural disorders due multiple/psychoactive drug, total	1	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0
¬Mental and behavioural disorders due multiple/psychoactive drug: acute intoxication (F190)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
¬Mental and behavioural disorders due multiple/psychoactive drug: dependence syndrome (F192)	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
¬Mental and behavioural disorders due multiple/psychoactive drug: others (F191,F193-F199)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Accidental poisoning, total	3	2	5	0	0	3	3	2	2	5	4	2	4	4	5	2	5
¬Accidental poisoning/exposure to narcotics and psychodysleptics (hallucinogens) NEC (X42)	0	0	0	0	0	0	0	0	0	0	2	2	1	2	1	1	0
¬Accidental poisoning by and exposure to alcohol (X45)	2	1	1	0	0	0	3	1	2	2	2	0	0	1	1	0	1
¬Accidental poisoning/exposure to other and unspecified chemicals and noxious substances	1	1	4	0	0	3	0	1	0	3	0	0	3	1	3	1	4
Poisoning, undetremined intent, total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisioning by/exposure to narcotics and psycodysleptics (hallucinogens), undetermined intent (Y12)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to alcohol undetermined intent (Y15)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
¬Poisoning by and exposure to other/unspecified chemicals and noxious substances, undetermined in	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

## Footnote(s):

causes of death

¬Accidental poisoning/exposure to narcotics and psychodysleptics (hallucinogens) NEC (X42)

causes of death

¬Accidental poisoning by and exposure to alcohol (X45)

causes of death

¬Accidental poisoning/exposure to other and unspecified chemicals and noxious substances

••