

Vaccination coverage - *per cent*

Year			2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
Geography	Vaccine	Age													
Health Region North	Pertussis	2 years	81	90	93	95	94	93	93	91	94	95	91	92	
		6 years	81	85	91	94	94	94	95	95	95	94	93	94	94
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	-
	Diphtheria	2 years	81	90	94	95	94	94	94	93	92	93	95	91	91
		6 years	82	86	93	95	94	95	95	96	95	94	94	94	94
		16 years	79	79	87	88	88	90	89	91	91	90	89	91	89
	Tetanus	2 years	81	90	94	95	94	94	94	93	92	93	95	91	91
		6 years	82	86	93	95	94	95	95	96	95	94	94	94	94
		16 years	79	79	87	88	88	90	88	91	91	90	89	91	89
	MMR	2 years	83	89	86	86	88	90	90	90	89	92	92	91	93
		6 years	83	87	92	95	93	94	93	93	93	94	94	95	94
		16 years	76	79	85	87	87	90	89	90	90	94	94	95	93
	Poliomyelitis	2 years	81	90	94	95	94	93	93	93	91	93	95	91	91
		6 years	79	83	91	94	94	95	95	96	95	95	93	94	94
		16 years	72	76	83	85	86	88	86	86	87	93	92	93	95
	HIB	2 years	85	93	95	96	95	94	94	94	93	93	95	92	94
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	-
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	-
	Tuberculosis	2 years	-	-	-	-	-	-	-	-	-	-	-	-	-
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	-
		16 years	77	83	90	92	91	93	91	91	90	90	88	88	-
	Pneumococcus	2 years	-	-	-	-	-	-	-	-	-	86	93	90	90
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	-
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	-
Nordland	Pertussis	2 years	82	86	94	94	94	93	92	89	95	96	93	90	
		6 years	73	74	89	94	95	93	95	94	94	94	94	95	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
	Diphtheria	2 years	82	86	94	94	94	93	92	89	95	96	93	90	
		6 years	74	76	90	95	95	94	95	94	94	94	94	95	
		16 years	72	76	84	85	87	90	89	89	88	87	89	88	
	Tetanus	2 years	82	86	94	94	94	93	92	89	95	96	93	90	
		6 years	74	76	90	95	95	94	95	94	94	94	94	95	
		16 years	72	76	84	85	87	90	88	89	88	87	89	88	
	MMR	2 years	82	86	85	85	88	90	88	89	93	93	91	92	
		6 years	75	78	91	95	94	93	93	93	93	93	95	95	95
		16 years	69	77	83	84	85	89	88	88	95	94	95	94	
	Poliomyelitis	2 years	82	86	95	94	94	93	92	89	95	96	93	90	
		6 years	69	74	88	94	95	94	96	94	94	93	94	95	

Vaccination coverage - *per cent*

Year			2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
Geography	Vaccine	Age													
	HIB	16 years	65	73	81	81	84	89	86	87	91	91	92	95	
		2 years	86	90	95	95	95	94	93	92	94	96	94	95	
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
	Tuberculosis	2 years	-	-	-	-	-	-	-	-	-	-	-	-	
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	69	82	91	92	92	93	91	90	90	89	87	-	
	Pneumococcus	2 years	-	-	-	-	-	-	-	-	-	89	94	92	89
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
	Troms	Pertussis	2 years	75	93	93	95	93	93	92	94	92	93	92	94
			6 years	90	96	94	94	93	95	95	95	94	93	95	94
16 years			-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria		2 years	75	94	94	95	93	94	92	94	92	93	92	94	
		6 years	91	97	96	95	93	96	96	95	94	94	95	94	
		16 years	86	83	90	92	89	89	89	93	90	90	93	91	
Tetanus		2 years	75	94	94	95	93	94	92	94	92	93	92	94	
		6 years	91	97	96	95	93	96	96	95	94	94	95	94	
		16 years	86	83	90	92	89	89	89	93	90	90	93	91	
MMR		2 years	82	92	87	87	88	90	92	90	91	93	93	94	
		6 years	91	96	93	94	91	95	93	93	94	94	95	94	
		16 years	85	82	87	91	89	91	89	93	93	94	95	92	
Poliomyelitis		2 years	75	94	94	95	93	93	92	94	92	93	92	94	
		6 years	89	94	94	94	93	96	96	95	95	93	95	94	
		16 years	78	79	87	88	88	86	85	85	94	93	95	94	
HIB		2 years	80	96	95	96	94	94	95	95	95	92	94	93	94
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis		2 years	-	-	-	-	-	-	-	-	-	-	-	-	
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	87	82	89	91	91	93	91	87	89	86	89	-	
Pneumococcus		2 years	-	-	-	-	-	-	-	-	-	83	91	90	92
		6 years	-	-	-	-	-	-	-	-	-	-	-	-	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
Finnmark	Pertussis	2 years	91	95	93	96	95	96	96	93	93	95	83	91	
		6 years	89	95	93	97	95	95	95	96	97	93	93	92	
		16 years	-	-	-	-	-	-	-	-	-	-	-	-	
	Diphtheria	2 years	92	95	93	96	95	96	96	96	94	92	95	83	90

Vaccination coverage - *per cent*

Description

Percentage of children aged 2, 6 and 16 years who have been fully vaccinated against Whooping cough (Pertussis), Diphtheria, Tetanus, Measles/ Mumps/ Rubella (MMR), Poliomyelitis, Haemophilus influenzae type b (Hib), Tuberculosis and Pneumococcus

Vaccination against pneumococci started in 2006, and coverage statistics is presented starting with 2008 (2-year-olds). An overview of the child immunization program is available on the National Institute of Public Health's website under "Topics: Vaccine." - see the tab "Links".

Notes

Statistikk for vaksine mot tuberkulose vises bare til og med 2010: Fra sommeren 2009 ble BCG-vaksinen tatt ut av det vanlige barnevaksinasjonsprogrammet, og inngår nå bare for barn med mor eller far fra land med høy forekomst av tuberkulose.

Source

Norwegian Institute of Public Health

Collection

Data is collected from the Childhood Vaccination Register (SYSVAK). This register was developed to monitor child vaccination coverage in Norway and has been a part of the Norwegian Institute of Public Health since 1 January 2002. It contributes to ensuring that all children are offered the appropriate vaccines. Community nurses are obliged to register all children's vaccines in the central register.

Data quality

There has been considerable work in recent years to improve the quality of data in the Childhood Vaccination Register. Data quality is generally good for the figures reported in Norhealth. Vaccination of some children can be omitted from the register due to technical errors or incorrect entry of the child's personal identification number. Errors may also occur when a child moves between municipalities. Vaccination coverage is calculated from the population at a certain date. The population in small municipalities may change markedly between the start and end of a year due to migration between municipalities. This will affect the calculated coverage, and in some instances may result in a coverage larger than 100%. Coverage is presented in Norhealth at the county level because this is less sensitive to the effect of migration than at the municipality level.

Time periods

2000-2011

Geographical level

Country, health regions, counties

Gender

Both genders

Age groups

2 years, 6 years, 16 years

Frequency of updates

Annually

Vaccination coverage - *per cent*

Last updated

4/19/12

Keywords

Click on a keyword to search for similar indicators.

- Diphtheria
- Haemophilus influenzae
- Hib
- Immunization
- Lockjaw
- Measles
- MMR
- Mumps
- Pertussis
- Pneumococcus
- Polio
- Poliomyelitis
- Rubella
- Tetanus
- Vaccination
- Vaccination coverage
- Whooping cough
- Vaksinasjonsdekning

Fact sheets

Below are links to relevant fact sheets, articles and reports. These may describe trends over time in the Norwegian population or differences by sex, age group, geographical region or socioeconomic status:

- [Childhood vaccination coverage - fact sheet \(in Norwegian only\)](#)
- [Norwegian childhood immunisation programme](#)