

Outpatient consultations at general hospitals, by region, diagnose, age, contents, time and sex

| | Outpatient consultations per 1000 inhabitants | | | | | | | | | | | | | | | | | | | | |
|---|---|-------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|
| | 2002 | | | 2003 | | | 2004 | | | 2005 | | | 2006 | | | 2007 | | | 2008 | | |
| | Total | Males | Females | Total | Males | Females | Total | Males | Females | Total | Males | Females | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| 19 Troms Romsa | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 846 | 753 | 941 | 879 | 791 | 968 | 871 | 780 | 963 | 872 | 786 | 959 | 898 | 807 | 991 | 883 | 791 | 978 | 916 | 820 | 1 015 |
| 0-9 years | 465 | 511 | 416 | 451 | 506 | 392 | 481 | 524 | 436 | 517 | 572 | 459 | 544 | 599 | 486 | 553 | 622 | 480 | 556 | 625 | 482 |
| 10-19 years | 481 | 489 | 472 | 490 | 475 | 506 | 503 | 501 | 505 | 533 | 513 | 554 | 549 | 524 | 577 | 543 | 519 | 569 | 544 | 520 | 569 |
| 20-39 years | 780 | 560 | 1 011 | 805 | 586 | 1 038 | 809 | 578 | 1 056 | 815 | 573 | 1 072 | 838 | 572 | 1 121 | 814 | 555 | 1 087 | 826 | 546 | 1 121 |
| 40-59 years | 916 | 793 | 1 046 | 980 | 855 | 1 113 | 964 | 837 | 1 097 | 928 | 810 | 1 051 | 938 | 821 | 1 060 | 896 | 781 | 1 017 | 936 | 816 | 1 064 |
| 60-69 years | 1 367 | 1 346 | 1 389 | 1 416 | 1 452 | 1 378 | 1 324 | 1 361 | 1 286 | 1 286 | 1 317 | 1 254 | 1 336 | 1 394 | 1 276 | 1 317 | 1 326 | 1 307 | 1 366 | 1 397 | 1 334 |
| 70-79 years | 1 484 | 1 588 | 1 399 | 1 530 | 1 677 | 1 411 | 1 511 | 1 640 | 1 405 | 1 521 | 1 717 | 1 359 | 1 537 | 1 707 | 1 395 | 1 572 | 1 721 | 1 447 | 1 696 | 1 900 | 1 522 |
| 80 years or older | 1 312 | 1 550 | 1 197 | 1 321 | 1 594 | 1 189 | 1 229 | 1 467 | 1 111 | 1 256 | 1 558 | 1 103 | 1 353 | 1 648 | 1 201 | 1 358 | 1 636 | 1 215 | 1 425 | 1 614 | 1 327 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFECTIOUS AND PARASITIC DISEASES | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 9 | 8 | 10 | 9 | 8 | 10 | 9 | 9 | 10 | 8 | 9 | 8 | 10 | 10 | 10 | 9 | 8 | 9 | 10 | 9 | 10 |
| 0-9 years | 7 | 7 | 7 | 7 | 8 | 6 | 6 | 6 | 6 | 6 | 5 | 4 | 7 | 6 | 8 | 3 | 6 | 7 | 6 | 7 | 8 |
| 10-19 years | 9 | 8 | 10 | 9 | 5 | 13 | 9 | 7 | 11 | 7 | 6 | 7 | 7 | 5 | 9 | 7 | 5 | 9 | 6 | 5 | 6 |
| 20-39 years | 11 | 10 | 12 | 12 | 10 | 14 | 12 | 12 | 13 | 12 | 12 | 12 | 13 | 12 | 15 | 11 | 11 | 11 | 13 | 11 | 16 |
| 40-59 years | 8 | 7 | 9 | 8 | 8 | 8 | 9 | 9 | 8 | 8 | 10 | 6 | 11 | 12 | 10 | 9 | 9 | 10 | 12 | 11 | 12 |
| 60-69 years | 9 | 10 | 9 | 5 | 5 | 6 | 10 | 8 | 12 | 5 | 5 | 5 | 9 | 9 | 9 | 7 | 7 | 7 | 6 | 7 | 6 |
| 70-79 years | 11 | 10 | 12 | 10 | 9 | 11 | 6 | 6 | 6 | 8 | 8 | 9 | 8 | 5 | 11 | 8 | 8 | 9 | 8 | 9 | 6 |
| 80 years or older | 9 | 12 | 8 | 7 | 6 | 7 | 7 | 12 | 5 | 7 | 10 | 5 | 9 | 11 | 7 | 7 | 7 | 7 | 7 | 9 | 6 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NEOPLASMS | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 45 | 36 | 54 | 43 | 36 | 49 | 43 | 39 | 48 | 46 | 43 | 48 | 45 | 44 | 45 | 43 | 41 | 46 | 40 | 40 | 41 |
| 0-9 years | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 6 | 8 | 8 | 6 | 10 | 8 | 7 | 9 | 6 | 5 | 7 | 4 | 4 | 4 |
| 10-19 years | 12 | 10 | 14 | 12 | 9 | 14 | 12 | 11 | 13 | 11 | 10 | 13 | 12 | 11 | 12 | 11 | 8 | 14 | 11 | 9 | 14 |
| 20-39 years | 21 | 15 | 28 | 22 | 15 | 29 | 22 | 14 | 31 | 22 | 16 | 29 | 20 | 15 | 26 | 19 | 12 | 26 | 17 | 10 | 24 |
| 40-59 years | 61 | 38 | 86 | 55 | 36 | 74 | 56 | 39 | 73 | 53 | 38 | 69 | 50 | 36 | 65 | 50 | 36 | 65 | 44 | 35 | 53 |
| 60-69 years | 110 | 100 | 120 | 109 | 107 | 110 | 105 | 117 | 92 | 123 | 144 | 101 | 115 | 132 | 98 | 107 | 123 | 90 | 98 | 110 | 86 |
| 70-79 years | 128 | 147 | 112 | 115 | 147 | 89 | 121 | 159 | 90 | 129 | 173 | 93 | 134 | 198 | 81 | 132 | 172 | 98 | 134 | 189 | 87 |
| 80 years or older | 84 | 120 | 67 | 82 | 120 | 64 | 80 | 124 | 58 | 90 | 144 | 62 | 98 | 159 | 67 | 89 | 138 | 64 | 89 | 130 | 68 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | 3 | 3 | 4 | 4 | 4 |
| 0-9 years | 5 | 5 | 4 | 2 | 4 | 1 | 2 | 2 | 1 | 5 | 4 | 5 | 3 | 4 | 2 | 3 | 3 | 2 | 3 | 3 | 2 |
| 10-19 years | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 3 | 4 | 2 | 1 | 1 | 1 | 2 | 2 | 1 |
| 20-39 years | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 3 | 2 | 1 | 3 | 2 | 1 | 2 |
| 40-59 years | 4 | 4 | 5 | 4 | 4 | 4 | 4 | 3 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 4 | 5 |
| 60-69 years | 7 | 7 | 7 | 5 | 5 | 6 | 4 | 5 | 4 | 5 | 7 | 3 | 7 | 7 | 6 | 6 | 7 | 6 | 6 | 7 | 4 |
| 70-79 years | 6 | 10 | 2 | 5 | 7 | 3 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 4 | 7 | 7 | 6 |

| | | | | | | | | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 80 years or older | 4 | 4 | 4 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 4 | 2 | 6 | 4 | 2 | 6 | 7 | 6 | 7 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 27 | 27 | 27 | 25 | 24 | 27 | 30 | 30 | 31 | 31 | 31 | 31 | 33 | 34 | 32 | 34 | 33 | 34 | 34 | 35 | 32 |
| 0-9 years | 9 | 7 | 10 | 9 | 7 | 10 | 10 | 8 | 12 | 9 | 8 | 11 | 10 | 8 | 11 | 10 | 9 | 10 | 12 | 13 | 11 |
| 10-19 years | 24 | 25 | 23 | 25 | 27 | 24 | 30 | 33 | 28 | 30 | 36 | 24 | 33 | 37 | 29 | 28 | 32 | 24 | 25 | 27 | 24 |
| 20-39 years | 22 | 19 | 26 | 21 | 17 | 26 | 26 | 19 | 33 | 26 | 19 | 33 | 26 | 21 | 32 | 29 | 23 | 35 | 28 | 23 | 34 |
| 40-59 years | 35 | 38 | 32 | 32 | 31 | 34 | 35 | 38 | 33 | 39 | 41 | 37 | 41 | 44 | 37 | 39 | 40 | 38 | 39 | 44 | 35 |
| 60-69 years | 49 | 55 | 44 | 42 | 45 | 39 | 52 | 56 | 48 | 55 | 59 | 50 | 61 | 67 | 55 | 60 | 69 | 50 | 60 | 70 | 49 |
| 70-79 years | 35 | 31 | 38 | 37 | 36 | 38 | 49 | 56 | 43 | 36 | 37 | 35 | 41 | 41 | 40 | 54 | 52 | 55 | 56 | 60 | 54 |
| 80 years or older | 15 | 16 | 14 | 12 | 11 | 13 | 19 | 20 | 19 | 20 | 28 | 16 | 25 | 28 | 23 | 31 | 28 | 33 | 25 | 29 | 23 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 22 | 23 | 21 | 23 | 25 | 22 | 24 | 24 | 24 | 23 | 24 | 22 | 28 | 29 | 27 | 28 | 28 | 28 | 26 | 26 | 26 |
| 0-9 years | 9 | 10 | 8 | 10 | 12 | 8 | 11 | 12 | 10 | 13 | 15 | 10 | 15 | 17 | 13 | 17 | 20 | 14 | 18 | 20 | 15 |
| 10-19 years | 14 | 15 | 13 | 15 | 14 | 15 | 17 | 18 | 16 | 17 | 17 | 18 | 20 | 21 | 19 | 19 | 20 | 17 | 20 | 20 | 19 |
| 20-39 years | 15 | 14 | 16 | 17 | 16 | 17 | 19 | 16 | 22 | 16 | 14 | 18 | 20 | 18 | 21 | 20 | 17 | 24 | 18 | 17 | 20 |
| 40-59 years | 26 | 27 | 25 | 30 | 34 | 26 | 29 | 30 | 28 | 27 | 28 | 26 | 35 | 33 | 37 | 32 | 30 | 33 | 29 | 28 | 31 |
| 60-69 years | 38 | 43 | 32 | 38 | 46 | 29 | 35 | 39 | 31 | 37 | 43 | 30 | 43 | 51 | 35 | 47 | 53 | 40 | 40 | 46 | 34 |
| 70-79 years | 41 | 47 | 36 | 46 | 45 | 47 | 47 | 48 | 45 | 40 | 45 | 35 | 52 | 62 | 43 | 52 | 56 | 49 | 50 | 52 | 49 |
| 80 years or older | 45 | 57 | 39 | 38 | 45 | 35 | 32 | 38 | 29 | 31 | 45 | 24 | 33 | 46 | 26 | 36 | 39 | 34 | 37 | 45 | 32 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE EYE AND ADNEXA | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 37 | 34 | 39 | 35 | 31 | 39 | 31 | 28 | 35 | 38 | 35 | 40 | 40 | 35 | 45 | 41 | 37 | 44 | 41 | 39 | 43 |
| 0-9 years | 24 | 24 | 25 | 23 | 23 | 23 | 18 | 18 | 19 | 32 | 31 | 34 | 34 | 36 | 32 | 39 | 46 | 30 | 49 | 50 | 47 |
| 10-19 years | 14 | 15 | 13 | 16 | 13 | 21 | 13 | 15 | 10 | 16 | 18 | 14 | 18 | 18 | 19 | 19 | 16 | 22 | 24 | 26 | 23 |
| 20-39 years | 19 | 22 | 17 | 16 | 16 | 17 | 16 | 15 | 17 | 19 | 21 | 16 | 20 | 20 | 19 | 21 | 21 | 20 | 18 | 18 | 19 |
| 40-59 years | 32 | 31 | 32 | 33 | 31 | 36 | 29 | 27 | 31 | 36 | 33 | 38 | 36 | 28 | 45 | 35 | 32 | 39 | 32 | 32 | 32 |
| 60-69 years | 55 | 55 | 54 | 57 | 62 | 52 | 54 | 50 | 57 | 62 | 61 | 63 | 63 | 55 | 72 | 59 | 54 | 66 | 59 | 55 | 63 |
| 70-79 years | 114 | 106 | 121 | 107 | 97 | 116 | 97 | 81 | 111 | 96 | 85 | 104 | 106 | 96 | 114 | 118 | 96 | 136 | 104 | 94 | 113 |
| 80 years or older | 159 | 156 | 160 | 122 | 113 | 127 | 115 | 124 | 110 | 124 | 124 | 123 | 135 | 143 | 131 | 132 | 141 | 126 | 142 | 147 | 139 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE EAR AND MASTOID PROCESS | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 36 | 37 | 36 | 38 | 40 | 37 | 36 | 38 | 34 | 33 | 35 | 31 | 33 | 35 | 32 | 33 | 35 | 31 | 29 | 29 | 28 |
| 0-9 years | 59 | 68 | 49 | 52 | 60 | 43 | 53 | 61 | 46 | 53 | 62 | 43 | 54 | 61 | 46 | 46 | 53 | 38 | 42 | 48 | 36 |
| 10-19 years | 24 | 23 | 26 | 23 | 24 | 22 | 21 | 22 | 19 | 19 | 19 | 19 | 18 | 17 | 19 | 17 | 17 | 18 | 16 | 15 | 16 |
| 20-39 years | 11 | 10 | 13 | 11 | 9 | 13 | 12 | 11 | 13 | 10 | 10 | 11 | 9 | 9 | 9 | 9 | 8 | 9 | 11 | 10 | 11 |
| 40-59 years | 28 | 27 | 28 | 27 | 27 | 27 | 28 | 29 | 26 | 22 | 24 | 21 | 26 | 27 | 24 | 25 | 26 | 25 | 22 | 21 | 23 |
| 60-69 years | 60 | 65 | 55 | 65 | 73 | 56 | 51 | 57 | 45 | 48 | 51 | 44 | 47 | 49 | 44 | 50 | 54 | 45 | 38 | 42 | 35 |
| 70-79 years | 84 | 98 | 72 | 108 | 133 | 87 | 101 | 125 | 81 | 92 | 117 | 72 | 84 | 104 | 68 | 94 | 118 | 75 | 78 | 92 | 66 |
| 80 years or older | 120 | 146 | 108 | 159 | 202 | 138 | 132 | 154 | 121 | 110 | 130 | 101 | 124 | 154 | 108 | 131 | 175 | 108 | 92 | 99 | 89 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE CIRCULATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 50 | 61 | 40 | 51 | 61 | 40 | 47 | 55 | 39 | 47 | 54 | 40 | 47 | 55 | 39 | 44 | 51 | 38 | 48 | 57 | 38 |
| 0-9 years | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 |
| 10-19 years | 3 | 3 | 4 | 4 | 3 | 6 | 3 | 2 | 4 | 2 | 2 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 2 |

DISEASES OF THE GENITOURINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|----|----|----|----|-----|----|----|----|----|----|-----|----|----|-----|----|----|-----|----|----|-----|----|
| Years, total | 40 | 23 | 57 | 42 | 25 | 59 | 43 | 25 | 61 | 45 | 29 | 60 | 42 | 29 | 55 | 40 | 30 | 51 | 43 | 30 | 56 |
| 0-9 years | 10 | 13 | 8 | 10 | 13 | 6 | 10 | 14 | 7 | 11 | 14 | 8 | 14 | 18 | 10 | 13 | 16 | 8 | 10 | 13 | 7 |
| 10-19 years | 8 | 8 | 9 | 8 | 6 | 9 | 8 | 7 | 9 | 8 | 8 | 8 | 10 | 9 | 10 | 9 | 10 | 8 | 10 | 10 | 11 |
| 20-39 years | 39 | 11 | 68 | 38 | 12 | 65 | 42 | 15 | 70 | 45 | 19 | 73 | 42 | 17 | 69 | 40 | 17 | 64 | 48 | 17 | 80 |
| 40-59 years | 52 | 21 | 85 | 57 | 22 | 95 | 58 | 23 | 96 | 58 | 24 | 93 | 50 | 24 | 77 | 49 | 25 | 74 | 49 | 24 | 74 |
| 60-69 years | 65 | 57 | 73 | 73 | 65 | 81 | 69 | 59 | 80 | 74 | 73 | 75 | 65 | 65 | 64 | 60 | 66 | 55 | 64 | 68 | 60 |
| 70-79 years | 77 | 82 | 74 | 74 | 86 | 63 | 81 | 91 | 72 | 85 | 99 | 74 | 83 | 100 | 68 | 80 | 104 | 59 | 83 | 103 | 66 |
| 80 years or older | 61 | 73 | 54 | 66 | 103 | 48 | 58 | 78 | 47 | 62 | 101 | 42 | 62 | 91 | 47 | 73 | 114 | 51 | 72 | 100 | 57 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

PREGNANCY, CHILDBIRTH AND THE PUERPERIUM

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|----|---|-----|----|---|-----|----|---|-----|----|---|-----|----|---|-----|----|---|-----|----|---|-----|
| Years, total | 16 | 0 | 33 | 17 | 0 | 33 | 18 | 0 | 36 | 17 | 0 | 35 | 18 | 0 | 36 | 18 | 0 | 36 | 17 | 0 | 35 |
| 0-9 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-19 years | 7 | 0 | 15 | 7 | 0 | 14 | 7 | 0 | 14 | 7 | 0 | 15 | 8 | 0 | 16 | 8 | 0 | 18 | 8 | 0 | 16 |
| 20-39 years | 51 | 0 | 106 | 52 | 0 | 108 | 56 | 0 | 116 | 54 | 0 | 112 | 59 | 0 | 121 | 58 | 0 | 119 | 58 | 0 | 119 |
| 40-59 years | 3 | 0 | 6 | 3 | 0 | 7 | 5 | 0 | 9 | 6 | 0 | 11 | 4 | 0 | 8 | 4 | 0 | 8 | 4 | 0 | 8 |
| 60-69 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70-79 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 years or older | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Years, total | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 0-9 years | 3 | 4 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 4 | 5 | 6 | 5 |
| 10-19 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-39 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40-59 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60-69 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70-79 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 years or older | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CONGENITAL MALFORMATIONS

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Years, total | 9 | 10 | 8 | 9 | 10 | 8 | 10 | 11 | 9 | 10 | 11 | 10 | 11 | 11 | 10 | 10 | 11 | 9 | 10 | 11 | 9 |
| 0-9 years | 39 | 43 | 35 | 38 | 41 | 34 | 41 | 44 | 38 | 44 | 47 | 40 | 42 | 40 | 44 | 38 | 41 | 34 | 37 | 41 | 33 |
| 10-19 years | 13 | 15 | 11 | 14 | 15 | 11 | 12 | 14 | 11 | 14 | 15 | 13 | 15 | 15 | 14 | 15 | 18 | 13 | 17 | 18 | 16 |
| 20-39 years | 4 | 4 | 5 | 3 | 3 | 4 | 5 | 5 | 5 | 4 | 3 | 5 | 6 | 6 | 6 | 5 | 4 | 5 | 5 | 3 | 6 |
| 40-59 years | 2 | 2 | 3 | 3 | 3 | 2 | 3 | 4 | 3 | 4 | 5 | 4 | 5 | 6 | 3 | 5 | 6 | 4 | 5 | 6 | 5 |
| 60-69 years | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 5 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 2 |
| 70-79 years | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 1 | 3 | 3 | 2 | 1 | 1 | 1 | 2 | 3 | 2 |
| 80 years or older | 1 | 2 | 1 | 2 | 4 | 1 | 1 | 2 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Years, total | 36 | 33 | 39 | 39 | 38 | 40 | 40 | 38 | 41 | 41 | 40 | 43 | 45 | 44 | 47 | 46 | 44 | 48 | 46 | 44 | 47 |
| 0-9 years | 24 | 25 | 22 | 26 | 30 | 23 | 27 | 31 | 24 | 33 | 36 | 31 | 39 | 42 | 36 | 35 | 35 | 34 | 32 | 34 | 29 |
| 10-19 years | 19 | 15 | 22 | 22 | 17 | 27 | 22 | 17 | 27 | 24 | 20 | 29 | 24 | 18 | 30 | 26 | 21 | 31 | 24 | 18 | 30 |
| 20-39 years | 29 | 21 | 38 | 30 | 23 | 37 | 31 | 24 | 39 | 31 | 25 | 38 | 35 | 27 | 43 | 35 | 28 | 43 | 34 | 26 | 43 |

| | | | | | | | | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 40-59 years | 47 | 44 | 50 | 49 | 50 | 49 | 47 | 42 | 52 | 45 | 42 | 49 | 52 | 53 | 52 | 51 | 47 | 54 | 49 | 47 | 51 |
| 60-69 years | 54 | 50 | 59 | 59 | 62 | 56 | 64 | 74 | 54 | 63 | 65 | 61 | 65 | 65 | 65 | 75 | 73 | 76 | 77 | 78 | 77 |
| 70-79 years | 54 | 59 | 50 | 60 | 73 | 49 | 71 | 82 | 61 | 78 | 90 | 68 | 80 | 86 | 74 | 78 | 91 | 68 | 89 | 103 | 76 |
| 80 years or older | 48 | 80 | 33 | 56 | 90 | 40 | 55 | 98 | 34 | 62 | 107 | 39 | 62 | 109 | 37 | 78 | 138 | 47 | 73 | 131 | 43 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 72 | 84 | 60 | 72 | 81 | 62 | 68 | 77 | 58 | 64 | 72 | 57 | 67 | 74 | 60 | 69 | 75 | 62 | 66 | 72 | 61 |
| 0-9 years | 58 | 67 | 48 | 58 | 63 | 51 | 55 | 62 | 48 | 52 | 59 | 45 | 57 | 66 | 48 | 56 | 62 | 49 | 60 | 67 | 53 |
| 10-19 years | 100 | 125 | 73 | 97 | 119 | 74 | 96 | 115 | 76 | 98 | 109 | 86 | 90 | 98 | 81 | 98 | 111 | 84 | 100 | 104 | 96 |
| 20-39 years | 67 | 91 | 41 | 69 | 90 | 46 | 66 | 87 | 44 | 62 | 82 | 42 | 64 | 84 | 44 | 68 | 88 | 47 | 64 | 81 | 45 |
| 40-59 years | 62 | 73 | 51 | 61 | 72 | 51 | 57 | 65 | 50 | 55 | 59 | 51 | 58 | 62 | 54 | 57 | 59 | 54 | 53 | 57 | 49 |
| 60-69 years | 78 | 69 | 87 | 68 | 62 | 74 | 66 | 62 | 69 | 59 | 56 | 63 | 70 | 64 | 76 | 67 | 59 | 75 | 57 | 51 | 62 |
| 70-79 years | 80 | 73 | 87 | 84 | 61 | 102 | 70 | 56 | 81 | 62 | 53 | 69 | 66 | 53 | 77 | 65 | 55 | 74 | 66 | 58 | 73 |
| 80 years or older | 110 | 62 | 133 | 114 | 76 | 132 | 102 | 93 | 107 | 86 | 66 | 95 | 90 | 73 | 98 | 99 | 72 | 113 | 104 | 83 | 115 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER CAUSES AND UNSPECIFIED CAUSES | | | | | | | | | | | | | | | | | | | | | |
| Years, total | 164 | 115 | 213 | 184 | 136 | 232 | 188 | 142 | 234 | 194 | 143 | 245 | 200 | 153 | 248 | 203 | 154 | 252 | 224 | 178 | 271 |
| 0-9 years | 84 | 95 | 72 | 82 | 90 | 72 | 99 | 107 | 91 | 114 | 125 | 103 | 129 | 144 | 114 | 138 | 152 | 123 | 149 | 171 | 125 |
| 10-19 years | 73 | 76 | 70 | 80 | 79 | 81 | 96 | 99 | 93 | 112 | 111 | 113 | 120 | 118 | 122 | 119 | 122 | 116 | 129 | 129 | 128 |
| 20-39 years | 197 | 76 | 325 | 209 | 93 | 331 | 226 | 103 | 357 | 246 | 102 | 399 | 256 | 106 | 415 | 259 | 105 | 421 | 266 | 115 | 425 |
| 40-59 years | 155 | 111 | 201 | 180 | 134 | 228 | 178 | 141 | 217 | 167 | 127 | 210 | 165 | 132 | 199 | 164 | 131 | 198 | 178 | 144 | 214 |
| 60-69 years | 234 | 206 | 261 | 312 | 284 | 340 | 258 | 255 | 262 | 242 | 237 | 247 | 258 | 268 | 247 | 253 | 237 | 269 | 302 | 304 | 299 |
| 70-79 years | 265 | 279 | 253 | 299 | 323 | 279 | 306 | 311 | 302 | 311 | 332 | 294 | 306 | 339 | 278 | 314 | 363 | 274 | 406 | 465 | 354 |
| 80 years or older | 260 | 280 | 250 | 276 | 302 | 263 | 248 | 259 | 243 | 269 | 310 | 248 | 269 | 295 | 255 | 290 | 320 | 274 | 353 | 377 | 341 |
| Unknown age | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Footnote(s):

Covers hospitals owned by the government and private hospitals financed by the government on a regular basis. Psychiatric wards are excluded.