

AMI statistics. Based on county of residence, Västerbotten, Age interval: 20-85+

Indicator	Sex	Age	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004		
Persons with at least one incidence of AMI	Men	20-24	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--	--		
		25-29	1	--	--	--	--	--	--	--	1	1	--	--	--	--	--	2	1	--	--	
		30-34	2	1	1	2	--	2	--	3	--	--	--	--	2	3	1	--	--	2	2	
		35-39	3	6	6	1	4	2	1	2	4	2	2	1	4	1	1	1	2	4	1	
		40-44	9	15	7	4	11	14	13	11	9	8	13	10	9	4	6	6	6	8	7	
		45-49	17	19	23	23	24	15	17	16	25	14	20	28	26	20	14	14	14	22	19	
		50-54	30	46	33	34	28	38	30	30	36	43	44	35	35	32	37	32	30	38		
		55-59	83	62	47	43	54	58	53	45	52	52	48	49	40	48	47	50	47	56		
		60-64	108	93	93	82	78	89	93	61	72	73	68	64	53	54	44	49	54	51		
		65-69	153	133	129	127	116	114	118	102	84	78	104	83	88	69	77	83	87	69		
		70-74	154	142	147	170	133	152	142	130	103	124	108	99	101	94	99	107	94	95		
		75-79	138	170	150	156	162	151	147	121	145	113	120	114	132	115	119	120	111	106		
		80-84	94	92	98	95	91	106	95	98	106	110	125	101	107	104	124	104	121	97		
		85-	61	54	65	52	63	66	62	61	69	85	63	85	97	89	89	92	115	93		
		20-85+	853	833	799	789	764	807	771	681	706	702	714	675	692	631	660	660	695	634		
			Women	20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				25-29	--	--	--	--	1	--	--	1	--	1	--	--	--	--	--	--	--	--
				30-34	1	--	--	--	--	--	1	--	1	--	1	1	--	1	1	--	--	--
				35-39	--	2	1	--	1	--	--	--	--	1	2	3	--	--	1	--	4	2
				40-44	1	1	4	4	--	3	3	--	2	1	--	1	3	4	1	4	4	--
45-49	5			3	5	4	5	5	2	3	2	2	5	2	5	3	3	6	5			
50-54	6			6	8	8	11	8	11	5	2	7	16	9	12	6	5	10	4	6		
55-59	16			21	20	14	13	14	11	9	7	10	9	12	17	15	17	25	16	18		
60-64	36			28	23	22	30	26	21	25	19	19	15	27	15	19	16	20	18	26		
65-69	56			57	43	67	39	57	39	51	46	38	32	30	41	22	34	26	25	28		
70-74	92			96	88	66	89	70	87	90	76	62	66	50	58	44	49	45	61	49		
75-79	107			90	81	115	110	106	98	88	94	93	87	78	91	96	83	87	81	72		
80-84	89			89	87	87	94	107	97	100	86	100	86	89	90	102	92	106	123	112		
85-	68			79	87	80	82	100	86	92	97	81	112	110	113	85	145	127	134	174		
20-85+	477			472	447	467	475	496	456	464	433	415	428	415	442	399	447	453	476	492		
	Both sexes			20-24	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--	
				25-29	1	--	--	--	1	--	--	2	1	1	--	--	--	--	2	1	--	
				30-34	3	1	1	2	--	2	1	3	1	--	1	3	3	2	1	--	2	
				35-39	3	8	7	1	5	2	1	2	4	3	3	7	1	1	2	2	8	
				40-44	10	16	11	8	11	17	16	11	11	9	13	11	12	8	7	10	12	
		45-49	22	22	28	27	29	20	19	19	28	16	22	33	28	25	17	17	28			
		50-54	36	52	41	42	39	46	41	35	38	50	60	44	47	38	42	34	44			
		55-59	99	83	67	57	67	72	64	54	59	62	57	61	57	63	64	75	63			
		60-64	144	121	116	104	108	115	114	86	91	92	83	91	68	73	60	69	72			
		65-69	209	190	172	194	155	171	157	153	130	116	136	113	129	91	111	109	112			
		70-74	246	238	235	236	222	222	229	220	179	186	174	149	159	138	148	152	155			
		75-79	245	260	231	271	272	257	245	209	239	206	207	192	223	211	202	207	192			
		80-84	183	181	185	182	185	213	192	198	192	210	211	190	197	206	216	210	244			
		85-	129	133	152	132	145	166	148	153	166	166	175	195	210	174	234	219	249			
		20-85+	1,33	1,305	1,246	1,256	1,239	1,303	1,227	1,145	1,139	1,117	1,142	1,09	1,134	1,03	1,107	1,113	1,171			

Persons with at least one incidence of AMI or any other IHD as underlying cause of death	Men	20-24	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--	--		
		25-29	1	--	--	--	--	--	--	1	1	--	--	--	--	--	--	2	1	--	1	
		30-34	2	1	1	2	--	2	--	3	--	--	--	2	3	1	--	--	--	2	2	
		35-39	3	7	6	1	4	2	1	3	5	2	2	4	2	1	1	3	4	1		
		40-44	12	16	9	6	11	14	14	11	10	8	13	10	10	4	6	6	10	7		
		45-49	20	22	27	27	30	19	17	17	28	16	24	29	27	21	19	14	25	19		
		50-54	38	49	38	36	32	43	31	31	39	47	48	38	38	33	39	34	33	41		
		55-59	92	71	55	49	60	63	55	49	53	56	50	54	47	51	47	56	52	61		
		60-64	125	111	111	87	86	96	104	70	76	82	70	73	60	61	56	59	64	64		
		65-69	180	152	149	144	138	128	131	116	96	92	114	94	98	83	87	98	98	74		
		70-74	181	174	169	186	154	169	160	143	128	144	131	115	125	107	109	119	106	114		
		75-79	162	186	171	176	187	165	171	136	162	132	136	139	154	149	148	146	131	129		
		80-84	119	115	123	111	113	137	122	114	131	130	152	122	143	132	148	132	152	129		
		85-	79	74	93	79	88	97	83	79	94	116	92	122	123	123	121	126	149	123		
		20-85+	1,014	978	952	904	903	935	889	773	823	825	832	803	830	766	784	794	826	765		
		Persons with at least one hospital admission with	Women	20-24	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	
				25-29	--	--	--	--	1	--	--	1	--	1	--	--	1	--	--	--	--	
				30-34	1	--	--	--	--	--	1	--	1	--	1	1	--	1	1	--	--	
				35-39	--	2	1	--	1	--	--	--	1	3	3	--	--	1	--	4	2	
				40-44	1	2	4	4	--	4	3	--	3	1	--	1	3	4	2	4	4	--
				45-49	5	3	5	4	6	5	2	3	3	2	2	5	2	5	3	3	7	5
50-54	6			6	9	8	12	8	12	5	2	7	16	10	12	7	5	10	6	7		
55-59	17			21	23	15	14	14	11	9	7	11	10	13	18	16	17	27	17	18		
60-64	38			33	25	25	30	28	23	26	20	21	18	28	16	20	17	25	19	27		
65-69	61			61	49	71	43	61	43	53	50	44	33	33	44	26	37	26	28	30		
70-74	106			105	97	74	94	74	91	96	82	76	76	58	63	52	58	51	66	56		
75-79	125			107	96	133	124	119	111	102	102	102	100	93	102	107	101	96	91	86		
80-84	122			110	100	101	109	131	116	119	106	115	105	105	109	123	118	136	159	139		
85-	110			105	103	117	115	125	123	133	147	122	145	161	159	144	197	181	196	238		
20-85+	592			555	512	552	549	569	536	547	523	503	510	511	528	506	557	559	597	608		
Persons with at least one incidence of AMI or any other IHD as underlying cause of death	Both sexes			20-24	--	--	--	--	--	--	--	--	--	1	1	--	--	1	--	--		
				25-29	1	--	--	--	1	--	--	2	1	1	--	--	1	2	1	--	1	
				30-34	3	1	1	2	--	2	1	3	1	--	1	3	2	1	--	2	2	
				35-39	3	9	7	1	5	2	1	3	5	3	5	7	2	1	2	3	8	3
				40-44	13	18	13	10	11	18	17	11	13	9	13	11	13	8	8	10	14	7
				45-49	25	25	32	31	36	24	19	20	31	18	26	34	29	26	22	17	32	24
		50-54	44	55	47	44	44	51	43	36	41	54	64	48	50	40	44	44	39	48		
		55-59	109	92	78	64	74	77	66	58	60	67	60	67	65	67	64	83	69	79		
		60-64	163	144	136	112	116	124	127	96	96	103	88	101	76	81	73	84	83	91		
		65-69	241	213	198	215	181	189	174	169	146	136	147	127	142	109	124	124	126	104		
		70-74	287	279	266	260	248	243	251	239	210	220	207	173	188	159	167	170	172	170		
		75-79	287	293	267	309	311	284	282	238	264	234	236	232	256	256	249	242	222	215		
		80-84	241	225	223	212	222	268	238	233	237	245	257	227	252	255	266	268	311	268		
		85-	189	179	196	196	203	222	206	212	241	238	237	283	282	267	318	307	345	361		
		20-85+	1,606	1,533	1,464	1,456	1,452	1,504	1,425	1,32	1,346	1,328	1,342	1,314	1,358	1,272	1,341	1,353	1,423	1,373		
		Persons with at least one incidence of AMI or any other IHD as underlying cause of death	Men	20-24	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--			
				25-29	1	--	--	--	--	--	--	--	1	--	--	--	--	2	1	--	--	
				30-34	2	1	--	1	--	1	--	2	--	--	--	2	2	1	--	--	2	

AMI		35-39	2	5	5	1	3	1	1	2	4	1	1	4	--	1	1	2	4	1
		40-44	8	10	6	4	10	13	11	10	8	7	11	10	8	4	5	5	7	6
		45-49	17	17	21	17	22	9	14	12	23	13	17	22	21	16	13	12	19	17
		50-54	27	41	28	32	27	30	26	27	33	33	37	30	31	27	31	29	26	35
		55-59	60	46	36	34	40	52	45	36	41	44	41	42	36	43	43	41	42	50
		60-64	86	74	72	69	64	73	75	50	59	60	53	59	47	48	38	45	45	44
		65-69	117	104	100	93	83	87	90	74	66	60	84	70	73	55	62	70	69	59
		70-74	123	113	117	124	105	108	94	96	76	85	81	77	80	79	84	85	89	88
		75-79	99	121	115	111	127	104	104	82	109	72	80	84	97	89	98	98	92	90
		80-84	66	67	68	65	58	78	68	69	66	76	87	67	90	78	96	80	101	81
		85-	39	30	42	37	41	32	34	33	41	53	41	54	67	62	60	73	83	76
		20-85+	647	629	610	588	580	588	562	493	527	504	533	522	552	503	534	541	579	548
	Women	20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		25-29	--	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--
		30-34	1	--	--	--	--	--	1	--	1	--	--	1	--	1	1	--	--	--
		35-39	--	2	1	--	1	--	--	--	1	2	3	--	--	1	--	3	2	--
		40-44	1	1	2	2	--	1	3	--	1	1	--	1	3	2	1	4	4	--
		45-49	5	3	5	4	5	5	2	2	2	2	5	2	5	3	3	3	6	5
		50-54	5	5	6	7	9	4	8	2	2	6	16	8	12	6	4	9	4	6
		55-59	15	16	17	12	11	14	9	6	6	9	9	12	16	14	17	24	16	16
		60-64	34	23	21	19	23	21	16	19	16	18	13	24	13	18	15	20	18	25
		65-69	51	46	37	55	36	54	34	43	36	30	27	27	38	20	28	20	22	26
		70-74	77	82	69	53	73	55	71	69	66	50	61	38	43	40	44	42	55	46
		75-79	83	71	60	94	88	81	80	67	72	74	66	67	71	82	72	70	63	63
		80-84	71	70	63	72	71	79	81	72	65	73	67	73	77	84	70	88	96	96
		85-	48	54	58	50	58	57	56	53	64	50	80	76	84	68	106	100	95	142
		20-85+	391	373	339	368	376	371	361	334	331	314	343	335	359	340	362	380	382	427
	Both sexes	20-24	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--	--
		25-29	1	--	--	--	1	--	--	1	1	--	--	--	--	--	2	1	--	--
		30-34	3	1	--	1	--	1	1	2	1	--	--	3	2	2	1	--	2	1
		35-39	2	7	6	1	4	1	1	2	4	2	3	7	--	1	2	2	7	3
		40-44	9	11	8	6	10	14	14	10	9	8	11	11	11	6	6	9	11	6
		45-49	22	20	26	21	27	14	16	14	25	15	19	27	23	21	16	15	25	22
		50-54	32	46	34	39	36	34	34	29	35	39	53	38	43	33	35	38	30	41
		55-59	75	62	53	46	51	66	54	42	47	53	50	54	52	57	60	65	58	66
		60-64	120	97	93	88	87	94	91	69	75	78	66	83	60	66	53	65	63	69
		65-69	168	150	137	148	119	141	124	117	102	90	111	97	111	75	90	90	91	85
		70-74	200	195	186	177	178	163	165	165	142	135	142	115	123	119	128	127	144	134
		75-79	182	192	175	205	215	185	184	149	181	146	146	151	168	171	170	168	155	153
		80-84	137	137	131	137	129	157	149	141	131	149	154	140	167	162	166	168	197	177
		85-	87	84	100	87	99	89	90	86	105	103	121	130	151	130	166	173	178	218
		20-85+	1,038	1,002	949	956	956	959	923	827	858	818	876	857	911	843	896	921	961	975
Persons with at least one hospital admission with AMI as principal diagnosis by age, sex and year	Men	20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
		25-29	--	--	--	--	--	--	--	1	--	--	--	--	--	2	1	--	--	--
		30-34	2	1	--	1	--	1	--	2	--	--	--	2	2	1	--	--	2	1
		35-39	2	4	4	1	3	1	1	1	3	1	1	2	--	1	1	2	3	1
		40-44	7	9	6	3	9	13	11	10	8	7	11	10	8	4	4	4	7	6
		45-49	16	17	20	14	20	9	13	10	22	13	15	20	21	16	11	11	18	15

	50-54	26	38	27	31	25	27	23	24	30	32	34	28	30	26	30	28	23	33
	55-59	56	45	32	33	39	51	38	35	37	42	39	38	33	39	40	35	40	50
	60-64	83	66	64	61	61	67	67	46	57	56	50	51	43	44	28	37	40	41
	65-69	113	95	94	84	74	85	79	60	57	57	73	57	62	51	55	60	60	53
	70-74	109	97	107	107	93	102	80	84	65	73	74	72	70	71	79	75	71	78
	75-79	86	105	99	92	110	94	90	68	95	65	67	69	83	75	79	78	75	81
	80-84	56	57	55	52	48	63	56	56	55	63	77	58	78	59	68	67	80	65
	85-	34	21	35	30	35	29	29	26	35	45	30	42	54	46	45	60	70	57
	20-85+	590	555	543	509	517	542	487	422	465	454	471	449	484	433	442	458	489	481
Women	20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	25-29	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
	30-34	1	--	--	--	--	--	1	--	1	--	--	1	--	1	1	--	--	--
	35-39	--	1	1	--	1	--	--	--	--	1	1	3	--	--	1	--	3	2
	40-44	1	2	2	2	--	--	2	--	1	1	--	--	3	2	1	4	3	--
	45-49	4	3	5	4	5	5	2	2	2	1	2	4	2	4	3	2	5	5
	50-54	5	3	4	7	8	2	8	1	1	5	16	8	12	5	4	8	3	6
	55-59	14	14	16	11	10	9	8	6	5	8	8	12	14	13	14	22	14	14
	60-64	31	20	15	16	22	20	14	18	13	17	12	19	12	17	14	17	17	22
	65-69	43	40	32	50	31	45	30	40	31	28	25	23	30	16	26	17	22	24
	70-74	73	75	63	44	61	44	66	56	57	44	48	26	39	31	35	32	43	39
	75-79	69	59	49	75	77	73	68	60	63	62	53	58	55	70	56	58	42	49
	80-84	57	57	55	59	54	71	65	58	50	61	58	63	66	70	50	71	79	76
	85-	38	48	49	40	50	48	45	40	46	40	63	58	68	65	90	73	81	110
	20-85+	336	322	291	308	319	317	309	282	270	268	286	275	301	294	295	304	312	347
Both sexes	20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	25-29	--	--	--	--	--	--	--	1	1	--	--	--	--	--	2	1	--	--
	30-34	3	1	--	1	--	1	1	2	1	--	--	3	2	2	1	--	2	1
	35-39	2	5	5	1	4	1	1	1	3	2	2	5	--	1	2	2	6	3
	40-44	8	11	8	5	9	13	13	10	9	8	11	10	11	6	5	8	10	6
	45-49	20	20	25	18	25	14	15	12	24	14	17	24	23	20	14	13	23	20
	50-54	31	41	31	38	33	29	31	25	31	37	50	36	42	31	34	36	26	39
	55-59	70	59	48	44	49	60	46	41	42	50	47	50	47	52	54	57	54	64
	60-64	114	86	79	77	83	87	81	64	70	73	62	70	55	61	42	54	57	63
	65-69	156	135	126	134	105	130	109	100	88	85	98	80	92	67	81	77	82	77
	70-74	182	172	170	151	154	146	146	140	122	117	122	98	109	102	114	107	114	117
	75-79	155	164	148	167	187	167	158	128	158	127	120	127	138	145	135	136	117	130
	80-84	113	114	110	111	102	134	121	114	105	124	135	121	144	129	118	138	159	141
	85-	72	69	84	70	85	77	74	66	81	85	93	100	122	111	135	133	151	167
	20-85+	926	877	834	817	836	859	796	704	735	722	757	724	785	727	737	762	801	828