

AMI statistics. Based on county of residence, Västerbotten, Age interval: 20-85+

Indicator	Sex	Age	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Incidence rate of AMI per 100 000 persons	Men	20-49	65	80	72	56	77	60	58	61	70	46	68	86	78	54	46	45	72	60
		50-54	491	746	526	564	410	561	414	406	468	542	495	374	379	361	423	353	361	449
		55-59	1,373	1,034	771	696	887	930	857	723	820	840	766	739	569	638	585	627	530	619
		60-64	1,715	1,632	1,635	1,38	1,358	1,565	1,534	1,056	1,239	1,285	1,16	1,148	877	882	733	812	811	788
		65-69	2,622	2,397	2,155	2,136	2,04	1,964	2,147	1,854	1,565	1,408	1,949	1,606	1,606	1,283	1,435	1,579	1,543	1,197
		70-74	3,3	2,972	3,165	3,601	2,687	3,029	2,7	2,502	1,95	2,424	2,14	2,061	2,175	2,042	2,026	2,312	2,122	2,008
		75-79	3,955	4,803	4,261	4,359	4,589	4,131	3,985	3,2	3,717	2,808	2,954	2,891	3,428	2,88	2,961	3,212	2,768	2,87
		80-84	4,966	4,903	4,675	4,911	4,297	5,002	4,093	4,121	4,606	4,528	5,062	4,218	4,601	4,133	4,672	4,035	4,87	3,675
		85-	6,002	5,018	6,443	4,893	5,509	5,663	5,317	4,992	5,068	6,547	4,43	5,979	6,598	6,055	6,114	6,158	7,266	5,78
		20-85+	1,026	1,009	951	934	891	923	860	755	775	776	783	760	784	710	734	758	781	707
Women	Women	20-49	14	14	20	16	14	16	12	8	12	10	10	20	10	20	12	14	31	14
		50-54	92	107	121	118	160	114	151	66	25	85	188	104	137	69	59	119	48	73
		55-59	238	347	338	248	203	219	187	169	105	177	130	181	243	195	224	301	201	210
		60-64	586	406	380	372	485	411	339	392	332	366	240	480	236	308	243	297	256	371
		65-69	863	954	703	1,036	587	971	620	826	748	633	556	482	735	462	597	433	448	486
		70-74	1,7	1,764	1,617	1,177	1,584	1,193	1,522	1,509	1,279	1,078	1,114	815	1,037	769	845	797	1,084	926
		75-79	2,618	2,043	1,833	2,551	2,38	2,337	2,096	1,817	1,898	1,831	1,694	1,544	1,809	1,88	1,618	1,682	1,558	1,528
		80-84	3,275	3,045	2,999	2,873	3,186	3,501	3,009	2,909	2,482	2,88	2,351	2,692	2,537	2,86	2,437	2,628	3,249	2,948
		85-	3,969	4,433	4,485	4,204	3,754	4,413	3,711	3,925	3,978	3,15	4,197	4,06	3,887	2,926	4,776	3,955	4,329	5,479
		20-85+	578	563	529	549	547	572	516	512	476	461	465	467	493	452	496	486	532	559
Both sexes	Both sexes	20-49	41	48	47	37	47	39	36	35	42	28	40	54	45	37	30	30	52	38
		50-54	292	428	324	340	285	337	282	237	250	319	347	244	263	220	248	240	209	266
		55-59	792	684	552	470	542	573	522	445	460	506	446	457	405	419	408	468	371	422
		60-64	1,136	1	985	857	904	965	917	715	776	818	695	812	554	591	484	550	528	577
		65-69	1,706	1,642	1,395	1,56	1,278	1,443	1,341	1,308	1,131	998	1,211	1,014	1,151	856	1,002	991	983	832
		70-74	2,453	2,33	2,34	2,305	2,094	2,037	2,062	1,966	1,587	1,694	1,584	1,383	1,554	1,348	1,382	1,487	1,561	1,429
		75-79	3,219	3,275	2,911	3,352	3,354	3,123	2,922	2,421	2,694	2,258	2,243	2,131	2,515	2,315	2,204	2,354	2,087	2,113
		80-84	3,95	3,797	3,682	3,701	3,641	4,119	3,453	3,402	3,336	3,538	3,43	3,3	3,363	3,372	3,339	3,195	3,903	3,241
		85-	4,696	4,635	5,156	4,437	4,342	4,83	4,249	4,288	4,35	4,311	4,276	4,698	4,783	3,952	5,212	4,678	5,292	5,577
		20-85+	800	784	738	740	717	746	686	632	624	617	622	611	637	579	614	621	655	633
Incidence rate of IHD as underlying cause of death per 100 000 persons	Men	20-49	77	90	83	67	88	68	60	65	79	49	77	88	85	55	58	47	81	62
		50-54	614	791	601	593	469	647	428	419	504	588	540	406	411	372	444	375	395	484
		55-59	1,529	1,191	897	791	998	1,009	888	784	836	900	825	810	664	677	585	695	596	674
		60-64	1,971	1,924	1,918	1,46	1,489	1,696	1,732	1,204	1,305	1,433	1,193	1,293	989	993	921	965	958	971
		65-69	3,082	2,73	2,501	2,405	2,397	2,278	2,367	2,114	1,776	1,658	2,128	1,838	1,802	1,568	1,612	1,86	1,733	1,282
		70-74	3,832	3,601	3,625	3,906	3,101	3,366	3,051	2,757	2,41	2,818	2,579	2,392	2,649	2,342	2,229	2,596	2,365	2,39
		75-79	4,619	5,273	4,83	4,897	5,223	4,484	4,666	3,603	4,161	3,337	3,383	3,502	3,937	3,786	3,689	3,873	3,317	3,497
		80-84	6,232	6,082	5,958	5,67	5,295	6,359	5,25	4,808	5,607	5,394	6,105	5,1	6,046	5,203	5,67	5,088	5,976	4,934
		85-	7,756	7,026	9,003	7,21	7,596	8,172	7,063	6,581	6,995	8,753	6,443	8,607	8,392	8,302	8,172	8,328	9,458	7,576
		20-85+	1,213	1,182	1,129	1,062	1,045	1,07	993	860	901	913	912	904	935	864	874	909	927	853
Women	Women	20-49	14	16	20	16	16	18	12	8	13	10	14	20	10	22	14	14	33	14
		50-54	92	107	136	118	175	114	164	66	25	85	188	116	137	80	59	119	72	85
		55-59	253	347	384	264	218	219	187	169	105	192	145	195	256	208	224	337	213	210
		60-64	615	478	410	417	485	442	386	407	348	398	288	496	251	323	258	386	270	385
		65-69	951	1,012	789	1,108	645	1,061	681	857	810	744	572	546	784	528	664	433	514	519

	70-74	1,936	1,916	1,785	1,326	1,73	1,273	1,585	1,602	1,388	1,316	1,292	945	1,136	902	997	899	1,17	1,066
	75-79	3,029	2,444	2,163	2,939	2,68	2,611	2,39	2,09	2,07	2,018	1,952	1,817	2,042	2,077	2	1,848	1,743	1,788
	80-84	4,377	3,718	3,472	3,301	3,667	4,273	3,611	3,491	3,075	3,298	2,862	3,15	3,095	3,457	3,137	3,363	4,137	3,57
	85-	6,186	5,699	5,224	5,841	5,272	5,466	5,227	5,597	5,836	4,617	5,538	5,861	5,499	4,785	6,417	5,589	6,157	7,315
	20-85+	708	655	603	643	635	657	605	602	573	555	558	572	593	567	620	601	661	681
Both sexes	20-49	47	54	52	42	53	44	37	37	47	30	46	55	48	39	37	31	58	39
	50-54	354	451	369	355	321	380	295	243	269	343	369	266	279	232	259	252	238	290
	55-59	876	761	637	525	605	612	538	476	468	543	482	499	459	445	408	521	411	451
	60-64	1,275	1,179	1,137	919	967	1,044	1,036	796	816	907	735	892	617	654	584	671	608	674
	65-69	1,972	1,831	1,605	1,726	1,478	1,639	1,477	1,446	1,264	1,174	1,304	1,158	1,271	1,028	1,122	1,128	1,11	890
	70-74	2,827	2,705	2,645	2,526	2,364	2,235	2,257	2,134	1,857	2,003	1,882	1,605	1,823	1,557	1,557	1,672	1,719	1,682
	75-79	3,743	3,707	3,346	3,806	3,801	3,432	3,385	2,751	2,985	2,595	2,576	2,551	2,868	2,821	2,736	2,737	2,431	2,533
	80-84	5,118	4,675	4,486	4,263	4,333	5,132	4,282	4,027	4,093	4,135	4,153	3,927	4,276	4,159	4,159	4,058	4,879	4,12
	85-	6,746	6,159	6,521	6,305	6,05	6,368	5,842	5,931	6,232	6,031	5,845	6,774	6,455	5,939	6,989	6,488	7,239	7,399
	20-85+	958	916	864	850	838	861	797	729	735	732	733	736	762	713	745	753	793	766
Primary incidence rate (estimate) of AMI per 100 000 persons	Men	20-49	--	--	--	--	--	--	58	67	36	61	82	68	46	44	41	68	50
		50-54	--	--	--	--	--	--	275	406	472	462	331	326	319	358	298	271	403
		55-59	--	--	--	--	--	--	584	699	660	604	611	501	549	537	513	453	565
		60-64	--	--	--	--	--	--	973	1,024	1,005	997	857	734	741	531	674	722	647
		65-69	--	--	--	--	--	--	1,455	1,231	1,159	1,556	1,213	1,249	1,087	1,151	1,263	1,283	1,009
		70-74	--	--	--	--	--	--	1,863	1,619	1,898	1,872	1,594	1,72	1,561	1,702	1,866	1,556	1,566
		75-79	--	--	--	--	--	--	2,444	3,028	2,16	2,406	2,115	2,385	2,253	2,279	2,315	1,981	1,954
		80-84	--	--	--	--	--	--	2,99	3,244	3,543	4,019	2,952	3,08	2,878	3,602	2,982	3,282	2,246
		85-	--	--	--	--	--	--	3,858	4,211	4,618	3,221	4,731	5,381	4,307	3,45	3,93	5,248	3,984
		20-85+	--	--	--	--	--	--	589	629	607	645	588	604	554	567	578	593	532
Women		20-49	--	--	--	--	--	--	8	12	10	10	20	10	20	12	14	22	12
		50-54	--	--	--	--	--	--	66	25	85	164	92	137	69	47	119	48	73
		55-59	--	--	--	--	--	--	123	105	118	130	167	175	156	211	265	178	187
		60-64	--	--	--	--	--	--	298	253	271	224	400	236	277	243	222	199	302
		65-69	--	--	--	--	--	--	719	639	538	492	369	621	330	498	383	381	357
		70-74	--	--	--	--	--	--	1,182	951	824	888	733	823	685	744	679	946	716
		75-79	--	--	--	--	--	--	1,407	1,399	1,457	1,289	1,181	1,272	1,397	1,291	1,478	1,15	1,08
		80-84	--	--	--	--	--	--	2,134	1,861	2,147	1,559	1,829	1,826	1,99	1,786	1,942	2,361	1,889
		85-	--	--	--	--	--	--	2,876	2,714	2,255	3,234	3,078	3,066	2,103	3,223	2,78	2,839	3,808
		20-85+	--	--	--	--	--	--	395	357	354	361	362	382	342	381	385	394	398
Both sexes		20-49	--	--	--	--	--	--	34	40	23	36	52	40	33	29	28	46	32
		50-54	--	--	--	--	--	--	171	219	284	318	216	236	198	208	212	163	243
		55-59	--	--	--	--	--	--	353	400	387	365	387	338	354	378	392	320	383
		60-64	--	--	--	--	--	--	627	630	631	606	627	483	506	384	445	456	473
		65-69	--	--	--	--	--	--	1,064	917	830	993	769	921	694	814	812	822	674
		70-74	--	--	--	--	--	--	1,495	1,258	1,316	1,339	1,126	1,23	1,084	1,18	1,219	1,227	1,112
		75-79	--	--	--	--	--	--	1,859	2,112	1,765	1,776	1,588	1,757	1,769	1,722	1,846	1,513	1,461
		80-84	--	--	--	--	--	--	2,482	2,417	2,704	2,538	2,277	2,328	2,347	2,519	2,361	2,732	2,033
		85-	--	--	--	--	--	--	3,209	3,226	3,062	3,229	3,628	3,831	2,826	3,297	3,157	3,629	3,865
		20-85+	--	--	--	--	--	--	491	491	479	501	473	492	447	473	480	492	464
Primary incidence rate (estimate) of AMI or any other	Men	20-49	--	--	--	--	--	--	61	72	40	68	84	72	48	54	43	75	52
		50-54	--	--	--	--	--	--	288	443	507	506	352	358	319	379	320	293	438
		55-59	--	--	--	--	--	--	615	714	705	633	653	596	574	537	581	497	619

IHD as underlying cause of death per 100 000 persons	60-64	--	--	--	--	--	--	1,089	1,074	1,12	1,013	970	813	835	655	781	855	816
	65-69	--	--	--	--	--	--	1,594	1,442	1,319	1,645	1,374	1,392	1,283	1,275	1,456	1,456	1,094
	70-74	--	--	--	--	--	--	2,027	1,987	2,217	2,235	1,828	2,076	1,741	1,864	2,028	1,718	1,888
	75-79	--	--	--	--	--	--	2,696	3,299	2,544	2,716	2,538	2,825	2,95	2,867	2,834	2,411	2,34
	80-84	--	--	--	--	--	--	3,434	4,085	4,055	4,869	3,643	4,221	3,727	4,244	3,579	4,041	3,164
	85-	--	--	--	--	--	--	5,068	5,71	6,134	4,899	6,636	6,726	5,868	5,024	5,513	7,036	5,499
	20-85+	--	--	--	--	--	--	659	729	703	744	692	723	667	671	684	706	648
Women	20-49	--	--	--	--	--	--	8	13	10	14	20	10	22	14	14	24	12
	50-54	--	--	--	--	--	--	66	25	85	164	92	137	80	47	119	72	85
	55-59	--	--	--	--	--	--	123	105	118	145	181	189	156	211	289	189	187
	60-64	--	--	--	--	--	--	313	269	302	256	416	251	292	258	297	213	316
	65-69	--	--	--	--	--	--	734	670	601	508	418	670	379	531	383	431	389
	70-74	--	--	--	--	--	--	1,275	1,014	967	1,034	831	856	785	845	780	1,032	839
	75-79	--	--	--	--	--	--	1,582	1,553	1,513	1,473	1,399	1,433	1,54	1,491	1,608	1,335	1,267
	80-84	--	--	--	--	--	--	2,605	2,212	2,461	1,763	2,159	2,207	2,412	2,196	2,463	3,015	2,257
	85-	--	--	--	--	--	--	4,12	4,312	3,579	4,128	4,42	4,204	3,657	4,483	3,869	4,217	5,26
	20-85+	--	--	--	--	--	--	463	431	422	421	440	450	432	464	467	496	489
Both sexes	20-49	--	--	--	--	--	--	35	44	25	42	53	42	35	35	29	51	33
	50-54	--	--	--	--	--	--	178	238	301	341	228	252	204	219	223	186	266
	55-59	--	--	--	--	--	--	368	407	409	387	415	392	367	378	439	349	411
	60-64	--	--	--	--	--	--	691	663	704	630	691	530	560	454	535	528	563
	65-69	--	--	--	--	--	--	1,137	1,032	939	1,043	871	1,015	814	891	906	932	732
	70-74	--	--	--	--	--	--	1,621	1,46	1,539	1,584	1,286	1,41	1,22	1,309	1,349	1,347	1,327
	75-79	--	--	--	--	--	--	2,068	2,317	1,964	2,015	1,895	2,04	2,154	2,091	2,146	1,805	1,734
	80-84	--	--	--	--	--	--	2,942	2,965	3,097	3	2,75	3,013	2,941	3,022	2,912	3,429	2,623
	85-	--	--	--	--	--	--	4,442	4,79	4,452	4,389	5,157	5,037	4,383	4,659	4,409	5,141	5,338
	20-85+	--	--	--	--	--	--	560	578	561	581	564	585	548	566	574	600	568

The Health and Welfare Statistical Database 26/06/2017