

**AMI statistics. Based on county of residence, Norrbotten, Age interval: 20-85+**

Indicator	Sex	Age	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Incidence rate of AMI per 100 000 persons	Men	20-49	114	114	98	89	90	97	90	97	90	86	68	66	62	46	63	62	74	77
		50-54	785	548	480	581	681	481	681	497	474	452	444	433	459	413	340	441	356	276
		55-59	1,415	1,038	1,182	927	884	1,013	1,023	803	811	689	797	766	766	605	652	553	580	595
		60-64	1,87	1,597	1,652	1,466	1,71	1,472	1,163	1,11	1,2	1,13	1,14	1,183	1,008	1	939	800	831	925
		65-69	2,218	1,829	2,006	2,112	2,092	2,032	1,875	1,995	1,789	1,332	1,769	1,484	1,538	1,324	1,24	1,171	1,616	1,684
		70-74	3,168	3,021	2,529	3,013	3,175	2,896	2,536	2,479	2,409	1,941	1,996	1,578	2,028	2,273	2,434	1,842	2,053	2,007
		75-79	4,319	3,871	3,447	4,35	3,871	3,525	4,208	3,131	3,444	3,134	2,201	2,637	2,775	3,067	3,289	2,656	2,879	3,067
		80-84	4,611	5,396	4,155	4,712	4,062	4,85	4,561	4,083	4,577	5,405	3,924	3,506	3,948	4,331	4,431	3,945	4,004	4,187
		85-	4,455	5,62	7,001	4,849	5,682	5,394	5,512	4,929	4,298	4,369	4,008	4,557	4,711	4,708	6,004	6,124	5,42	7,284
		20-85+	974	889	851	881	892	861	849	772	781	728	690	674	723	730	781	704	758	821
Women	Women	20-49	15	21	11	27	32	19	23	15	21	12	24	12	23	34	15	9	31	27
		50-54	232	135	92	91	169	103	153	149	108	80	55	74	114	198	149	131	112	81
		55-59	245	329	333	154	196	194	274	228	212	198	223	207	228	160	176	269	184	85
		60-64	478	391	373	440	563	490	509	371	346	389	272	352	346	300	351	377	399	353
		65-69	937	690	629	668	605	628	715	740	849	574	733	666	661	530	712	631	518	506
		70-74	1,971	1,845	1,316	1,297	1,285	1,414	1,371	1,367	1,432	1,093	1,055	885	649	913	920	1,075	1,051	870
		75-79	2,815	2,473	2,562	2,503	2,551	2,507	2,453	1,654	2,537	1,824	1,619	1,696	1,617	2,303	1,716	2,034	1,735	1,835
		80-84	3,557	4,159	3,011	2,866	2,866	3,711	2,852	3,042	2,815	2,353	2,525	2,114	2,282	2,81	2,516	3,075	2,761	2,738
		85-	4,757	3,357	3,813	3,912	3,832	4,563	3,477	3,981	2,738	2,715	2,907	2,599	3,77	3,198	4,097	4,152	4,168	3,348
		20-85+	610	561	501	504	527	571	531	502	516	425	440	412	455	513	512	572	542	492
Both sexes	Both sexes	20-49	67	70	57	59	63	60	58	58	57	51	47	41	44	40	40	37	54	54
		50-54	514	345	288	338	426	294	423	329	299	274	257	260	292	309	248	291	238	182
		55-59	835	686	761	545	545	609	652	516	511	443	511	491	505	390	423	416	388	347
		60-64	1,182	998	1,012	950	1,133	979	835	741	774	761	707	765	673	644	640	586	616	645
		65-69	1,564	1,247	1,302	1,374	1,336	1,322	1,288	1,355	1,307	944	1,239	1,066	1,092	921	973	897	1,056	1,078
		70-74	2,524	2,392	1,883	2,102	2,173	2,109	1,918	1,889	1,892	1,495	1,503	1,214	1,3	1,552	1,632	1,436	1,525	1,411
		75-79	3,474	3,08	2,948	3,305	3,118	2,945	3,211	2,297	2,937	2,404	1,875	2,111	2,128	2,643	2,423	2,316	2,251	2,387
		80-84	3,972	4,649	3,462	3,595	3,34	4,159	3,521	3,452	3,509	3,54	3,069	2,662	2,945	3,422	3,29	3,426	3,266	3,331
		85-	4,657	4,092	4,839	4,212	4,423	4,831	4,137	4,289	3,242	3,254	3,268	3,241	4,077	3,685	4,704	4,783	4,575	4,652
		20-85+	793	726	677	694	711	717	691	638	650	577	566	544	590	622	647	638	651	658
Incidence rate of IHD as underlying cause of death per 100 000 persons	Men	20-49	120	124	110	96	106	100	93	107	98	95	77	68	70	48	73	68	82	83
		50-54	890	653	584	594	720	494	705	509	518	515	454	473	527	432	361	482	398	297
		55-59	1,522	1,159	1,399	1,036	1,02	1,094	1,104	870	851	782	862	816	861	673	728	615	600	656
		60-64	2,097	1,839	1,881	1,695	1,967	1,571	1,333	1,196	1,386	1,202	1,239	1,382	1,264	1,154	1,121	855	937	1,063
		65-69	2,398	2,198	2,319	2,516	2,326	2,313	2,157	2,246	1,978	1,518	1,954	1,808	1,739	1,526	1,565	1,448	1,816	1,928
		70-74	3,825	3,501	3,177	3,495	3,625	3,379	2,896	2,718	2,754	2,195	2,558	1,977	2,426	2,561	2,739	2,249	2,531	2,185
		75-79	5,227	4,792	4,402	5,305	4,618	4,029	4,794	3,853	4,122	3,691	2,794	3,508	3,315	3,552	3,769	3,11	3,378	3,608
		80-84	6,455	6,683	5,635	5,901	5,402	6,349	5,809	5,125	5,567	7,11	4,833	5,259	5,088	5,761	5,386	5,21	4,798	4,983
		85-	8,713	9,593	8,893	8,6	7,692	9,046	7,717	7,692	6,877	7,212	6,546	6,996	7,538	7,659	7,692	8,757	7,445	9,674
		20-85+	1,17	1,081	1,04	1,064	1,052	1,017	986	906	921	880	834	858	892	885	922	862	897	960
Women	Women	20-49	15	21	15	28	36	21	23	15	21	14	24	14	23	38	15	13	34	27
		50-54	232	148	106	91	169	103	153	149	108	91	66	74	125	198	149	131	123	81
		55-59	245	343	346	168	238	208	288	242	212	198	236	233	241	160	176	314	184	96
		60-64	536	434	402	512	591	546	565	429	360	404	300	367	360	327	351	390	466	353
		65-69	984	767	749	698	711	689	837	846	939	618	792	740	691	621	788	691	547	578

	70-74	2,194	1,967	1,44	1,528	1,459	1,533	1,572	1,416	1,464	1,289	1,253	967	827	1,105	968	1,248	1,099	1,048
Both sexes	75-79	3,202	2,702	2,951	2,869	2,873	2,807	2,595	1,86	2,825	2,165	2,009	1,944	1,84	2,506	2,034	2,203	2,089	1,981
	80-84	4,688	4,841	3,881	3,91	3,627	4,139	3,6	3,558	3,727	3,014	3,288	2,775	3,142	3,559	2,905	3,579	3,328	3,53
	85-	6,621	6,107	5,967	6,277	5,604	6,255	5,404	5,954	4,825	5,531	4,866	4,571	5,929	5,559	6,175	6,459	6,812	5,281
	20-85+	724	673	620	637	638	663	642	602	635	570	571	529	589	657	627	708	694	622
Primary incidence rate (estimate) of AMI per 100 000 persons	Men	20-49	70	75	65	64	73	63	60	64	62	56	52	42	48	44	45	42	57
		50-54	567	404	347	344	446	300	435	335	321	312	267	280	332	319	258	312	265
		55-59	889	754	878	607	635	657	699	557	531	489	550	529	560	426	462	470	399
		60-64	1,326	1,142	1,142	1,1	1,274	1,056	949	813	875	804	771	872	806	734	729	620	702
		65-69	1,676	1,466	1,517	1,587	1,505	1,492	1,488	1,532	1,445	1,057	1,359	1,263	1,206	1,067	1,172	1,065	1,169
		70-74	2,948	2,681	2,252	2,451	2,477	2,398	2,193	2,027	2,071	1,718	1,874	1,447	1,582	1,79	1,8	1,72	1,777
		75-79	4,09	3,609	3,584	3,927	3,622	3,333	3,545	2,729	3,398	2,84	2,355	2,633	2,491	2,97	2,814	2,614	2,671
		80-84	5,383	5,571	4,572	4,697	4,329	5,008	4,464	4,176	4,451	4,606	3,889	3,752	3,915	4,445	3,907	4,237	3,925
		85-	7,314	7,24	6,908	7,02	6,271	7,152	6,154	6,518	5,489	6,078	5,418	5,366	6,454	6,236	6,657	7,195	6,736
		20-85+	949	878	832	852	847	841	816	755	779	726	704	694	741	772	775	785	797
Primary incidence rate (estimate) of AMI per 100 000 persons	Women	20-49	--	--	--	--	--	--	--	82	67	79	56	64	56	42	55	58	67
		50-54	--	--	--	--	--	--	--	440	441	389	383	404	400	364	290	411	314
		55-59	--	--	--	--	--	--	--	750	638	556	679	690	670	525	587	511	499
		60-64	--	--	--	--	--	--	--	897	1,043	887	1,012	1,097	880	901	841	607	699
		65-69	--	--	--	--	--	--	--	1,523	1,318	1,115	1,462	1,221	1,336	981	1,085	878	1,247
		70-74	--	--	--	--	--	--	--	1,873	1,866	1,614	1,56	1,197	1,629	1,876	1,969	1,505	1,593
		75-79	--	--	--	--	--	--	--	2,275	2,661	2,326	1,805	2,105	2,14	2,168	2,672	2,202	2,458
		80-84	--	--	--	--	--	--	--	2,792	3,588	3,576	3,057	2,364	3,053	3,059	3,285	2,754	3,211
		85-	--	--	--	--	--	--	--	4,182	3,152	3,121	3,34	3,787	3,832	3,453	4,128	4,47	3,812
		20-85+	--	--	--	--	--	--	--	605	613	566	568	558	598	571	633	560	599
Primary incidence rate (estimate) of AMI or any other	Both sexes	20-49	--	--	--	--	--	--	--	15	21	12	24	12	23	34	15	9	27
		50-54	--	--	--	--	--	--	--	149	96	80	44	53	93	167	138	109	90
		55-59	--	--	--	--	--	--	--	202	186	158	197	181	203	160	164	258	184
		60-64	--	--	--	--	--	--	--	329	288	332	243	296	290	205	297	323	373
		65-69	--	--	--	--	--	--	--	513	656	442	557	607	571	409	576	556	414
		70-74	--	--	--	--	--	--	--	1,009	1,207	849	758	738	503	640	762	901	892
		75-79	--	--	--	--	--	--	--	1,199	2	1,223	1,307	1,315	1,208	1,585	1,306	1,544	1,324
		80-84	--	--	--	--	--	--	--	2,254	2,252	1,772	1,92	1,559	1,745	1,98	1,738	1,966	1,874
		85-	--	--	--	--	--	--	--	2,834	2,156	2,078	2,417	2,035	2,706	2,451	2,663	2,682	2,846
		20-85+	--	--	--	--	--	--	--	376	418	322	350	330	353	379	382	423	411
Primary incidence rate (estimate) of AMI or any other	Men	20-49	--	--	--	--	--	--	--	50	45	47	41	40	41	38	36	35	47
		50-54	--	--	--	--	--	--	--	299	276	241	220	234	252	268	217	265	206
		55-59	--	--	--	--	--	--	--	476	412	357	439	440	443	349	383	389	346
		60-64	--	--	--	--	--	--	--	613	667	610	628	694	581	547	564	463	537
		65-69	--	--	--	--	--	--	--	1,008	979	770	998	907	947	691	827	715	892
		70-74	--	--	--	--	--	--	--	1,415	1,517	1,211	1,14	956	1,035	1,221	1,329	1,186	1,224
		75-79	--	--	--	--	--	--	--	1,668	2,292	1,71	1,526	1,663	1,619	1,844	1,92	1,842	1,902
		80-84	--	--	--	--	--	--	--	2,466	2,778	2,473	2,362	1,876	2,265	2,414	2,363	2,284	2,417
		85-	--	--	--	--	--	--	--	3,271	2,478	2,418	2,72	2,609	3,073	2,774	3,129	3,254	3,16
		20-85+	--	--	--	--	--	--	--	492	516	445	460	445	476	476	508	492	506
Primary incidence rate (estimate) of AMI or any other	Men	20-49	--	--	--	--	--	--	--	92	74	88	63	66	62	44	63	64	68
		50-54	--	--	--	--	--	--	--	451	474	441	393	433	449	383	310	452	345
		55-59	--	--	--	--	--	--	--	803	665	649	718	716	766	593	620	553	509

IHD as underlying cause of death per 100 000 persons	60-64	--	--	--	--	--	--	968	1,143	915	1,069	1,282	1,093	1,014	995	662	805	1,013
	65-69	--	--	--	--	--	--	1,712	1,491	1,27	1,6	1,468	1,538	1,137	1,333	1,14	1,401	1,576
	70-74	--	--	--	--	--	--	2,075	2,12	1,814	1,978	1,469	1,991	2,11	2,237	1,807	1,964	1,777
	75-79	--	--	--	--	--	--	2,836	3,183	2,629	2,226	2,686	2,563	2,514	3,106	2,565	2,584	2,819
	80-84	--	--	--	--	--	--	3,625	4,206	4,823	3,717	3,669	3,989	4,211	4,049	3,759	3,788	3,391
	85-	--	--	--	--	--	--	6,199	5,372	5,548	5,344	5,905	6,156	5,775	5,378	6,43	5,36	6,469
	20-85+	--	--	--	--	--	--	711	719	682	675	697	741	694	745	687	705	752
Women	20-49	--	--	--	--	--	--	15	21	14	24	14	23	38	15	13	31	27
	50-54	--	--	--	--	--	--	149	96	80	55	53	104	167	138	109	101	58
	55-59	--	--	--	--	--	--	215	186	158	210	194	216	160	164	302	184	74
	60-64	--	--	--	--	--	--	371	302	346	272	310	304	232	297	323	426	274
	65-69	--	--	--	--	--	--	604	745	486	616	666	586	484	636	616	429	477
	70-74	--	--	--	--	--	--	1,058	1,239	1,012	874	803	584	768	793	1,059	939	822
	75-79	--	--	--	--	--	--	1,323	2,248	1,403	1,58	1,448	1,357	1,714	1,511	1,676	1,623	1,541
	80-84	--	--	--	--	--	--	2,607	2,976	2,327	2,446	2,061	2,363	2,676	1,997	2,394	2,244	2,378
	85-	--	--	--	--	--	--	4,412	3,867	4,459	4,148	3,694	4,348	4,393	4,361	4,469	5,116	3,925
	20-85+	--	--	--	--	--	--	453	516	439	453	422	449	497	470	533	536	466
Both sexes	20-49	--	--	--	--	--	--	56	49	53	44	42	44	41	40	40	51	51
	50-54	--	--	--	--	--	--	305	293	268	231	250	282	278	227	286	227	160
	55-59	--	--	--	--	--	--	510	425	403	465	459	499	384	400	432	351	331
	60-64	--	--	--	--	--	--	670	724	632	671	794	694	617	640	490	616	652
	65-69	--	--	--	--	--	--	1,147	1,108	868	1,096	1,059	1,054	806	981	875	905	1,011
	70-74	--	--	--	--	--	--	1,536	1,653	1,392	1,399	1,119	1,249	1,399	1,472	1,411	1,425	1,276
	75-79	--	--	--	--	--	--	1,983	2,661	1,945	1,864	1,993	1,889	2,069	2,228	2,079	2,057	2,114
	80-84	--	--	--	--	--	--	3,008	3,46	3,297	2,941	2,694	3,009	3,294	2,826	2,945	2,871	2,793
	85-	--	--	--	--	--	--	4,992	4,354	4,812	4,54	4,419	4,938	4,839	4,684	5,097	5,195	4,767
	20-85+	--	--	--	--	--	--	583	618	561	565	561	596	596	608	610	621	610

The Health and Welfare Statistical Database 26/06/2017