

## Cancer Deaths for Alaska

2007-2009

	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>CAUSE OF DEATH</b>			
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2584	126.0	182.9
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	24	1.2	1.5
<b>ESOPHAGUS (C15)</b>	65	3.2	4.2
<b>STOMACH (C16)</b>	65	3.2	4.5
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	236	11.5	17.5
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	94	4.6	5.7
<b>PANCREAS (C25)</b>	167	8.1	11.4
<b>LARYNX (C32)</b>	14	7*	1.1*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	771	37.6	55.0
<b>SKIN (C43)</b>	36	1.8	2.1
<b>BREAST (C50)<sup>3</sup></b>	187	18.6	24.0
<b>CERVICAL (C53)<sup>3</sup></b>	21	2.1	2.4
<b>UTERINE (C54-C55)<sup>3</sup></b>	14	1.4*	1.8*
<b>OVARIAN (C56)<sup>3</sup></b>	54	5.4	7.1
<b>PROSTATE (C61)<sup>4</sup></b>	104	9.9	21.0
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	65	3.2	4.8
<b>BLADDER (C67)</b>	40	2.0	3.5
<b>BRAIN (C70-C72)</b>	71	3.5	4.3
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	209	10.2	15.5
<b>HODGKIN'S DISEASE (C81)</b>	3	**	**
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	83	4.0	6.3
<b>LEUKEMIA (C91-C95)</b>	88	4.3	6.4
<b>MULTIPLE MYELOMA (C88, C90)</b>	35	1.7	2.6
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	347	16.9	24.4
<b>BENIGN NEOPLASMS (D00-D48)</b>	38	1.9	3.2
<b>TOTAL DEATHS FOR ALL CAUSES</b>	10572	515.6	764.3

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2006-2008

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2474	121.9	180.7
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	30	1.5	2.0
<b>ESOPHAGUS (C15)</b>	75	3.7	4.8
<b>STOMACH (C16)</b>	58	2.9	3.8
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	228	11.2	18.0
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	85	4.2	5.4
<b>PANCREAS (C25)</b>	158	7.8	11.7
<b>LARYNX (C32)</b>	10	5*	8*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	711	35.0	52.1
<b>SKIN (C43)</b>	33	1.6	2.0
<b>BREAST (C50)<sup>3</sup></b>	188	19.0	23.6
<b>CERVICAL (C53)<sup>3</sup></b>	24	2.4	2.9
<b>UTERINE (C54-C55)<sup>3</sup></b>	18	1.8*	2.3*
<b>OVARIAN (C56)<sup>3</sup></b>	56	5.6	7.5
<b>PROSTATE (C61)<sup>4</sup></b>	94	9.1	19.6
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	55	2.7	4.2
<b>BLADDER (C67)</b>	46	2.3	3.9
<b>BRAIN (C70-C72)</b>	65	3.2	4.2
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	215	10.6	16.7
<b>HODGKIN'S DISEASE (C81)</b>	4	**	**
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	80	3.9	6.4
<b>LEUKEMIA (C91-C95)</b>	96	4.7	7.4
<b>MULTIPLE MYELOMA (C88, C90)</b>	35	1.7	2.6
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	325	16.0	23.7
<b>BENIGN NEOPLASMS (D00-D48)</b>	48	2.4	4.2
<b>TOTAL DEATHS FOR ALL CAUSES</b>	10317	508.4	773.3

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2005-2007

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2341	116.4	177.0
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	29	1.4	1.9
<b>ESOPHAGUS (C15)</b>	72	3.6	4.5
<b>STOMACH (C16)</b>	58	2.9	3.8
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	210	10.4	17.1
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	73	3.6	5.0
<b>PANCREAS (C25)</b>	130	6.5	10.2
<b>LARYNX (C32)</b>	8	4*	6*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	667	33.2	51.1
<b>SKIN (C43)</b>	34	1.7	2.1
<b>BREAST (C50)<sup>3</sup></b>	187	19.1	23.9
<b>CERVICAL (C53)<sup>3</sup></b>	16	1.6*	2.1*
<b>UTERINE (C54-C55)<sup>3</sup></b>	15	1.5*	1.9*
<b>OVARIAN (C56)<sup>3</sup></b>	57	5.8	7.5
<b>PROSTATE (C61)<sup>4</sup></b>	90	8.7	20.1
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	53	2.6	4.2
<b>BLADDER (C67)</b>	39	1.9	3.2
<b>BRAIN (C70-C72)</b>	59	2.9	4.1
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	221	11.0	17.8
<b>HODGKIN'S DISEASE (C81)</b>	3	**	**
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	78	3.9	6.4
<b>LEUKEMIA (C91-C95)</b>	103	5.1	8.3
<b>MULTIPLE MYELOMA (C88, C90)</b>	37	1.8	2.9
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	323	16.1	24.4
<b>BENIGN NEOPLASMS (D00-D48)</b>	58	2.9	5.2
<b>TOTAL DEATHS FOR ALL CAUSES</b>	9987	496.5	773.6

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2004-2006

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2227	111.7	176.9
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	35	1.8	2.5
<b>ESOPHAGUS (C15)</b>	69	3.5	4.7
<b>STOMACH (C16)</b>	57	2.9	4.2
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	186	9.3	16.1
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	84	4.2	6.2
<b>PANCREAS (C25)</b>	123	6.2	10.4
<b>LARYNX (C32)</b>	7	4*	5*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	643	32.3	51.5
<b>SKIN (C43)</b>	33	1.7	2.2
<b>BREAST (C50)<sup>3</sup></b>	162	16.7	21.4
<b>CERVICAL (C53)<sup>3</sup></b>	13	1.3*	1.5*
<b>UTERINE (C54-C55)<sup>3</sup></b>	14	1.4*	2.1*
<b>OVARIAN (C56)<sup>3</sup></b>	46	4.7	6.6
<b>PROSTATE (C61)<sup>4</sup></b>	93	9.1	21.8
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	46	2.3	3.5
<b>BLADDER (C67)</b>	46	2.3	4.2
<b>BRAIN (C70-C72)</b>	63	3.2	4.2
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	213	10.7	17.5
<b>HODGKIN'S DISEASE (C81)</b>	4	**	**
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	73	3.7	6.1
<b>LEUKEMIA (C91-C95)</b>	94	4.7	7.6
<b>MULTIPLE MYELOMA (C88, C90)</b>	42	2.1	3.6
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	294	14.8	23.5
<b>BENIGN NEOPLASMS (D00-D48)</b>	67	3.4	6.2
<b>TOTAL DEATHS FOR ALL CAUSES</b>	9572	480.3	765.4

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2003-2005

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2178	110.6	180.2
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	42	2.1	3.2
<b>ESOPHAGUS (C15)</b>	65	3.3	4.8
<b>STOMACH (C16)</b>	54	2.7	4.4
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	184	9.3	16.5
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	88	4.5	7.0
<b>PANCREAS (C25)</b>	115	5.8	10.0
<b>LARYNX (C32)</b>	4	**	**
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	653	33.2	54.7
<b>SKIN (C43)</b>	30	1.5	2.1
<b>BREAST (C50)<sup>3</sup></b>	143	14.9	19.7
<b>CERVICAL (C53)<sup>3</sup></b>	15	1.6*	1.9*
<b>UTERINE (C54-C55)<sup>3</sup></b>	12	1.3*	2.0*
<b>OVARIAN (C56)<sup>3</sup></b>	36	3.8	5.2
<b>PROSTATE (C61)<sup>4</sup></b>	86	8.5	21.3
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	51	2.6	4.2
<b>BLADDER (C67)</b>	50	2.5	5.0
<b>BRAIN (C70-C72)</b>	63	3.2	4.3
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	199	10.1	16.2
<b>HODGKIN'S DISEASE (C81)</b>	8	4*	5*
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	71	3.6	5.7
<b>LEUKEMIA (C91-C95)</b>	80	4.1	6.5
<b>MULTIPLE MYELOMA (C88, C90)</b>	40	2.0	3.4
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	288	14.6	23.5
<b>BENIGN NEOPLASMS (D00-D48)</b>	57	2.9	5.8
<b>TOTAL DEATHS FOR ALL CAUSES</b>	9404	477.4	779.7

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2002-2004

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2167	111.4	186.9
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	40	2.1	3.2
<b>ESOPHAGUS (C15)</b>	61	3.1	5.4
<b>STOMACH (C16)</b>	61	3.1	5.3
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	194	10.0	17.6
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	84	4.3	6.8
<b>PANCREAS (C25)</b>	123	6.3	10.3
<b>LARYNX (C32)</b>	5	**	**
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	638	32.8	55.1
<b>SKIN (C43)</b>	30	1.5	2.0
<b>BREAST (C50)<sup>3</sup></b>	144	15.2	20.8
<b>CERVICAL (C53)<sup>3</sup></b>	18	1.9*	2.4*
<b>UTERINE (C54-C55)<sup>3</sup></b>	20	2.1	3.4
<b>OVARIAN (C56)<sup>3</sup></b>	36	3.8	5.5
<b>PROSTATE (C61)<sup>4</sup></b>	92	9.2	25.5
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	47	2.4	4.2
<b>BLADDER (C67)</b>	49	2.5	5.4
<b>BRAIN (C70-C72)</b>	63	3.2	4.3
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	190	9.8	15.9
<b>HODGKIN'S DISEASE (C81)</b>	10	5*	8*
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	71	3.6	5.9
<b>LEUKEMIA (C91-C95)</b>	68	3.5	5.8
<b>MULTIPLE MYELOMA (C88, C90)</b>	41	2.1	3.4
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	272	14.0	23.6
<b>BENIGN NEOPLASMS (D00-D48)</b>	50	2.6	5.3
<b>TOTAL DEATHS FOR ALL CAUSES</b>	9274	476.6	794.4

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2001-2003

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2124	110.6	189.9
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	42	2.2	3.8
<b>ESOPHAGUS (C15)</b>	59	3.1	5.5
<b>STOMACH (C16)</b>	62	3.2	5.9
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	213	11.1	19.7
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	76	4.0	6.2
<b>PANCREAS (C25)</b>	122	6.4	10.5
<b>LARYNX (C32)</b>	5	**	**
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	606	31.6	54.0
<b>SKIN (C43)</b>	23	1.2	1.4
<b>BREAST (C50)<sup>3</sup></b>	146	15.7	21.9
<b>CERVICAL (C53)<sup>3</sup></b>	17	1.8*	2.4*
<b>UTERINE (C54-C55)<sup>3</sup></b>	18	1.9*	3.2*
<b>OVARIAN (C56)<sup>3</sup></b>	39	4.2	6.0
<b>PROSTATE (C61)<sup>4</sup></b>	91	9.2	25.9
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	45	2.3	4.2
<b>BLADDER (C67)</b>	46	2.4	5.3
<b>BRAIN (C70-C72)</b>	60	3.1	4.3
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	195	10.2	17.3
<b>HODGKIN'S DISEASE (C81)</b>	10	5*	8*
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	77	4.0	6.7
<b>LEUKEMIA (C91-C95)</b>	65	3.4	6.0
<b>MULTIPLE MYELOMA (C88, C90)</b>	43	2.2	3.8
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	259	13.5	23.4
<b>BENIGN NEOPLASMS (D00-D48)</b>	47	2.4	5.3
<b>TOTAL DEATHS FOR ALL CAUSES</b>	9213	479.7	825.4

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

2000-2002

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2100	110.5	196.9
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	46	2.4	4.0
<b>ESOPHAGUS (C15)</b>	56	2.9	5.3
<b>STOMACH (C16)</b>	57	3.0	5.8
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	211	11.1	21.3
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	71	3.7	6.0
<b>PANCREAS (C25)</b>	113	5.9	9.7
<b>LARYNX (C32)</b>	6	3*	6*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	599	31.5	55.3
<b>SKIN (C43)</b>	23	1.2	1.5
<b>BREAST (C50)<sup>3</sup></b>	153	16.6	23.5
<b>CERVICAL (C53)<sup>3</sup></b>	14	1.5*	1.7*
<b>UTERINE (C54-C55)<sup>3</sup></b>	21	2.3	3.8
<b>OVARIAN (C56)<sup>3</sup></b>	47	5.1	7.6
<b>PROSTATE (C61)<sup>4</sup></b>	101	10.3	31.8
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	45	2.4	3.8
<b>BLADDER (C67)</b>	38	2.0	4.8
<b>BRAIN (C70-C72)</b>	54	2.8	3.7
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	200	10.5	19.2
<b>HODGKIN'S DISEASE (C81)</b>	6	3*	5*
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	85	4.5	8.0
<b>LEUKEMIA (C91-C95)</b>	67	3.5	6.7
<b>MULTIPLE MYELOMA (C88, C90)</b>	42	2.2	4.0
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	245	12.9	24.0
<b>BENIGN NEOPLASMS (D00-D48)</b>	46	2.4	5.3
<b>TOTAL DEATHS FOR ALL CAUSES</b>	8950	471.1	836.1

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\* Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11

## Cancer Deaths for Alaska

1999-2001

CAUSE OF DEATH	ALASKA DEATHS	ALASKA CRUDE RATE <sup>1</sup>	ALASKA AGE-ADJUSTED RATE <sup>2</sup>
<b>MALIGNANT NEOPLASMS (C00-C97)</b>	2010	106.9	197.8
<b>LIP, ORAL CAVITY, AND PHARYNX (C00-C14)</b>	43	2.3	3.9
<b>ESOPHAGUS (C15)</b>	51	2.7	4.5
<b>STOMACH (C16)</b>	56	3.0	5.8
<b>COLON, RECTUM, AND ANUS (C18-C21)</b>	203	10.8	22.4
<b>LIVER AND INTRAHEPATIC BILE DUCTS (C22)</b>	66	3.5	5.9
<b>PANCREAS (C25)</b>	111	5.9	10.7
<b>LARYNX (C32)</b>	6	3*	6*
<b>TRACHEA, BRONCHUS, AND LUNG (C33-C34)</b>	579	30.8	56.2
<b>SKIN (C43)</b>	18	1.0*	1.3*
<b>BREAST (C50)<sup>3</sup></b>	149	16.4	23.7
<b>CERVICAL (C53)<sup>3</sup></b>	14	1.5*	1.8*
<b>UTERINE (C54-C55)<sup>3</sup></b>	13	1.4*	2.3*
<b>OVARIAN (C56)<sup>3</sup></b>	37	4.1	6.4
<b>PROSTATE (C61)<sup>4</sup></b>	82	8.4	25.9
<b>KIDNEY AND RENAL PELVIS (C64-C65)</b>	49	2.6	4.5
<b>BLADDER (C67)</b>	35	1.9	5.0
<b>BRAIN (C70-C72)</b>	54	2.9	3.8
<b>LYMPHOID &amp; HEMATOPOIETIC (C81-C96)</b>	194	10.3	19.7
<b>HODGKIN'S DISEASE (C81)</b>	5	**	**
<b>NON-HODGKIN'S LYMPHOMA (C82-C85)</b>	78	4.1	7.7
<b>LEUKEMIA (C91-C95)</b>	66	3.5	6.9
<b>MULTIPLE MYELOMA (C88, C90)</b>	45	2.4	4.8
<b>ALL OTHER AND UNSPECIFIED CANCERS</b>	250	13.3	25.1
<b>BENIGN NEOPLASMS (D00-D48)</b>	54	2.9	6.6
<b>TOTAL DEATHS FOR ALL CAUSES</b>	8611	457.8	858.9

<sup>1</sup> Crude rates are per 100,000 population.

<sup>2</sup> Age-Adjusted rates are per 100,000 U.S. year 2000 standard population.

<sup>3</sup> Breast, cervical, uterine, and ovarian cancer rates per 100,000 female population.

<sup>4</sup> Prostate cancer rates per 100,000 male population.

\* Rates based on fewer than 20 occurrences are statistically unreliable and should be used with caution.

\*\*Rates based on fewer than 6 occurrences are not reported.

[The Alaska Bureau of Vital Statistics](#)

Last updated: 10/27/11