

Alcohol Use – Binge Drinking

2000

| | n | % | N | 95% CI |
|-----------------------------|------------|-------------|--------------|------------------|
| Gender | | | | |
| Male | 273 | 28.4 | 988 | 24.5-33.1 |
| Female | 108 | 9.7 | 1,095 | 7.2-12.4 |
| Race | | | | |
| Native (any mention) | 82 | 20 | 377 | 14.6-26.0 |
| Non-Native | 299 | 19.6 | 1,672 | 16.7-22.5 |
| Total | 381 | 19.7 | 2,049 | 17.0-22.4 |
| Age | | | | |
| 18-24 | 63 | 39 | 200 | 28.5-49.9 |
| 25-34 | 104 | 25 | 413 | 19.4-31.5 |
| 35-44 | 123 | 19.3 | 572 | 15.2-24.1 |
| 45-54 | 62 | 15 | 482 | 10.1-20.7 |
| 55-64 | 19 | 6 | 213 | 2.9-9.7 |
| 65+ | 10 | 4 | 191 | 1.2-6.0 |
| Education | | | | |
| Some H.S. | 28 | 22 | 164 | 11.3-32.6 |
| H.S. Grad or GED | 137 | 23.2 | 678 | 18.4-29.1 |
| Some College or Tech School | 120 | 19.7 | 619 | 15.3-24.2 |
| College Grad | 96 | 15.2 | 619 | 11.3-19.5 |
| Income | | | | |
| < \$15,000 | 32 | 21 | 170 | 6.7-36.0 |
| 15,000-24,999 | 50 | 19 | 312 | 12.4-25.9 |
| 25,000-49,999 | 128 | 21.1 | 638 | 16.6-25.6 |
| 50,000-74,999 | 83 | 18 | 372 | 11.9-23.0 |
| > 75,000 | 83 | 22 | 408 | 15.8-27.1 |

2001

| | n | % | N | 95% CI |
|-----------------------------|------------|-------------|--------------|------------------|
| Gender | | | | |
| Male | 331 | 24.8 | 1,325 | 21.3-28.7 |
| Female | 157 | 11.0 | 1,487 | 8.5-14.2 |
| Race | | | | |
| Native (any mention) | 130 | 25.1 | 610 | 19.1-31.2 |
| Non-Native | 358 | 16.7 | 2,226 | 14.2-19.8 |
| Total | 488 | 18.2 | 2,836 | 15.9-20.6 |
| Age | | | | |
| 18-24 | 82 | 27 | 293 | 20.6-34.1 |
| 25-34 | 120 | 27 | 498 | 20.9-34.8 |
| 35-44 | 142 | 20.6 | 738 | 16.6-25.3 |
| 45-54 | 93 | 11.4 | 679 | 8.7-14.8 |
| 55-64 | 26 | 6 | 342 | 3.5-10.1 |
| 65+ | 19 | 7 | 228 | 3.6-12.2 |
| Education | | | | |
| Some H.S. | 40 | 18 | 230 | 12.4-25.3 |
| H.S. Grad or GED | 182 | 19.0 | 887 | 15.5-23.2 |
| Some College or Tech School | 156 | 20.8 | 867 | 16.3-26.1 |
| College Grad | 110 | 14.4 | 824 | 11.1-18.4 |
| Income | | | | |
| < \$15,000 | 43 | 16 | 249 | 10.9-22.9 |
| 15,000-24,999 | 83 | 18 | 422 | 13.6-23.7 |
| 25,000-49,999 | 144 | 18.0 | 820 | 13.4-22.6 |
| 50,000-74,999 | 96 | 23.2 | 521 | 17.9-29.9 |
| > 75,000 | 89 | 17.5 | 538 | 13.0-23.1 |

Risk Factors

n = Number of respondents who have had 5 or more drinks on one or more occasions in the past 30 days.

% = This is a weighted (adjusted) percentage of the state population (adult) at risk in this demographic subgroup, based on the survey data.

N = Total number of respondents in this subgroup.

95% CI = 95% Confidence Interval; the range of values within which the true value of a prevalence estimate would be expected to fall within, 95% of the time.