

Table 105-0070 1,2,3,7,8

Suicidal thoughts and attempts, by age group and sex, household population aged 15 and over, selected provinces, territories and health regions (January 2000 boundaries), every 2 years

Survey or program details:

Canadian Community Health Survey - 3226

Geography^{3,7,8}=Yukon Territory [60]

| Age group | Sex | Suicidal thoughts and attempts ^{2,3} | Characteristics 4,5,6,13 | 2000/200 |
|--------------------------|------------|---|--------------------------|----------|
| | | Total, suicidal thoughts and attempts | Number of persons | 20,68 |
| | | Total, suicidal thoughts and attempts | Percent | 100. |
| | Both sexes | Suicide considered in most 42 months | Number of persons | 502 |
| | | Suicide, considered in past 12 months | Percent | 2.4 |
| | | Suicide, attempted in past 12 months | Number of persons | |
| | | | Percent | |
| | | Suicide, never contemplated | Number of persons | 19,00 |
| | | | Percent | 91. |
| | | Onicidal the combined and attenuate and attenuate | Number of persons | 1,061 |
| | | Suicidal thoughts and attempts, not stated | Percent | 5.1 |
| | | | Number of persons | 11,02 |
| | | Total, suicidal thoughts and attempts | Percent | 100. |
| | | | Number of persons | 295 |
| | | Suicide, considered in past 12 months | Percent | 2.7 |
| | | | Number of persons | 2.7 |
| Total, 15 years and over | Males | Suicide, attempted in past 12 months | Percent | |
| | | | Number of persons | 9,96 |
| | | Suicide, never contemplated | Percent | 90. |
| | | Suicidal thoughts and attempts, not stated | Number of persons | 692 |
| | | | Percent | 6.3 |
| | Females | Total, suicidal thoughts and attempts | Number of persons | 9,66 |
| | | | Percent | 100. |
| | | Cuisida comeidanadin mast 40 mantha | Number of persons | |
| | | Suicide, considered in past 12 months | Percent | |
| | | Suicide, attempted in past 12 months | Number of persons | |
| | | | Percent | |
| | | Suicide, never contemplated | Number of persons | 9,04 |
| | | | Percent | 93 |
| | | Suicidal thoughts and attempts, not stated | Number of persons | 369 |
| | | | Percent | 3.8 |
| | Both sexes | Total, suicidal thoughts and attempts | Number of persons | 1,99 |
| | | | Percent | 100. |
| | | Suicide, considered in past 12 months | Number of persons | |
| | | | Percent | |
| | | Suicide, attempted in past 12 months | Number of persons | |
| | | | Percent | |
| | | Suicide, never contemplated | Number of persons | 1,76 |
| | | | Percent | 88. |
| | | Suicidal thoughts and attempts, not stated | Number of persons | |
| | | | Percent | |
| | | Total, suicidal thoughts and attempts | Number of persons | 1,32 |
| | | | Percent | 100. |

| 1 | 1 | 1 | Number of persons | F |
|----------------|-------------|--|-------------------|------------------|
| | | Suicide, considered in past 12 months | Percent | F |
| | | | Number of persons | <u>'</u> F |
| | | Suicide, attempted in past 12 months | Percent | |
| | Males | | Number of persons | 1,190 |
| | | Suicide, never contemplated | Percent | 89.6 |
| | | | | 69.6 F |
| | | Suicidal thoughts and attempts, not stated | Number of persons | |
| | | | Percent | F |
| 15 to 19 years | | Total, suicidal thoughts and attempts | Number of persons | 669 ^E |
| | | - | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | | , | Percent | F |
| | Females | Suicide, attempted in past 12 months | Number of persons | F |
| | . c.iiaies | Caronac, anompres in pace 12 incline | Percent | F |
| | | Suicide, never contemplated | Number of persons | 571 ^E |
| | | outdue, never contemplated | Percent | 85.3 |
| | | Collected the country and attenuate and attenuate | Number of persons | F |
| | L | Suicidal thoughts and attempts, not stated | Percent | F |
| | † | Tatal aniaidal the such to an United States | Number of persons | 5,272 |
| | | Total, suicidal thoughts and attempts | Percent | 100.0 |
| | | Chinida annoideach in mart 40 mantha | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| | Dath assess | Chinida attanuntadin maat 40 maantka | Number of persons | F |
| | Both sexes | Suicide, attempted in past 12 months | Percent | F |
| | | | Number of persons | 4,907 |
| | | Suicide, never contemplated | Percent | 93.1 |
| | | C.:::::::::::::::::::::::::::::::::::: | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | | Total aviolate the contract and attenuate | Number of persons | 2,632 |
| | | Total, suicidal thoughts and attempts | Percent | 100.0 |
| | | Chinida annoideach in mart 40 mantha | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| 20 40 24 22070 | Malaa | Suiside ettermeted in most 12 months | Number of persons | F |
| 20 to 34 years | Males | Suicide, attempted in past 12 months | Percent | F |
| | | Suicide, never contemplated | Number of persons | 2,361 |
| | | | Percent | 89.7 |
| | | Code interest to the second of | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | Females | Total, suicidal thoughts and attempts | Number of persons | 2,640 |
| | | | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | | | Percent | F |
| | | Suicide, attempted in past 12 months | Number of persons | F |
| | | | Percent | F |
| | | Suicide, never contemplated | Number of persons | 2,546 |
| | | outdide, hever contemplated | Percent | 96.4 |
| | | Suicidal thoughts and attempts, not stated | Number of persons | F |
| | | outordar triougrits and attempts, not stated | Percent | F |
| | | Total, suicidal thoughts and attempts | Number of persons | 5,149 |
| | | . o.a., oaloida allougino allu attempto | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | Both sexes | Suicide, considered in past 12 months | Percent | F |
| | | Suicide, attempted in past 12 months | Number of persons | F |
| | | | Percent | F |
| | | Suicide, never contemplated | Number of persons | 4,691 |
| | | | Percent | 91.1 |
| | | | Number of persons | F |
| • | • | • | | |

| | | Suicidal thoughts and attempts, not stated | Percent | F |
|----------------|------------|---|-------------------|--------|
| | | | Number of persons | 2,519 |
| | | Total, suicidal thoughts and attempts | Percent | 100.0 |
| | | | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| | | | | |
| | Males | Suicide, attempted in past 12 months | Number of persons | F |
| | | | Percent | F |
| | | Suicide, never contemplated | Number of persons | 2,235 |
| | | Juicide, never contemplated | Percent | 88.8 |
| | | | Number of persons | F |
| 35 to 44 years | | Suicidal thoughts and attempts, not stated | Percent | F |
| oo to 11 youro | | | Number of persons | 2,630 |
| | | Total, suicidal thoughts and attempts | | |
| | | | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | | Caronac , Caronac in Pact 12 inclinic | Percent | F |
| | ļ | 0.1-11 | Number of persons | F |
| | Females | Suicide, attempted in past 12 months | Percent | F |
| | | | Number of persons | 2,455 |
| | | Suicide, never contemplated | | |
| | | | Percent | 93.4 |
| | | Suicidal thoughts and attempts, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total suicidal thoughts and attampts | Number of persons | 6,818 |
| | | Total, suicidal thoughts and attempts | Percent | 100.0 |
| | | | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| | | | | |
| | Both sexes | Suicide, attempted in past 12 months | Number of persons | F |
| | | , , | Percent | F |
| | | Suiside never centempleted | Number of persons | 6,256 |
| | | Suicide, never contemplated | Percent | 91.8 |
| | | | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | | | | |
| | | Total, suicidal thoughts and attempts | Number of persons | 3,809 |
| | | | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | | outoide, considered in past 12 months | Percent | F |
| | Males | | Number of persons | F |
| 45 to 64 years | | Suicide, attempted in past 12 months | Percent | F |
| | | | Number of persons | 3,504 |
| | | Suicide, never contemplated | Percent | |
| | | | | 92.0 |
| | | Suicidal thoughts and attempts, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total, suicidal thoughts and attempts | Number of persons | 3,009 |
| | | | Percent | 100.0 |
| | | | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| | | | | |
| | | Suicide, attempted in past 12 months | Number of persons | F |
| | | - | Percent | F |
| | | Suicide never contemplated | Number of persons | 2,753 |
| | | Suicide, never contemplated | Percent | 91.5 |
| | | | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | | | Number of persons | 1,449 |
| | | Total, suicidal thoughts and attempts | | |
| | Bath savas | , | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | Dett. ac. | Suicide, considered in past 12 months | | |
| | Both sexes | Suicide, considered in past 12 months | Percent | F |
| | Both sexes | | | |
| | Both sexes | Suicide, considered in past 12 months Suicide, attempted in past 12 months | Percent | F F |

| 1 | | | | |
|-------------------|---------|---|-------------------|-------|
| | | Suicide, never contemplated | Number of persons | 1,386 |
| | | Suicide, never contemplated | Percent | 95.7 |
| | | 0.1:11-14 | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | | Total, suicidal thoughts and attempts | Number of persons | 732 |
| | | | Percent | 100.0 |
| | | Cuiside considered in most 40 months | Number of persons | F |
| | | Suicide, considered in past 12 months | Percent | F |
| | Malaa | Cuiside attenuated in west 40 menths | Number of persons | F |
| | Males | Suicide, attempted in past 12 months | Percent | F |
| | | Cuiside mayor contampleted | Number of persons | 669 |
| CE was and awar | | Suicide, never contemplated | Percent | 91.5 |
| 65 years and over | | Cuinidal the contra and attenuate and atten | Number of persons | F |
| | | Suicidal thoughts and attempts, not stated | Percent | F |
| | | Total, suicidal thoughts and attempts | Number of persons | 717 |
| | | | Percent | 100.0 |
| | | Suicide, considered in past 12 months | Number of persons | F |
| | | | Percent | F |
| | Females | 0.111 | Number of persons | F |
| | remaies | Suicide, attempted in past 12 months | Percent | F |
| | | Suicide, never contemplated | Number of persons | 717 |
| | | | Percent | 100.0 |
| | | Suicidal thoughts and attempts, not stated | Number of persons | F |
| | | | Percent | F |

Symbol legend:

E Use with caution

F Too unreliable to be published

Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
- 2. Population 15 and over who reported on suicidal thoughts or attempts in the 12 months preceding the survey.
- 3. Provincial estimates were given only for those provinces in which survey respondents in all health regions answered the "Suicidal thoughts and attempts" module.
- 4. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- 6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
- 7. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
- 8. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
- **13.** The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

Source: Statistics Canada. *Table 105-0070 - Suicidal thoughts and attempts, by age group and sex, household population aged 15 and over, selected provinces, territories and health regions (January 2000 boundaries), every 2 years*, CANSIM (database). http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?

Lang=E& CANSIMFile=CII\CII_1_E.htm& RootDir=CII/

(accessed: October 1, 2008)

Printer-friendly format

Date modified: 2007-07-20