

Table 105-0054 [1,2,3,7,8](#)

Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography [7,8](#) = Health Labrador Corporation, Newfoundland and Labrador (Peer group F) [1006]

Age group	Sex	Use of alternative tobacco products <a href="#">2,3</a>	Characteristics <a href="#">4,5,6,20</a>	2000/2001
Total, 12 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	20,151
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,108 <sup>E</sup>
			Percent	5.5 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	19,005
			Percent	94.3
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	10,335
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,033 <sup>E</sup>
			Percent	10.0 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	9,301
			Percent	90.0
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	9,816
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	9,704
			Percent	98.9
12 to 19 years	Both sexes	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	3,172
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
	Males	Alternative tobacco products, not used	Number of persons	3,059
			Percent	96.5
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	1,583
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,509
			Percent	95.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
			Number of persons	1,589

	Females	Total, use of alternative tobacco products	Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,551
			Percent	97.6
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
20 to 34 years	Both sexes	Total, use of alternative tobacco products	Number of persons	5,839
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	5,453
			Percent	93.4
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	2,891
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
	Females	Alternative tobacco products, not used	Number of persons	2,505
			Percent	86.7
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
35 to 44 years	Both sexes	Total, use of alternative tobacco products	Number of persons	2,948
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,948
			Percent	100.0
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	2,158
			Percent	100.0
	Females	Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,801
			Percent	83.5
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	1,968
			Percent	100.0
	Females	Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,930
			Percent	98.1
		Alternative tobacco products, not stated	Number of persons	F

			Percent	F
45 to 64 years	Both sexes	Total, use of alternative tobacco products	Number of persons	5,972
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	5,719
			Percent	95.8
	Males	Total, use of alternative tobacco products	Number of persons	F
			Percent	F
		Alternative tobacco products, used	Number of persons	3,182
			Percent	100.0
		Alternative tobacco products, not used	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	2,966
			Percent	93.2
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,790
			Percent	100.0
65 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	F
			Percent	F
		Alternative tobacco products, used	Number of persons	1,043
			Percent	100.0
		Alternative tobacco products, not used	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	F
			Percent	F
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	F
			Percent	F
		Alternative tobacco products, used	Number of persons	522
			Percent	100.0
		Alternative tobacco products, not used	Number of persons	F
			Percent	F

**Symbol legend:**

<sup>E</sup> Use with caution

<sup>F</sup> Too unreliable to be published

## Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
2. Population aged 12 and over who reported on use of alternative tobacco products.
3. Alternative tobacco products included cigars, pipes, snuff and chewing tobacco.
4. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
7. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
8. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
20. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

**Source:** Statistics Canada. *Table 105-0054 - Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years, CANSIM (database).*

<http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?>

[Lang=E&CANSIMFile=CII\CII\\_1\\_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)

(accessed: October 1, 2008)

[Printer-friendly format](#)