

Table 105-0055^{1,2,3,4,8,9}

Smoking cessation aids, by age group and sex, household population aged 12 and over, selected provinces, territories and health regions (January 2000 boundaries), every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography^{4,8,9}=Northwest Territories [61]

Age group	Sex	Smoking cessation aids ^{2,3,4}	Characteristics ^{5,6,7,15}	2000/2001
Total, 12 years and over	Both sexes	Total, smoking cessation aids	Number of persons	16,077
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	622 ^E
			Percent	3.9 ^E
		Smoking cessation aids used, tried to quit	Number of persons	1,672
			Percent	10.4
		Smoking cessation aids not used, tried to quit	Number of persons	4,476
			Percent	27.8
		Current smoker, no attempt to quit	Number of persons	7,274
			Percent	45.2
		Smoking cessation aids, not stated	Number of persons	1,926
			Percent	12.0
	Males	Total, smoking cessation aids	Number of persons	8,423
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	609
			Percent	7.2
		Smoking cessation aids not used, tried to quit	Number of persons	2,119
			Percent	25.2
		Current smoker, no attempt to quit	Number of persons	3,957
			Percent	47.0
		Smoking cessation aids, not stated	Number of persons	1,379
			Percent	16.4
	Females	Total, smoking cessation aids	Number of persons	7,653
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	1,063
			Percent	13.9
		Smoking cessation aids not used, tried to quit	Number of persons	2,357
			Percent	30.8
			Number of persons	3,317

12 to 19 years		Current smoker, no attempt to quit	Percent	43.3
		Smoking cessation aids, not stated	Number of persons	547 ^E
			Percent	7.1 ^E
	Both sexes	Total, smoking cessation aids	Number of persons	1,944
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	586 ^E
			Percent	30.1
		Current smoker, no attempt to quit	Number of persons	642 ^E
			Percent	33.1
		Smoking cessation aids, not stated	Number of persons	427 ^E
			Percent	22.0 ^E
	Males	Total, smoking cessation aids	Number of persons	1,062
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	341 ^E
			Percent	32.1
		Current smoker, no attempt to quit	Number of persons	326 ^E
			Percent	30.7
		Smoking cessation aids, not stated	Number of persons	312 ^E
			Percent	29.4 ^E
	Females	Total, smoking cessation aids	Number of persons	882
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	F
			Percent	F
		Current smoker, no attempt to quit	Number of persons	F
			Percent	F
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
		Total, smoking cessation aids	Number of persons	6,194
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F

20 to 34 years

20 to 34 years	Both sexes	Smoking cessation aids used, tried to quit	Number of persons	524 ^E
			Percent	8.5 ^E
		Smoking cessation aids not used, tried to quit	Number of persons	2,252
			Percent	36.4
		Current smoker, no attempt to quit	Number of persons	2,591
			Percent	41.8
	Males	Smoking cessation aids, not stated	Number of persons	608
			Percent	9.8
		Total, smoking cessation aids	Number of persons	3,293
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	1,105
			Percent	33.6
	Females	Current smoker, no attempt to quit	Number of persons	1,463
			Percent	44.4
		Smoking cessation aids, not stated	Number of persons	466 ^E
			Percent	14.1
		Total, smoking cessation aids	Number of persons	2,901
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	1,147
			Percent	39.5
		Current smoker, no attempt to quit	Number of persons	1,128
			Percent	38.9
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
	Both sexes	Total, smoking cessation aids	Number of persons	4,132
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	410 ^E
			Percent	9.9 ^E
		Smoking cessation aids not used, tried to quit	Number of persons	1,076
			Percent	26.1
		Current smoker, no attempt to quit	Number of persons	2,026
			Percent	49.0
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
		Total, smoking cessation aids	Number of persons	2,035

35 to 44 years	Males		Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	447 ^E
			Percent	22.0 ^E
	Females	Current smoker, no attempt to quit	Number of persons	1,126
			Percent	55.3
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
		Total, smoking cessation aids	Number of persons	2,097
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
45 to 64 years	Both sexes	Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	629 ^E
			Percent	30.0
		Current smoker, no attempt to quit	Number of persons	900
			Percent	42.9
	Males	Smoking cessation aids, not stated	Number of persons	F
			Percent	F
		Total, smoking cessation aids	Number of persons	3,395
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	482 ^E
			Percent	14.2 ^E
		Smoking cessation aids not used, tried to quit	Number of persons	478 ^E
			Percent	14.1 ^E
		Current smoker, no attempt to quit	Number of persons	1,767
			Percent	52.0
		Smoking cessation aids, not stated	Number of persons	476 ^E
			Percent	14.0 ^E

		Current smoker, no attempt to quit	Number of persons	886
			Percent	50.4
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
	Females	Total, smoking cessation aids	Number of persons	1,637
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	258 ^E
			Percent	15.8 ^E
		Smoking cessation aids not used, tried to quit	Number of persons	291 ^E
			Percent	17.8 ^E
		Current smoker, no attempt to quit	Number of persons	881
			Percent	53.8
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
65 years and over	Both sexes	Total, smoking cessation aids	Number of persons	412 ^E
			Percent	100.0
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	F
			Percent	F
		Current smoker, no attempt to quit	Number of persons	F
			Percent	F
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
	Males	Total, smoking cessation aids	Number of persons	F
			Percent	F
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	F
			Percent	F
		Current smoker, no attempt to quit	Number of persons	F
			Percent	F
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F
		Total, smoking cessation aids	Number of persons	F
			Percent	F
		Smoking cessation aids used, former smoker	Number of persons	F
			Percent	F
		Smoking cessation aids not used, former smoker	Number of persons	F

	Females		Percent	F
		Smoking cessation aids used, tried to quit	Number of persons	F
			Percent	F
		Smoking cessation aids not used, tried to quit	Number of persons	F
			Percent	F
		Current smoker, no attempt to quit	Number of persons	F
			Percent	F
		Smoking cessation aids, not stated	Number of persons	F
			Percent	F

Symbol legend:

- E Use with caution
- F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
2. Population 12 and over who reported on use of smoking cessation aids. Asked only of current or former, or daily or occasional smokers. Former smokers included only those who quit in the 12 months prior to the survey.
3. Smoking cessation aids included the nicotine patch, Nicorettes, or other nicotine gum or candy.
4. Provincial estimates were given only for those provinces in which survey respondents in all health regions answered the "Smoking cessation aids" module.
5. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
6. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
7. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
8. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
9. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
15. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

Source: Statistics Canada. *Table 105-0055 - Smoking cessation aids, by age group and sex, household population aged 12 and over, selected provinces, territories and health regions (January 2000 boundaries), every 2 years, CANSIM (database).*

http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/
(accessed: September 29, 2008)

[Printer-friendly format](#)