

Table 105-00691,2,6,7

Blood pressure check, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - 3226

Geography^{6,7}=Northwest Territories [61]

Age group	Sex	Blood pressure check ²	Characteristics 3,4,5,19	2000/200 ⁻
		Total blood process obselv	Number of persons	32,49
		Total, blood pressure check	Percent	100.0
		Pland wassers shock within most 42 months	Number of persons	20,093
	Both sexes	Blood pressure check, within past 12 months	Percent	61.8
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	3,993
			Percent	12.3
		District the second sec	Number of persons	4,014
		Blood pressure check, 2 or more years ago	Percent	12.
		Diagd wassers shook ways	Number of persons	3,20
		Blood pressure check, never	Percent	9.
		Blood announce shoots and stated	Number of persons	1,19
		Blood pressure check, not stated	Percent	3.
		Total blood massure shoot	Number of persons	16,84
		Total, blood pressure check	Percent	100.
		Blood was shook within next 40 weaths	Number of persons	8,88
		Blood pressure check, within past 12 months	Percent	52.
		Block and the state of the stat	Number of persons	2,67
	Males	Blood pressure check, 1 year to less than 2 years ago	Percent	15.
Total, 12 years and over		Blood on the land	Number of persons	2,60
		Blood pressure check, 2 or more years ago	Percent	15.
		Blood pressure check, never	Number of persons	2,12
			Percent	12.
		Blood pressure check, not stated	Number of persons	551
			Percent	3.3
 -	Females	Total, blood pressure check	Number of persons	15,65
			Percent	100.
		Blood pressure check, within past 12 months	Number of persons	11,20
			Percent	71.
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	1,31
			Percent	8.
			Number of persons	1,40
		Blood pressure check, 2 or more years ago	Percent	9.
			Number of persons	1,07
		Blood pressure check, never	Percent	6.
			Number of persons	64
		Blood pressure check, not stated	Percent	4.
	 	Total, blood pressure check	Number of persons	5,33
			Percent	100.
			Number of persons	2,05

1	1	Blood pressure check, within past 12 months	Percent	38.5
			Number of persons	465 ^E
		Blood pressure check, 1 year to less than 2 years ago	Percent	8.7 ^E
		Blood pressure check, 2 or more years ago	Number of persons	459 ^E
	Both sexes		Percent	8.6 ^E
		Blood pressure check, never	Number of persons	1,762
		Blood pressure check, never	Percent	33.0
		Blood pressure check, not stated	Number of persons	600
		production, not stated	Percent	11.2
		Total, blood pressure check	Number of persons	2,899
		,	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	1,105
		, , , , , , , , , , , , , , , , , , ,	Percent	38.1
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	287 ^E
	Males	Discu procedio chock, rysai to 1955 than 2 yours ago	Percent	9.9 ^E
101.10	Iviales	Blood wassering shock 2 or more very one	Number of persons	300 ^E
12 to 19 years		Blood pressure check, 2 or more years ago	Percent	10.4 ^E
			Number of persons	1,126
		Blood pressure check, never	Percent	38.8
		Diagd wrong about not stated	Number of persons	F
		Blood pressure check, not stated	Percent	F
		Total blood process chock	Number of persons	2,438
		Total, blood pressure check	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	948
		Blood pressure check, within past 12 months	Percent	38.9
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
	Females	blood pressure check, i year to less than 2 years ago	Percent	F
	remaies	Blood pressure check, 2 or more years ago	Number of persons	F
		Blood pressure effects, 2 of filere years ago	Percent	F
		Blood pressure check, never	Number of persons	636
		2.000 p. 000 a.o. o.i. o.i. o.i.	Percent	26.1
		Blood pressure check, not stated	Number of persons	518
			Percent	21.2
		Total, blood pressure check	Number of persons	10,430
			Percent	100.0
	Both sexes	Blood pressure check, within past 12 months	Number of persons	5,919
		, , , , , , , , , , , , , , , , , , , ,	Percent	56.8
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	1,422
			Percent	13.6
		Blood pressure check, 2 or more years ago	Number of persons	1,933
			Percent	18.5
		Blood pressure check, never	Number of persons Percent	1,017 9.8
			Number of persons	9.8 F
		Blood pressure check, not stated	Percent	F
			Number of persons	5,125
		Total, blood pressure check	Percent	100.0
			Number of persons	1,938
		Blood pressure check, within past 12 months	Percent	37.8
			Number of persons	1,012
		Blood pressure check, 1 year to less than 2 years ago	Percent	19.7
		 		10.7

1	I	L	Number of persons	1,395
20 to 34 years		Blood pressure check, 2 or more years ago	Percent	27.2
			Number of persons	642
	Males	Blood pressure check, never	Percent	12.5
			Number of persons	F
		Blood pressure check, not stated	Percent	F
			Number of persons	5,305
		Total, blood pressure check	Percent	100.0
	Females		Number of persons	3,981
		Blood pressure check, within past 12 months	Percent	75.0
			Number of persons	410 ^E
		Blood pressure check, 1 year to less than 2 years ago		
			Percent	7.7 ^E
		Blood pressure check, 2 or more years ago	Number of persons	538 ^E
		Blood pressure check, 2 or more years ago	Percent	10.1 ^E
		Blood wrocown shock moves	Number of persons	F
		Blood pressure check, never	Percent	F
		Blood announce should not stated	Number of persons	F
		Blood pressure check, not stated	Percent	F
	1		Number of persons	7,710
		Total, blood pressure check	Percent	100.0
			Number of persons	5,162
		Blood pressure check, within past 12 months	Percent	67.0
			Number of persons	1,259 ^E
		Blood pressure check, 1 year to less than 2 years ago	Percent	16.3
	Both sexes		Number of persons	1,043 ^E
		Blood pressure check, 2 or more years ago		
			Percent	13.5 ^E
		Blood pressure check, never	Number of persons	F
		· ·	Percent	F
		Blood pressure check, not stated	Number of persons	F
		brood prosoure check, not stated	Percent	F
		Total, blood pressure check	Number of persons	3,981
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	2,418
			Percent	60.7
35 to 44 years		Blood pressure check, 1 year to less than 2 years ago	Number of persons	729
	Males	blood pressure effects, 1 year to less than 2 years ago	Percent	18.3
	Maics	Blood pressure check, 2 or more years ago	Number of persons	611 ^E
		Picou pressure oneon, 2 or more years ago	Percent	15.4 ^E
			Number of persons	F
		Blood pressure check, never	Percent	F
			Number of persons	F
		Blood pressure check, not stated	Percent	F
	Females		Number of persons	3,729
		Total, blood pressure check	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	2,744
			Percent	73.6
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	530 ^E
			Percent	
				14.2 ^E
		Blood pressure check, 2 or more years ago	Number of persons	432 ^E
			Percent	11.6 ^E
I				

		Brown and all and an area	Number of persons	F
		Blood pressure check, never	Percent	F
			Number of persons	F
		Blood pressure check, not stated	Percent	F
	1		Number of persons	7,344
		Total, blood pressure check	Percent	100.0
		Plead proceure shock within past 12 months	Number of persons	5,545
		Blood pressure check, within past 12 months	Percent	75.5
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	812 ^E
			Percent	11.1 ^E
	Both sexes	Blood pressure check, 2 or more years ago	Number of persons	536 ^E
			Percent	7.3 ^E
			Number of persons	F
		Blood pressure check, never	Percent	F
			Number of persons	F
		Blood pressure check, not stated	Percent	F
			Number of persons	4,021
		Total, blood pressure check	Percent	100.0
			Number of persons	2,785
		Blood pressure check, within past 12 months	Percent	69.3
			Number of persons	614 ^E
45 to 64 years		Blood pressure check, 1 year to less than 2 years ago	Percent	15.3 ^E
13 to 04 years	Males		Number of persons	F
		Blood pressure check, 2 or more years ago	Percent	F
			Number of persons	F
		Blood pressure check, never	Percent	F
		Blood pressure check, not stated	Number of persons	F
			Percent	F
		Total, blood pressure check	Number of persons	3,323
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	2,759
			Percent	83.0
	Females	Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
			Percent	F
		Blood pressure check, 2 or more years ago	Number of persons	F
			Percent	F
		Blood pressure check, never	Number of persons	F
			Percent	F
		Blood pressure check, not stated	Number of persons	F
	<u> </u>	·	Percent	4 07E
		Total, blood pressure check	Number of persons Percent	1,675
			Number of persons	100.0 1,414
		Blood pressure check, within past 12 months	Percent	84.4
			Number of persons	64.4 F
		Blood pressure check, 1 year to less than 2 years ago	Percent	- · F
	Both sexes	Blood pressure check, 2 or more years ago	Number of persons	 F
			Percent	 F
		Blood pressure check, never	Number of persons	F
			Percent	F
		Disadamas abada atau tata	Number of persons	F
1		Blood pressure check, not stated		

	1	1	Percent	F
	Males	Total, blood pressure check	Number of persons	820
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	639
			Percent	77.9
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
			Percent	F
		Blood annual shorts 0 annual shorts	Number of persons	F
		Blood pressure check, 2 or more years ago	Percent	F
		Blood account shoots account	Number of persons	F
		Blood pressure check, never	Percent	F
		Blood pressure check, not stated	Number of persons	F
65 years and over			Percent	F
	Females	Total, blood pressure check	Number of persons	855
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	775
			Percent	90.6
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
			Percent	F
		Blood pressure check, 2 or more years ago	Number of persons	F
			Percent	F
		Blood pressure check, never	Number of persons	F
			Percent	F
		Blood pressure check, not stated	Number of persons	F
			Percent	F

Symbol legend:

E Use with caution

F Too unreliable to be published

Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
- 2. Population aged 12 and over who reported on when they last had their blood pressure checked.
- 3. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 4. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- 5. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
- **6.** Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
- 7. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
- **19.** The following standard symbols are used in this Statistics Canada table: (...) for figures not available for a specific reference period and (...) for figures not applicable.

Source: Statistics Canada. *Table 105-0069 - Blood pressure check, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years*, CANSIM (database). http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?

Lang=E& CANSIMFile=CII\CII_1_E.htm& RootDir=CII/

(accessed: October 1, 2008)

Printer-friendly format

Date modified: 2007-07-20