

Table 105-0054 [1,2,3,7,8](#)

Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography [7,8](#) = Yukon Territory [60]

Age group	Sex	Use of alternative tobacco products 2,3	Characteristics 4,5,6,20	2000/2001
Total, 12 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	24,937
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,864
			Percent	7.5
		Alternative tobacco products, not used	Number of persons	23,074
			Percent	92.5
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	12,672
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,550
			Percent	12.2
		Alternative tobacco products, not used	Number of persons	11,121
			Percent	87.8
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	12,266
			Percent	100.0
		Alternative tobacco products, used	Number of persons	313 ^E
			Percent	2.6 ^E
		Alternative tobacco products, not used	Number of persons	11,953
			Percent	97.4
12 to 19 years	Both sexes	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	3,726
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
	Males	Alternative tobacco products, not used	Number of persons	3,523
			Percent	94.6
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	1,939
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,797
			Percent	92.7
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
			Number of persons	1,787

	Females	Total, use of alternative tobacco products	Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,726
			Percent	96.6
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
20 to 34 years	Both sexes	Total, use of alternative tobacco products	Number of persons	5,897
			Percent	100.0
		Alternative tobacco products, used	Number of persons	680 ^E
			Percent	11.5 ^E
		Alternative tobacco products, not used	Number of persons	5,217
			Percent	88.5
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	2,917
			Percent	100.0
		Alternative tobacco products, used	Number of persons	543 ^E
			Percent	18.6 ^E
		Alternative tobacco products, not used	Number of persons	2,374
			Percent	81.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	2,980
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,842
			Percent	95.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
35 to 44 years	Both sexes	Total, use of alternative tobacco products	Number of persons	6,112
			Percent	100.0
		Alternative tobacco products, used	Number of persons	467 ^E
			Percent	7.6 ^E
		Alternative tobacco products, not used	Number of persons	5,645
			Percent	92.4
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	2,995
			Percent	100.0
		Alternative tobacco products, used	Number of persons	414 ^E
			Percent	13.8 ^E
		Alternative tobacco products, not used	Number of persons	2,582
			Percent	86.2
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	3,117
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	3,063
			Percent	98.3

		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
45 to 64 years	Both sexes	Total, use of alternative tobacco products	Number of persons	7,603
			Percent	100.0
		Alternative tobacco products, used	Number of persons	474 ^E
			Percent	6.2 ^E
		Alternative tobacco products, not used	Number of persons	7,129
			Percent	93.8
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	4,031
			Percent	100.0
		Alternative tobacco products, used	Number of persons	412 ^E
			Percent	10.2 ^E
		Alternative tobacco products, not used	Number of persons	3,619
			Percent	89.8
	Females	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	3,572
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	3,510
			Percent	98.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
65 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	1,600
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,559
			Percent	97.5
	Males	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	789
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	749
			Percent	94.9
	Females	Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	811
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	811
			Percent	100.0
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F

Symbol legend:

^E Use with caution

F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
2. Population aged 12 and over who reported on use of alternative tobacco products.
3. Alternative tobacco products included cigars, pipes, snuff and chewing tobacco.
4. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
7. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
8. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
20. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

Source: Statistics Canada. *Table 105-0054 - Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years, CANSIM (database).*

<http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?>

[Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)

(accessed: October 1, 2008)

[Printer-friendly format](#)