

Table 105-0054<sup>1,2,3,7,8</sup>

Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography<sup>7,8</sup>=Northwest Territories [61]

Age group	Sex	Use of alternative tobacco products <sup>2,3</sup>	Characteristics <sup>4,5,6,20</sup>	2000/2001
Total, 12 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	32,496
			Percent	100.0
		Alternative tobacco products, used	Number of persons	3,381
			Percent	10.4
		Alternative tobacco products, not used	Number of persons	29,115
			Percent	89.6
	Males	Total, use of alternative tobacco products	Number of persons	16,846
			Percent	100.0
		Alternative tobacco products, used	Number of persons	2,692
			Percent	16.0
		Alternative tobacco products, not used	Number of persons	14,154
			Percent	84.0
	Females	Total, use of alternative tobacco products	Number of persons	15,650
			Percent	100.0
		Alternative tobacco products, used	Number of persons	689
			Percent	4.4
		Alternative tobacco products, not used	Number of persons	14,961
			Percent	95.6
12 to 19 years	Both sexes	Total, use of alternative tobacco products	Number of persons	5,337
			Percent	100.0
		Alternative tobacco products, used	Number of persons	354 <sup>E</sup>
			Percent	6.6 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	4,983
			Percent	93.4
	Males	Total, use of alternative tobacco products	Number of persons	2,899
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,623
			Percent	90.5
			Number of persons	F

	Females	Alternative tobacco products, not stated	Percent	F
		Total, use of alternative tobacco products	Number of persons	2,438
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	2,360
			Percent	96.8
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
20 to 34 years	Both sexes	Total, use of alternative tobacco products	Number of persons	10,430
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,491
			Percent	14.3
		Alternative tobacco products, not used	Number of persons	8,939
			Percent	85.7
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	5,125
			Percent	100.0
		Alternative tobacco products, used	Number of persons	1,101
			Percent	21.5
		Alternative tobacco products, not used	Number of persons	4,023
			Percent	78.5
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	5,305
			Percent	100.0
		Alternative tobacco products, used	Number of persons	390 <sup>E</sup>
			Percent	7.3 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	4,916
			Percent	92.7
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
35 to 44 years	Both sexes	Total, use of alternative tobacco products	Number of persons	7,710
			Percent	100.0
		Alternative tobacco products, used	Number of persons	898
			Percent	11.7
		Alternative tobacco products, not used	Number of persons	6,812
			Percent	88.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	3,981
			Percent	100.0
		Alternative tobacco products, used	Number of persons	864
			Percent	21.7
		Alternative tobacco products, not used	Number of persons	3,118
			Percent	78.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
		Total, use of alternative tobacco products	Number of persons	3,729
			Percent	100.0
			Number of persons	F

	Females	Alternative tobacco products, used	Percent	F
		Alternative tobacco products, not used	Number of persons	3,694
			Percent	99.1
		Alternative tobacco products, not stated	Number of persons	F
45 to 64 years	Both sexes	Total, use of alternative tobacco products	Number of persons	7,344
			Percent	100.0
		Alternative tobacco products, used	Number of persons	522 <sup>E</sup>
			Percent	7.1 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	6,821
			Percent	92.9
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	4,021
			Percent	100.0
		Alternative tobacco products, used	Number of persons	431 <sup>E</sup>
			Percent	10.7 <sup>E</sup>
		Alternative tobacco products, not used	Number of persons	3,589
			Percent	89.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	3,323
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	3,232
			Percent	97.3
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
65 years and over	Both sexes	Total, use of alternative tobacco products	Number of persons	1,675
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	1,560
			Percent	93.1
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Males	Total, use of alternative tobacco products	Number of persons	820
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	801
			Percent	97.6
		Alternative tobacco products, not stated	Number of persons	F
			Percent	F
	Females	Total, use of alternative tobacco products	Number of persons	855
			Percent	100.0
		Alternative tobacco products, used	Number of persons	F
			Percent	F
		Alternative tobacco products, not used	Number of persons	759
			Percent	88.8
			Number of persons	F

		Alternative tobacco products, not stated	Percent	F
--	--	--	---------	---

### Symbol legend:

- E Use with caution
- F Too unreliable to be published

### Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
2. Population aged 12 and over who reported on use of alternative tobacco products.
3. Alternative tobacco products included cigars, pipes, snuff and chewing tobacco.
4. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
7. Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
8. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
20. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

**Source:** Statistics Canada. *Table 105-0054 - Use of alternative tobacco products, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years, CANSIM* (database).

<http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?>

[Lang=E&CANSIMFile=CII\CII\\_1\\_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)

(accessed: October 1, 2008)

[Printer-friendly format](#)