

Table 105-00691,2,6,7

Blood pressure check, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years

## Survey or program details:

Canadian Community Health Survey - 3226

## Geography<sup>6,7</sup>=Yukon Territory [60]

Age group	Sex	Blood pressure check <sup>2</sup>	Characteristics <sup>3,4,5,19</sup>	2000/2001
			Number of persons	24,937
		Total, blood pressure check	Percent	100.0
			Number of persons	16,497
		Blood pressure check, within past 12 months	Percent	66.2
		Plead procure shock 1 year to loce than 2 years ago	Number of persons	3,920
	Both sexes	Blood pressure check, 1 year to less than 2 years ago	Percent	15.7
		Blood pressure check, 2 or more years ago	Number of persons	3,073
			Percent	12.3
			Number of persons	1,208 <sup>E</sup>
		Blood pressure check, never	Percent	4.8 <sup>E</sup>
		<b>5</b>	Number of persons	F
		Blood pressure check, not stated	Percent	F
		Total blood wasseyes shoot	Number of persons	12,672
		Total, blood pressure check	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	7,094
		Blood pressure check, within past 12 months	Percent	56.0
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	2,483
Tatal 40 years and aver	Malaa	blood pressure effects, 1 year to less than 2 years ago	Percent	19.6
Total, 12 years and over	Males	Blood pressure check, 2 or more years ago	Number of persons	2,189
			Percent	17.3
		Blood pressure check, never	Number of persons	692 <sup>E</sup>
			Percent	5.5 <sup>E</sup>
		Blood pressure check, not stated	Number of persons	F
			Percent	F
	Females	Total, blood pressure check	Number of persons	12,266
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	9,403
			Percent	76.7
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	1,437
			Percent	11.7
		Blood pressure check, 2 or more years ago	Number of persons	884
			Percent	7.2
		Blood pressure check, never	Number of persons	516 <sup>E</sup>
			Percent	4.2 <sup>E</sup>
		Blood pressure check not stated	Number of persons	F
		Blood pressure check, not stated	Percent	F
		Total, blood pressure check	Number of persons	3,726
		Total, blood pressure check	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	1,696
			Percent	45.5

		L	Number of persons	601 <sup>E</sup>
		Blood pressure check, 1 year to less than 2 years ago	Percent	16.1 <sup>E</sup>
			Number of persons	422 <sup>E</sup>
		Blood pressure check, 2 or more years ago	Percent	
	Both sexes			11.3 <sup>E</sup>
		Blood pressure check, never	Number of persons	918 <sup>E</sup>
			Percent	24.6 <sup>E</sup>
		Blood pressure check, not stated	Number of persons	F
		,,	Percent	F
		Total, blood pressure check	Number of persons	1,939
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	782 <sup>E</sup>
			Percent	40.3 <sup>E</sup>
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
	Malaa	blood pressure effects, 1 year to less than 2 years ago	Percent	F
	Males	Blood weepstre shock 2 or more years are	Number of persons	360 <sup>E</sup>
12 to 19 years		Blood pressure check, 2 or more years ago	Percent	18.6 <sup>E</sup>
			Number of persons	402 <sup>E</sup>
		Blood pressure check, never	Percent	20.7 <sup>E</sup>
			Number of persons	- 20.7 F
		Blood pressure check, not stated	Percent	
			Number of persons	1,787
		Total, blood pressure check	Percent	100.0
			Number of persons	914
		Blood pressure check, within past 12 months	Percent	51.2
			Number of persons	F
	Females	Blood pressure check, 1 year to less than 2 years ago	Percent	F
		Blood pressure check, 2 or more years ago	Number of persons	F
			Percent	F
			Number of persons	516 <sup>E</sup>
		Blood pressure check, never	Percent	28.9 <sup>E</sup>
		Blood pressure check, not stated	Number of persons	F
			Percent	F
	Both sexes	Total, blood pressure check	Number of persons	5,897
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	3,628
			Percent	61.5
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	1,014 <sup>E</sup>
			Percent	17.2 <sup>E</sup>
		Blood pressure check, 2 or more years ago	Number of persons	918 <sup>E</sup>
			· ·	
			Percent Number of persons	15.6 <sup>E</sup>
20 to 24 washa		Blood pressure check, never		F
20 to 34 years		Blood pressure check, not stated	Percent Number of persons	F F
			Percent	
	Males	Total, blood pressure check	Number of persons	2,917
			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	_
				1,258 <sup>E</sup>
			Percent	43.1
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	634 <sup>E</sup>
			Percent	21.7 <sup>E</sup>
			Number of persons	688 <sup>E</sup>

	Blood pressure check, never	Number of persons	F
	Blood pressure cneck, never		
		Percent	F
		Number of persons	F
	Blood pressure check, not stated	Percent	F
		Number of persons	2,980
	Total, blood pressure check	Percent	100.0
		Number of persons	2,370
	Blood pressure check, within past 12 months		
		Percent	79.5
	Blood pressure check, 1 year to less than 2 years ago	<u> </u>	380 <sup>E</sup>
Females	Dioca procedure entesti, i year to loca than 2 years age	Percent	12.7 <sup>E</sup>
	Pland proceure shock 2 or more years ago	Number of persons	F
	blood pressure check, 2 or more years ago	Percent	F
	B	Number of persons	F
	Blood pressure cneck, never	Percent	F
		Number of persons	F
	Blood pressure check, not stated	_	F
			6,112
	Total, blood pressure check		100.0
			3,883
	Blood pressure check, within past 12 months	· · ·	
			63.5
	Blood pressure check, 1 year to less than 2 years ago		1,283
Roth savas	, , , , , , , , , , , , , , , , , , , ,	Percent	21.0
DOIII SEXES	Plead pressure sheek 2 or more years are	Number of persons	916 <sup>E</sup>
	blood pressure check, 2 or more years ago	Percent	15.0 <sup>E</sup>
		Number of persons	F
	Blood pressure check, never		F
			 F
	Blood pressure check, not stated		F
	Total, blood pressure check		2,995
			100.0
Males	Blood pressure check, within past 12 months	<u> </u>	1,433
		Percent	47.8
	Blood pressure check, 1 year to less than 2 years ago	Number of persons	864 <sup>E</sup>
		Percent	28.8 <sup>E</sup>
	Blood pressure check, 2 or more years ago	Number of persons	668 <sup>E</sup>
			22.3 <sup>E</sup>
	Blood pressure check, never		F
	, , , , , ,		F
	Blood pressure check. not stated		F
	pressure oneon, not stated	Percent	F
	Total blood pressure check	Number of persons	3,117
Females	i otai, blood pressure check	Percent	100.0
	Blood pressure check, within past 12 months	Number of persons	2,450
		Percent	78.6
	Blood pressure check, 1 year to less than 2 years ago	Number of persons	419 <sup>E</sup>
			13.4 <sup>E</sup>
	Blood pressure check, 2 or more years ago		
			F
			F
	Blood pressure check never	Number of persons	F
	Diood pressure oriects, fiever	Percent	F
	Blood pressure check, not stated	Number of persons	F
	Both sexes	Blood pressure check, 2 or more years ago  Blood pressure check, never  Blood pressure check  Blood pressure check  Blood pressure check, within past 12 months  Blood pressure check, 1 year to less than 2 years ago  Blood pressure check, 2 or more years ago  Blood pressure check, not stated  Total, blood pressure check  Blood pressure check, within past 12 months  Blood pressure check, 1 year to less than 2 years ago  Blood pressure check, 1 year to less than 2 years ago  Blood pressure check, 2 or more years ago  Blood pressure check, not stated  Total, blood pressure check, not stated  Total, blood pressure check, not stated  Total, blood pressure check  Blood pressure check, not stated  Total, blood pressure check  Blood pressure check, within past 12 months  Blood pressure check, 1 year to less than 2 years ago	Females  Blood pressure check, 2 or more years ago  Blood pressure check, never  Blood pressure check, not stated  Total, blood pressure check, within past 12 months  Blood pressure check, not stated  Blood pressure check, 2 or more years ago  Blood pressure check, 2 or more years ago  Blood pressure check, not stated  Total, blood pressure check, 2 or more years ago  Blood pressure check, not stated  Total, blood pressure check, not stated  Total, blood pressure check, not stated  Total, blood pressure check, not stated  Blood pressure check, not stated  Total, blood pressure check  Blood pressure check, within past 12 months  Blood pressure check, 1 year to less than 2 years ago  Percent  Number of persons

			Percent	F
		Total blood was some shoots	Number of persons	7,603
		Total, blood pressure check	Percent	100.0
			Number of persons	5,807
		Blood pressure check, within past 12 months	Percent	76.4
			Number of persons	957
		Blood pressure check, 1 year to less than 2 years ago	Percent	12.6
	Both sexes		Number of persons	780 <sup>E</sup>
		Blood pressure check, 2 or more years ago		
			Percent	10.3 <sup>E</sup>
		Blood pressure check, never	Number of persons	F
		blood pressure offern, flever	Percent	F
		Blood pressure check, not stated	Number of persons	F
		2.000 procedure discoss, mot diateu	Percent	F
		Total, blood pressure check	Number of persons	4,03
		Total, blood pressure check	Percent	100.0
		Bland was a bank within a set 40 months	Number of persons	2,906
		Blood pressure check, within past 12 months	Percent	72.′
			Number of persons	602 <sup>E</sup>
		Blood pressure check, 1 year to less than 2 years ago	Percent	14.9 <sup>E</sup>
45 to 64 years	Males			
•		Blood pressure check, 2 or more years ago	Number of persons	464 <sup>E</sup>
			Percent	11.5 <sup>E</sup>
		Blood pressure check, never	Number of persons	F
		Blood pressure check, never	Percent	F
		Blood weepstre shook not stated	Number of persons	F
		Blood pressure check, not stated	Percent	F
			Number of persons	3,572
		Total, blood pressure check	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	2,90
			Percent	81.2
			Number of persons	355 <sup>I</sup>
		Blood pressure check, 1 year to less than 2 years ago	<u> </u>	
	Females		Percent	9.9 <sup>l</sup>
		Blood pressure check, 2 or more years ago	Number of persons	315 <sup>l</sup>
		blood pressure check, 2 or more years ago	Percent	8.8 <sup>l</sup>
		Blood pressure check, never	Number of persons	F
			Percent	F
		Blood pressure check, not stated	Number of persons	F
			Percent	F
	Both sexes	Total, blood pressure check	Number of persons	1,600
			Percent	100.0
			Number of persons	1,483
		Blood pressure check, within past 12 months	Percent	92.7
			Number of persons	JZ.
		Blood pressure check, 1 year to less than 2 years ago	Percent	
			Number of persons	·
		Blood pressure check, 2 or more years ago	Percent	·
		Blood pressure check, never	Number of persons	- 1
		Blood pressure check, not stated	Percent	l l
			Number of persons	
		Total, blood pressure check	Percent	
			Number of persons	789
		<u> </u>	Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	715

	I	I	Percent	90.6
	Males	Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
			Percent	F
		Blood pressure check, 2 or more years ago	Number of persons	F
			Percent	F
		Blood pressure check, never	Number of persons	F
			Percent	F
		Blood pressure check, not stated	Number of persons	F
			Percent	F
	Females	Total, blood pressure check	Number of persons	811
65 years and over			Percent	100.0
		Blood pressure check, within past 12 months	Number of persons	768
			Percent	94.7
		Blood pressure check, 1 year to less than 2 years ago	Number of persons	F
			Percent	F
		Blood pressure check, 2 or more years ago	Number of persons	F
			Percent	F
		Blood pressure check, never	Number of persons	F
			Percent	F
		Blood pressure check, not stated	Number of persons	F
			Percent	F

## Symbol legend:

E Use with caution

F Too unreliable to be published

## Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey, 2000/2001
- 2. Population aged 12 and over who reported on when they last had their blood pressure checked.
- 3. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 4. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- 5. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
- **6.** Health regions are defined by provincial governments as the areas of responsibility for regional health boards (legislated) or as regions of interest to health care authorities.
- 7. A "peer group" is a grouping of health regions that have similar social and economic characteristics.
- **19.** The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.

**Source:** Statistics Canada. *Table 105-0069 - Blood pressure check, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (January 2000 boundaries) and peer groups, every 2 years, CANSIM (database). <a href="http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?">http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?</a>* 

Lang=E& CANSIMFile=CII\CII\_1\_E.htm& RootDir=CII/

(accessed: October 1, 2008)

Printer-friendly format

Date modified: 2007-07-20