

Table 105-0415¹
Two-week disability days, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

| Geography ^{2,3} | Age group | Sex | Two-week disability days ¹⁰ | Characteristics ^{11,12,13,14} | 2005 |
|--------------------------|--------------------------|------------|--|--|-------------------|
| | Total, 12 years and over | Both sexes | Total population for the variable two-week disability days | Number of persons | 27,188 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 21,876 |
| | | | | Percent | 80.5 |
| | | | 1 or more two-week disability days | Number of persons | 5,300 |
| | | | | Percent | 19.5 |
| | | Males | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total population for the variable two-week disability days | Number of persons | 13,664 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 11,421 |
| | | | | Percent | 83.6 |
| | | | 1 or more two-week disability days | Number of persons | 2,231 |
| | | | | Percent | 16.3 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 13,524 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 10,455 |
| | | | | Percent | 77.3 |
| | | | 1 or more two-week disability days | Number of persons | 3,069 |
| | | | | Percent | 22.7 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 12 to 19 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 3,854 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,773 |
| | | | | Percent | 71.9 |
| | | | 1 or more two-week disability days | Number of persons | 1,081 |
| | | | | Percent | 28.1 |
| | | Males | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total population for the variable two-week disability days | Number of persons | 2,016 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,570 |
| | | | | Percent | 77.9 |
| | | | 1 or more two-week disability days | Number of persons | 446 ^E |
| | | | | Percent | 22.1 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 1,838 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,202 |
| | | | | Percent | 65.4 |
| | | | 1 or more two-week disability days | Number of persons | 635 ^E |
| | | | | Percent | 34.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 20 to 34 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 6,422 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 5,165 |
| | | | | Percent | 80.4 |
| | | | 1 or more two-week disability days | Number of persons | 1,257 |
| | | | | Percent | 19.6 |
| | | Males | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total population for the variable two-week disability days | Number of persons | 2,921 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,390 |
| | | | | Percent | 81.8 |
| | | | 1 or more two-week disability days | Number of persons | 531 ^E |
| | | | | Percent | 18.2 ^E |

Yukon Territory [60]

| | | | | | |
|----------------------|-------------------|------------|--|-------------------|--------------------|
| Yukon Territory [60] | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 3,501 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,775 |
| | | | | Percent | 79.3 |
| | | | 1 or more two-week disability days | Number of persons | 726 ^E |
| | | | | Percent | 20.7 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 35 to 44 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 5,580 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,637 |
| | | | | Percent | 83.1 |
| | | | 1 or more two-week disability days | Number of persons | 944 ^E |
| | | | | Percent | 16.9 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 2,807 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,379 |
| | | | | Percent | 84.7 |
| | | | 1 or more two-week disability days | Number of persons | 429 ^E |
| | | | | Percent | 15.3 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 2,773 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,258 |
| | | | | Percent | 81.4 |
| | | | 1 or more two-week disability days | Number of persons | 515 ^E |
| | | | | Percent | 18.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 45 to 64 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 9,228 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 7,646 |
| | | | | Percent | 82.9 |
| | | | 1 or more two-week disability days | Number of persons | 1,570 ^E |
| | | | | Percent | 17.0 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 4,816 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,200 |
| | | | | Percent | 87.2 |
| | | | 1 or more two-week disability days | Number of persons | 604 ^E |
| | | | | Percent | 12.5 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 4,412 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 3,446 |
| | | | | Percent | 78.1 |
| | | | 1 or more two-week disability days | Number of persons | 967 ^E |
| | | | | Percent | 21.9 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 65 years and over | Both sexes | Total population for the variable two-week disability days | Number of persons | 2,103 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,656 |
| | | | | Percent | 78.7 |
| | | | 1 or more two-week disability days | Number of persons | 448 ^E |
| | | | | Percent | 21.3 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 1,103 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 882 |
| | | | | Percent | 79.9 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |

| | | | | | |
|--------------------------|------------|---------|--|-------------------|--------------------|
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 1,000 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 774 |
| | | | | Percent | 77.4 |
| | | | 1 or more two-week disability days | Number of persons | 226 ^E |
| | | | | Percent | 22.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| Total, 12 years and over | Both sexes | | Total population for the variable two-week disability days | Number of persons | 34,664 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 28,502 |
| | | | | Percent | 82.2 |
| | | | 1 or more two-week disability days | Number of persons | 6,042 |
| | | | | Percent | 17.4 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 18,070 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 15,380 |
| | | | | Percent | 85.1 |
| | | | 1 or more two-week disability days | Number of persons | 2,658 |
| | | | | Percent | 14.7 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 16,594 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 13,122 |
| | | | | Percent | 79.1 |
| | | | 1 or more two-week disability days | Number of persons | 3,385 |
| | | | | Percent | 20.4 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| 12 to 19 years | Both sexes | | Total population for the variable two-week disability days | Number of persons | 5,716 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,824 |
| | | | | Percent | 84.4 |
| | | | 1 or more two-week disability days | Number of persons | 892 ^E |
| | | | | Percent | 15.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 2,987 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,660 |
| | | | | Percent | 89.1 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 2,730 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,164 |
| | | | | Percent | 79.3 |
| | | | 1 or more two-week disability days | Number of persons | 565 ^E |
| | | | | Percent | 20.7 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| 20 to 34 years | Both sexes | | Total population for the variable two-week disability days | Number of persons | 10,944 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 8,844 |
| | | | | Percent | 80.8 |
| | | | 1 or more two-week disability days | Number of persons | 2,013 |
| | | | | Percent | 18.4 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 5,591 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,479 |
| | | | | Percent | 80.1 |
| | | | 1 or more two-week disability days | Number of persons | 1,113 ^E |
| | | | | Percent | 19.9 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total population for the variable two-week disability days | Number of persons | 5,352 |

Northwest Territories [61]

| | | | | | |
|----------------------------|-------------------|------------|--|-------------------|--------------------|
| Northwest Territories [61] | | Females | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,365 |
| | | | | Percent | 81.6 |
| | | | 1 or more two-week disability days | Number of persons | 900 |
| | | | | Percent | 16.8 |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 35 to 44 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 7,169 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 5,927 |
| | | | | Percent | 82.7 |
| | | | 1 or more two-week disability days | Number of persons | 1,242 ^E |
| | | | | Percent | 17.3 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 3,710 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 3,235 |
| | | | | Percent | 87.2 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 3,459 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,693 |
| | | | | Percent | 77.8 |
| | | | 1 or more two-week disability days | Number of persons | 767 ^E |
| | | | | Percent | 22.2 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 45 to 64 years | Both sexes | Total population for the variable two-week disability days | Number of persons | 9,053 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 7,343 |
| | | | | Percent | 81.1 |
| | | | 1 or more two-week disability days | Number of persons | 1,677 ^E |
| | | | | Percent | 18.5 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 4,888 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,168 |
| | | | | Percent | 85.3 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 4,164 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 3,174 |
| | | | | Percent | 76.2 |
| | | | 1 or more two-week disability days | Number of persons | 990 ^E |
| | | | | Percent | 23.8 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | 65 years and over | Both sexes | Total population for the variable two-week disability days | Number of persons | 1,782 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,564 |
| | | | | Percent | 87.7 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total population for the variable two-week disability days | Number of persons | 894 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 838 |
| | | | | Percent | 93.8 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total population for the variable two-week disability days | Number of persons | 889 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 726 |

| | | | | | |
|--------------------------|------------|------------------------------------|--|-------------------|-------------------|
| | | | | Percent | 81.7 |
| | | Females | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| Total, 12 years and over | Both sexes | | Total population for the variable two-week disability days | Number of persons | 14,948 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 12,020 |
| | | | | Percent | 80.4 |
| | | | 1 or more two-week disability days | Number of persons | 2,928 |
| | | | | Percent | 19.6 |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 7,627 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 6,479 |
| | | | | Percent | 84.9 |
| | | | 1 or more two-week disability days | Number of persons | 1,148 |
| | | | | Percent | 15.1 |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total population for the variable two-week disability days | Number of persons | 7,321 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 5,541 |
| | | | | Percent | 75.7 |
| | | | 1 or more two-week disability days | Number of persons | 1,780 |
| | | | | Percent | 24.3 |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| 12 to 19 years | Both sexes | | Total population for the variable two-week disability days | Number of persons | 3,321 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,774 |
| | | | | Percent | 83.5 |
| | | | 1 or more two-week disability days | Number of persons | 547 ^E |
| | | | | Percent | 16.5 ^E |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 1,683 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,455 |
| | | | | Percent | 86.5 |
| | | | 1 or more two-week disability days | Number of persons | 228 ^E |
| | | | | Percent | 13.5 ^E |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 1,638 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,318 |
| | | | | Percent | 80.5 |
| | | | 1 or more two-week disability days | Number of persons | 319 ^E |
| | | | | Percent | 19.5 ^E |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| 20 to 34 years | Both sexes | | Total population for the variable two-week disability days | Number of persons | 5,278 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 4,132 |
| | | | | Percent | 78.3 |
| | | | 1 or more two-week disability days | Number of persons | 1,146 |
| | | | | Percent | 21.7 |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 2,730 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,263 |
| | | | | Percent | 82.9 |
| | | | 1 or more two-week disability days | Number of persons | 467 ^E |
| | | | | Percent | 17.1 ^E |
| | | Disability days, not stated | | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 2,548 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,869 |
| | | | | Percent | 73.4 |
| | | 1 or more two-week disability days | | Number of persons | 679 ^E |
| | | | | | |

Nunavut [62]

| | | | | | |
|-------------------|------------|--|--|-------------------|-------------------|
| | | | | Percent | 26.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | | Number of persons | 2,900 |
| 35 to 44 years | Both sexes | | Total population for the variable two-week disability days | Percent | 100.0 |
| | | | | Number of persons | 2,346 |
| | | | No two-week disability days | Percent | 80.9 |
| | | | | Number of persons | 554 ^E |
| | | | 1 or more two-week disability days | Percent | 19.1 ^E |
| | | | | Number of persons | F |
| | | | Disability days, not stated | Percent | F |
| | | | | Number of persons | 1,433 |
| | Males | | Total population for the variable two-week disability days | Percent | 100.0 |
| | | | | Number of persons | 1,188 |
| | | | No two-week disability days | Percent | 82.9 |
| | | | | Number of persons | F |
| | | | 1 or more two-week disability days | Percent | F |
| | | | | Number of persons | F |
| | | | Disability days, not stated | Percent | F |
| | | | | Number of persons | 1,467 |
| | Females | | Total population for the variable two-week disability days | Percent | 100.0 |
| | | | | Number of persons | 1,159 |
| | | | No two-week disability days | Percent | 79.0 |
| | | | | Number of persons | F |
| | | | 1 or more two-week disability days | Percent | F |
| | | | | Number of persons | F |
| | | | Disability days, not stated | Percent | F |
| | | | | Number of persons | F |
| 45 to 64 years | Both sexes | | Total population for the variable two-week disability days | Number of persons | 2,931 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 2,328 |
| | | | | Percent | 79.4 |
| | | | 1 or more two-week disability days | Number of persons | 602 ^E |
| | | | | Percent | 20.6 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 1,466 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,288 |
| | | | | Percent | 87.9 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 1,465 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 1,040 |
| | | | | Percent | 71.0 |
| | | | 1 or more two-week disability days | Number of persons | 425 ^E |
| | | | | Percent | 29.0 ^E |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| 65 years and over | Both sexes | | Total population for the variable two-week disability days | Number of persons | 519 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 439 |
| | | | | Percent | 84.7 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Males | | Total population for the variable two-week disability days | Number of persons | 315 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | 285 |
| | | | | Percent | 90.4 |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |
| | Females | | Total population for the variable two-week disability days | Number of persons | 204 |
| | | | | Percent | 100.0 |
| | | | No two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | 1 or more two-week disability days | Number of persons | F |
| | | | | Percent | F |
| | | | Disability days, not stated | Number of persons | F |
| | | | | Percent | F |

Symbol legend:

- E Use with caution
- F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005. The CANSIM table 105-0415 is an update of CANSIM table 105-0215.
2. Health regions are defined by the provincial ministries of health. These are legislated administrative areas in all provinces. The health regions presented in this table are based on boundaries and names in effect as of June 2005. For complete Canadian coverage, each of the northern territories also represents a health region.
3. A "peer group" is a grouping of health regions that have similar social and economic characteristics. The nine peer groups are identified by the letters A through I, which are appended to the health region 4-digit code.
10. Population aged 12 and over who stayed in bed or cut down on normal activities because of illness or injury, on one or more days in the past 2 weeks.
11. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
12. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
13. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
14. Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.

Source: Statistics Canada. *Table 105-0415 - Two-week disability days, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years*, CANSIM (database).

<http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?>

[Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)

(accessed: October 2, 2008)

[Printer-friendly format](#)