

Table 105-0445¹

Influenza immunization, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography^{2,3}=Yukon Territory [60]

| Age group | Sex | Influenza immunization ¹⁰ | Characteristics ^{11,12,13,14} | 2005 |
|--------------------------|------------|--|--|--------------------|
| Total, 12 years and over | Both sexes | Total population for the variable influenza immunization | Number of persons | 27,188 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 8,241 |
| | | | Percent | 30.3 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 5,712 |
| | | | Percent | 21.0 |
| | Males | Never had influenza immunization | Number of persons | 12,001 |
| | | | Percent | 44.1 |
| | | Influenza immunization, not stated | Number of persons | 1,233 ^E |
| | | | Percent | 4.5 ^E |
| | | Total population for the variable influenza immunization | Number of persons | 13,664 |
| | | | Percent | 100.0 |
| | Females | Influenza immunization, less than one year ago | Number of persons | 3,040 |
| | | | Percent | 22.2 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 2,839 |
| | | | Percent | 20.8 |
| | | Never had influenza immunization | Number of persons | 7,109 |
| | | | Percent | 52.0 |
| | | Influenza immunization, not stated | Number of persons | 676 ^E |
| | | | Percent | 4.9 ^E |
| Total, 12 years and over | Both sexes | Total population for the variable influenza immunization | Number of persons | 13,524 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 5,202 |
| | | | Percent | 38.5 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 2,873 |
| | | | Percent | 21.2 |
| | Males | Never had influenza immunization | Number of persons | 4,892 |
| | | | Percent | 36.2 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total population for the variable influenza immunization | Number of persons | 3,854 |
| | | | Percent | 100.0 |
| Total, 12 years and over | Females | Influenza immunization, less than one year ago | Number of persons | 903 |
| | | | Percent | 23.4 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 953 ^E |
| | | | Percent | 24.7 ^E |
| | | Never had influenza immunization | Number of persons | 1,562 |
| | | | Percent | 40.5 |
| | Males | Influenza immunization, not stated | Number of persons | 436 ^E |
| | | | Percent | 11.3 ^E |
| | | Total population for the variable influenza immunization | Number of persons | 2,016 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 358 ^E |
| | | | Percent | 17.7 ^E |

| | | | | |
|----------------|------------|--|-------------------|--------------------|
| 12 to 19 years | Males | Influenza immunization, 1 or more years ago | Number of persons | 569 ^E |
| | | Percent | Percent | 28.2 ^E |
| | | Never had influenza immunization | Number of persons | 796 |
| | | Percent | Percent | 39.5 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |
| | Females | Total population for the variable influenza immunization | Number of persons | 1,838 |
| | | Percent | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 546 ^E |
| | | Percent | Percent | 29.7 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 384 ^E |
| | | Percent | Percent | 20.9 ^E |
| | Both sexes | Never had influenza immunization | Number of persons | 766 ^E |
| | | Percent | Percent | 41.7 ^E |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |
| | | Total population for the variable influenza immunization | Number of persons | 6,422 |
| | | Percent | Percent | 100.0 |
| | Both sexes | Influenza immunization, less than one year ago | Number of persons | 1,162 ^E |
| | | Percent | Percent | 18.1 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 1,601 ^E |
| | | Percent | Percent | 24.9 ^E |
| | | Never had influenza immunization | Number of persons | 3,177 |
| | | Percent | Percent | 49.5 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |
| 20 to 34 years | Males | Total population for the variable influenza immunization | Number of persons | 2,921 |
| | | Percent | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | F |
| | | Percent | Percent | F |
| | | Influenza immunization, 1 or more years ago | Number of persons | 769 ^E |
| | | Percent | Percent | 26.3 ^E |
| | | Never had influenza immunization | Number of persons | 1,788 |
| | | Percent | Percent | 61.2 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |
| | Females | Total population for the variable influenza immunization | Number of persons | 3,501 |
| | | Percent | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 911 ^E |
| | | Percent | Percent | 26.0 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 833 ^E |
| | | Percent | Percent | 23.8 ^E |
| | | Never had influenza immunization | Number of persons | 1,389 |
| | | Percent | Percent | 39.7 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |
| Both sexes | Both sexes | Total population for the variable influenza immunization | Number of persons | 5,580 |
| | | Percent | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 1,506 ^E |
| | | Percent | Percent | 27.0 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 1,350 ^E |
| | | Percent | Percent | 24.2 ^E |
| | | Never had influenza immunization | Number of persons | 2,646 |
| | | Percent | Percent | 47.4 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | Percent | Percent | F |

| | | | | |
|----------------|------------|--|-------------------|--------------------|
| | | | Percent | F |
| 35 to 44 years | Males | Total population for the variable influenza immunization | Number of persons | 2,807 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 620 ^E |
| | | | Percent | 22.1 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 618 ^E |
| | | | Percent | 22.0 ^E |
| | | Never had influenza immunization | Number of persons | 1,511 |
| | | | Percent | 53.8 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| 45 to 64 years | Females | Total population for the variable influenza immunization | Number of persons | 2,773 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 886 ^E |
| | | | Percent | 32.0 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 732 ^E |
| | | | Percent | 26.4 ^E |
| | | Never had influenza immunization | Number of persons | 1,135 |
| | | | Percent | 40.9 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| 45 to 64 years | Both sexes | Total population for the variable influenza immunization | Number of persons | 9,228 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 3,133 |
| | | | Percent | 33.9 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 1,502 |
| | | | Percent | 16.3 |
| | | Never had influenza immunization | Number of persons | 4,356 |
| | | | Percent | 47.2 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| 45 to 64 years | Males | Total population for the variable influenza immunization | Number of persons | 4,816 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 1,035 ^E |
| | | | Percent | 21.5 ^E |
| | | Influenza immunization, 1 or more years ago | Number of persons | 666 ^E |
| | | | Percent | 13.8 ^E |
| | | Never had influenza immunization | Number of persons | 2,904 |
| | | | Percent | 60.3 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| 45 to 64 years | Females | Total population for the variable influenza immunization | Number of persons | 4,412 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 2,097 |
| | | | Percent | 47.5 |
| | | Influenza immunization, 1 or more years ago | Number of persons | 836 ^E |
| | | | Percent | 18.9 ^E |
| | | Never had influenza immunization | Number of persons | 1,452 |
| | | | Percent | 32.9 |
| | | Influenza immunization, not stated | Number of persons | F |
| | | | Percent | F |
| Both sexes | Both sexes | Total population for the variable influenza immunization | Number of persons | 2,103 |
| | | | Percent | 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons | 1,537 |
| | | | Percent | 73.1 |
| | | Influenza immunization, 1 or more years ago | Number of persons | F |

| | | | |
|-------------------|----------------------------------|--|----------------------------|
| 65 years and over | Never had influenza immunization | Percent | F |
| | | Number of persons | F |
| | | Percent | F |
| | | Number of persons | F |
| | Males | Percent | F |
| | | Total population for the variable influenza immunization | Number of persons 1,103 |
| | | | Percent 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons 775 |
| | | | Percent 70.3 |
| | | Influenza immunization, 1 or more years ago | Number of persons F |
| | Females | | Percent F |
| | | Never had influenza immunization | Number of persons F |
| | | | Percent F |
| | | Influenza immunization, not stated | Number of persons F |
| | | | Percent F |
| | Females | Total population for the variable influenza immunization | Number of persons 1,000 |
| | | | Percent 100.0 |
| | | Influenza immunization, less than one year ago | Number of persons 761 |
| | | | Percent 76.1 |
| | | Influenza immunization, 1 or more years ago | Number of persons F |
| | | | Percent F |
| | Females | Never had influenza immunization | Number of persons F |
| | | | Percent F |
| | | Influenza immunization, not stated | Number of persons F |
| | | | Percent F |

Symbol legend:

- E Use with caution
- F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005. The CANSIM table 105-0445 is an update of CANSIM table 105-0245.
2. Health regions are defined by the provincial ministries of health. These are legislated administrative areas in all provinces. The health regions presented in this table are based on boundaries and names in effect as of June 2005. For complete Canadian coverage, each of the northern territories also represents a health region.
3. A "peer group" is a grouping of health regions that have similar social and economic characteristics. The nine peer groups are identified by the letters A through I, which are appended to the health region 4-digit code.
10. Population aged 12 and over who reported when they had their last influenza immunization (flu shot).
11. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
12. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
13. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
14. Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.

Source: Statistics Canada. *Table 105-0445 - Influenza immunization, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years, CANSIM (database).*

http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CIICII_1_E.htm&RootDir=CI/

(accessed: October 2, 2008)

[Printer-friendly format](#)