

Table 105-0456¹

Exposure to second-hand smoke at home, by age group and sex, non-smoking household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

| Geography ^{2,3} | Age group | Sex | Exposure to second-hand smoke at home ^{10,11} | Characteristics ^{12,13,14,15} | 2005 |
|--------------------------|--------------------------|------------|--|--|-------------------|
| | Total, 12 years and over | Both sexes | Total non-smoking population | Number of persons | 18,916 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 1,561 |
| | | | | Percent | 8.2 ^E |
| | | | No exposure to second-hand smoke at home | Number of persons | 17,356 |
| | | | | Percent | 91.8 |
| | | Males | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 9,207 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 855 ^E |
| | | | | Percent | 9.3 ^E |
| | | | No exposure to second-hand smoke at home | Number of persons | 8,352 |
| | | | | Percent | 90.7 |
| | | | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | 9,709 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 705 ^E |
| | | | | Percent | 7.3 ^E |
| | | | No exposure to second-hand smoke at home | Number of persons | 9,004 |
| | | | | Percent | 92.7 |
| | | | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 12 to 19 years | Both sexes | Total non-smoking population | Number of persons | 3,268 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 868 ^E |
| | | | | Percent | 26.6 ^E |
| | | | No exposure to second-hand smoke at home | Number of persons | 2,399 |
| | | | | Percent | 73.4 |
| | | Males | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 1,762 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 566 ^E |
| | | | | Percent | 32.1 ^E |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,196 |
| | | | | Percent | 67.9 |
| | | | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | 1,506 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,203 |
| | | | | Percent | 79.9 |
| | | | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 20 to 34 years | Both sexes | Total non-smoking population | Number of persons | 3,849 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 3,849 |
| | | | | Percent | 100.0 |
| | | Males | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 1,655 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,655 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 2,194 |
| | | | | Percent | 100.0 |

| | | | | | |
|----------------------|-------------------|------------|---|-------------------|--------|
| Yukon Territory [60] | | Females | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 2,194 |
| | | | | Percent | 100.0 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Both sexes | Total non-smoking population | Number of persons | 4,103 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 3,733 |
| | | | | Percent | 91.0 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total non-smoking population | Number of persons | 1,882 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,815 |
| | | | | Percent | 96.4 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | 2,221 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,918 |
| | | | | Percent | 86.4 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 35 to 44 years | Both sexes | Total non-smoking population | Number of persons | 5,986 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 5,799 |
| | | | | Percent | 96.9 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total non-smoking population | Number of persons | 3,023 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 2,935 |
| | | | | Percent | 97.1 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | 2,964 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 2,864 |
| | | | | Percent | 96.6 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 45 to 64 years | Both sexes | Total non-smoking population | Number of persons | 1,710 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,576 |
| | | | | Percent | 92.2 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total non-smoking population | Number of persons | 885 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 751 |
| | | | | Percent | 84.8 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | 825 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 825 |
| | | | | Percent | 100.0 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 65 years and over | | Total non-smoking population | Number of persons | 22,169 |
| | | | | Percent | 100.0 |
| | | | | | |

Northwest Territories [61]

| | | | | |
|--------------------------|------------|---|-------------------|--------------------|
| Total, 12 years and over | Both sexes | Exposed to second-hand smoke at home | Number of persons | 4,207 |
| | | | Percent | 19.0 |
| | | No exposure to second-hand smoke at home | Number of persons | 17,962 |
| | | | Percent | 81.0 |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | Males | Total non-smoking population | Number of persons | 11,980 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 2,677 ^E |
| | | | Percent | 22.3 |
| | | No exposure to second-hand smoke at home | Number of persons | 9,304 |
| | | | Percent | 77.7 |
| | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total non-smoking population | Number of persons | 10,189 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 1,531 ^E |
| | | | Percent | 15.0 ^E |
| 12 to 19 years | Both sexes | No exposure to second-hand smoke at home | Number of persons | 8,658 |
| | | | Percent | 85.0 |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | Males | Total non-smoking population | Number of persons | 4,707 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 1,899 |
| | | | Percent | 40.3 |
| | | No exposure to second-hand smoke at home | Number of persons | 2,809 |
| | | | Percent | 59.7 |
| | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total non-smoking population | Number of persons | 2,395 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 1,117 ^E |
| | | | Percent | 46.6 ^E |
| 20 to 34 years | Both sexes | No exposure to second-hand smoke at home | Number of persons | 1,278 ^E |
| | | | Percent | 53.4 ^E |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | Males | Total non-smoking population | Number of persons | 2,312 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 782 ^E |
| | | | Percent | 33.8 ^E |
| | | No exposure to second-hand smoke at home | Number of persons | 1,530 |
| | | | Percent | 66.2 |
| | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total non-smoking population | Number of persons | 6,243 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 1,021 ^E |
| | | | Percent | 16.4 ^E |
| | Both sexes | No exposure to second-hand smoke at home | Number of persons | 5,222 |
| | | | Percent | 83.6 |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | Males | Total non-smoking population | Number of persons | 3,211 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | Percent | F |
| | | No exposure to second-hand smoke at home | Number of persons | 2,613 |
| | | | Percent | 81.4 |
| | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total non-smoking population | Number of persons | 3,032 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | 423 ^E |
| | | | Percent | 14.0 ^E |
| | Both sexes | No exposure to second-hand smoke at home | Number of persons | 2,609 |
| | | | Percent | 86.0 |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total non-smoking population | Number of persons | 3,830 |
| | | | Percent | 100.0 |
| | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | Percent | F |
| | | No exposure to second-hand smoke at home | Number of persons | 3,389 |
| | | | Percent | 88.5 |
| | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | Percent | F |
| | | | Number of persons | 2,253 |

| | | | | | | |
|---|---|---|--|-------------------|--------------------|-------------------|
| | 35 to 44 years | Males | Total non-smoking population | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | | Number of persons | F |
| | | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | | Number of persons | 1,912 |
| | | | | | Percent | 84.9 |
| | | Exposure to second-hand smoke at home, not stated | | Number of persons | F | |
| | | | | Percent | F | |
| | | Females | Total non-smoking population | | Number of persons | 1,577 |
| | | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | | Number of persons | F |
| | | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | | Number of persons | 1,476 |
| | | | | Percent | 93.6 | |
| | | Exposure to second-hand smoke at home, not stated | | Number of persons | F | |
| | | | | Percent | F | |
| | 45 to 64 years | Both sexes | Total non-smoking population | | Number of persons | 6,173 |
| | | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | | Number of persons | 648 ^E |
| | | | | | Percent | 10.5 ^E |
| | | | No exposure to second-hand smoke at home | | Number of persons | 5,525 |
| | | | | Percent | 89.5 | |
| | | Exposure to second-hand smoke at home, not stated | | Number of persons | F | |
| | | | | Percent | F | |
| | | Males | Total non-smoking population | | Number of persons | 3,532 |
| | | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | | Number of persons | 504 ^E |
| | | | | | Percent | 14.3 ^E |
| | | | No exposure to second-hand smoke at home | | Number of persons | 3,028 |
| | | | | Percent | 85.7 | |
| | | Exposure to second-hand smoke at home, not stated | | Number of persons | F | |
| | | Percent | F | | | |
| Females | | Total non-smoking population | | Number of persons | 2,641 | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | F | |
| | | | | Percent | F | |
| | No exposure to second-hand smoke at home | | Number of persons | 2,497 | | |
| | | Percent | 94.5 | | | |
| Exposure to second-hand smoke at home, not stated | | Number of persons | F | | | |
| | | Percent | F | | | |
| 65 years and over | Both sexes | Total non-smoking population | | Number of persons | 1,216 | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | F | |
| | | | | Percent | F | |
| | | No exposure to second-hand smoke at home | | Number of persons | 1,017 | |
| | | | Percent | 83.7 | | |
| | Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | | Percent | F | | |
| | Males | Total non-smoking population | | Number of persons | 589 | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | F | |
| | | | | Percent | F | |
| | | No exposure to second-hand smoke at home | | Number of persons | 471 ^E | |
| | | | Percent | 80.0 | | |
| | Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | | Percent | F | | |
| | Females | Total non-smoking population | | Number of persons | 627 ^E | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | F | |
| | | | | Percent | F | |
| No exposure to second-hand smoke at home | | Number of persons | 546 ^E | | | |
| | | Percent | 87.1 | | | |
| Exposure to second-hand smoke at home, not stated | | Number of persons | F | | | |
| | | Percent | F | | | |
| Total, 12 years and over | Both sexes | Total non-smoking population | | Number of persons | 7,018 | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | 1,194 ^E | |
| | | | | Percent | 17.0 ^E | |
| | | No exposure to second-hand smoke at home | | Number of persons | 5,824 | |
| | | | Percent | 83.0 | | |
| | Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | | Percent | F | | |
| | Males | Total non-smoking population | | Number of persons | 3,566 | |
| | | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | | Number of persons | 685 ^E | |
| | | | | Percent | 19.2 ^E | |
| | | No exposure to second-hand smoke at home | | Number of persons | 2,881 | |
| | | | Percent | 80.8 | | |
| | Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | Percent | F | | | |

| | | | | | |
|---|---|--|--------------------------------------|-------------------|-------------------|
| | Females | Total non-smoking population | Number of persons | 3,452 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | 509 ^E | |
| | | | Percent | 14.7 ^E | |
| | | No exposure to second-hand smoke at home | Number of persons | 2,942 | |
| | | | Percent | 85.3 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| | 12 to 19 years | Both sexes | Total non-smoking population | Number of persons | 1,859 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | 771 ^E |
| | | | | Percent | 41.5 ^E |
| No exposure to second-hand smoke at home | | | Number of persons | 1,088 | |
| | | | Percent | 58.5 | |
| Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | Percent | F | | |
| Males | | Total non-smoking population | Number of persons | 1,055 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | 413 ^E | |
| | | | Percent | 39.2 ^E | |
| | | No exposure to second-hand smoke at home | Number of persons | 642 ^E | |
| | | | Percent | 60.8 | |
| Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | Percent | F | | |
| Females | | Total non-smoking population | Number of persons | 804 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | 358 ^E | |
| | | | Percent | 44.5 ^E | |
| | | No exposure to second-hand smoke at home | Number of persons | 446 ^E | |
| | | | Percent | 55.5 | |
| Exposure to second-hand smoke at home, not stated | | Number of persons | F | | |
| | | Percent | F | | |
| 20 to 34 years | Both sexes | Total non-smoking population | Number of persons | 1,977 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 1,787 | |
| | | | Percent | 90.4 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| | Males | Total non-smoking population | Number of persons | 954 ^E | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 836 ^E | |
| | | | Percent | 87.6 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| | Females | Total non-smoking population | Number of persons | 1,024 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 952 ^E | |
| | | | Percent | 93.0 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| 35 to 44 years | Both sexes | Total non-smoking population | Number of persons | 1,231 | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 1,167 | |
| | | | Percent | 94.8 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| | Males | Total non-smoking population | Number of persons | 516 ^E | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 486 ^E | |
| | | | Percent | 94.2 | |
| | Exposure to second-hand smoke at home, not stated | Number of persons | F | | |
| | | Percent | F | | |
| | Females | Total non-smoking population | Number of persons | 715 ^E | |
| | | | Percent | 100.0 | |
| | | Exposed to second-hand smoke at home | Number of persons | F | |
| | | | Percent | F | |
| | | No exposure to second-hand smoke at home | Number of persons | 681 ^E | |
| | | | Percent | 95.1 | |

| | | | | | |
|--|-------------------|------------|---|-------------------|------------------|
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | 45 to 64 years | Both sexes | Total non-smoking population | Number of persons | 1,594 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 1,470 |
| | | | | Percent | 92.2 |
| | | Males | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 874 |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 750 |
| | | | | Percent | 85.8 |
| | | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | 720 ^E |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | 65 years and over | Both sexes | No exposure to second-hand smoke at home | Number of persons | 720 ^E |
| | | | | Percent | 100.0 |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Males | Total non-smoking population | Number of persons | 356 ^E |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | 312 ^E |
| | | | | Percent | 87.5 |
| | | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | | Total non-smoking population | Number of persons | F |
| | | | | Percent | 100.0 |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | Males | No exposure to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |
| | | Females | Total non-smoking population | Number of persons | F |
| | | | | Percent | F |
| | | | Exposed to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | | No exposure to second-hand smoke at home | Number of persons | F |
| | | | | Percent | F |
| | | Females | Exposure to second-hand smoke at home, not stated | Number of persons | F |
| | | | | Percent | F |

Symbol legend:

- ^E Use with caution
- F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005. The CANSIM table 105-0456 is an update of CANSIM table 105-0256.
2. Health regions are defined by the provincial ministries of health. These are legislated administrative areas in all provinces. The health regions presented in this table are based on boundaries and names in effect as of June 2005. For complete Canadian coverage, each of the northern territories also represents a health region.
3. A "peer group" is a grouping of health regions that have similar social and economic characteristics. The nine peer groups are identified by the letters A through I, which are appended to the health region 4-digit code.
10. Non-smoking population aged 12 and over who reported that at least one person smokes inside their home every day or almost every day.
11. Smoking includes cigarettes, cigars and pipes.
12. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
13. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
14. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
15. Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.

Source: Statistics Canada. *Table 105-0456 - Exposure to second-hand smoke at home, by age group and sex, non-smoking household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years*, CANSIM (database).

http://cansim2.statcan.ca/cgi-win/cnsmcgl.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/
(accessed: October 3, 2008)

[Printer-friendly format](#)