

Table 105-0458¹

Regular medical doctor, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years

Survey or program details:

Canadian Community Health Survey - 3226

Geography^{2,3}=Yukon Territory [60]

Age group	Sex	Regular medical doctor ¹⁰	Characteristics ^{11,12,13,14}	2005
Total, 12 years and over	Both sexes	Total population for the variable regular medical doctor	Number of persons	27,188
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	7,115
			Percent	26.2
		Has not looked for a regular medical doctor	Number of persons	3,535
			Percent	13.0
		Cannot find a regular medical doctor	Number of persons	3,579
			Percent	13.2
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	20,002
			Percent	73.6
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Males	Total population for the variable regular medical doctor	Number of persons	13,664
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	4,654
			Percent	34.1
		Has not looked for a regular medical doctor	Number of persons	2,677
			Percent	19.6
		Cannot find a regular medical doctor	Number of persons	1,977 ^E
			Percent	14.5 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	8,969
			Percent	65.6
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Females	Total population for the variable regular medical doctor	Number of persons	13,524
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	2,461
			Percent	18.2
		Has not looked for a regular medical doctor	Number of persons	858 ^E
			Percent	6.3 ^E
		Cannot find a regular medical doctor	Number of persons	1,603 ^E
			Percent	11.9 ^E
		Reason not specified	Number of persons	F
			Percent	F

		Has a regular medical doctor	Number of persons	11,033
			Percent	81.6
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
12 to 19 years	Both sexes	Total population for the variable regular medical doctor	Number of persons	3,854
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	799 ^E
			Percent	20.7 ^E
		Has not looked for a regular medical doctor	Number of persons	490 ^E
			Percent	12.7 ^E
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	2,984
			Percent	77.4
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Males	Total population for the variable regular medical doctor	Number of persons	2,016
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	444 ^E
			Percent	22.0 ^E
		Has not looked for a regular medical doctor	Number of persons	355 ^E
			Percent	17.6 ^E
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	1,532
			Percent	76.0
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Females	Total population for the variable regular medical doctor	Number of persons	1,838
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	F
			Percent	F
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	1,452
			Percent	79.0
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
		Total population for the variable regular medical doctor	Number of persons	6,422
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	2,785
			Percent	43.4
			Number of persons	1,698

20 to 34 years	Both sexes	Has not looked for a regular medical doctor	Percent	26.4 ^E
		Cannot find a regular medical doctor	Number of persons	1,088 ^E
			Percent	16.9 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	3,637
			Percent	56.6
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Males	Total population for the variable regular medical doctor	Number of persons	2,921
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	1,631
			Percent	55.8
		Has not looked for a regular medical doctor	Number of persons	1,121 ^E
			Percent	38.4 ^E
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	1,291 ^E
			Percent	44.2 ^E
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Females	Total population for the variable regular medical doctor	Number of persons	3,501
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	1,155 ^E
			Percent	33.0 ^E
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	578 ^E
			Percent	16.5 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	2,346
			Percent	67.0
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Both sexes	Total population for the variable regular medical doctor	Number of persons	5,580
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	1,416 ^E
			Percent	25.4 ^E
		Has not looked for a regular medical doctor	Number of persons	539 ^E
			Percent	9.7 ^E
		Cannot find a regular medical doctor	Number of persons	877 ^E
			Percent	15.7 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	4,164
			Percent	74.6
			Number of persons	F

35 to 44 years	Males	Regular medical doctor, not stated	Percent	F
		Total population for the variable regular medical doctor	Number of persons	2,807
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	987 ^E
			Percent	35.2 ^E
		Has not looked for a regular medical doctor	Number of persons	488 ^E
			Percent	17.4 ^E
		Cannot find a regular medical doctor	Number of persons	500 ^E
			Percent	17.8 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	1,820
			Percent	64.8
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Females	Total population for the variable regular medical doctor	Number of persons	2,773
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	F
			Percent	F
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	2,344
			Percent	84.5
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
45 to 64 years	Both sexes	Total population for the variable regular medical doctor	Number of persons	9,228
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	1,980
			Percent	21.5
		Has not looked for a regular medical doctor	Number of persons	765 ^E
			Percent	8.3 ^E
		Cannot find a regular medical doctor	Number of persons	1,215 ^E
			Percent	13.2 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	7,248
			Percent	78.5
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Males	Total population for the variable regular medical doctor	Number of persons	4,816
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	1,486
			Percent	30.9
		Has not looked for a regular medical doctor	Number of persons	686 ^E
			Percent	14.2 ^E
		Cannot find a regular medical doctor	Number of persons	800 ^E

			Percent	16.6 ^E
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	3,330
			Percent	69.1
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Females	Total population for the variable regular medical doctor	Number of persons	4,412
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	494 ^E
			Percent	11.2 ^E
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	3,918
			Percent	88.8
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
65 years and over	Both sexes	Total population for the variable regular medical doctor	Number of persons	2,103
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	F
			Percent	F
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	1,970
			Percent	93.6
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
	Males	Total population for the variable regular medical doctor	Number of persons	1,103
			Percent	100.0
		Does not have a regular medical doctor	Number of persons	F
			Percent	F
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	997
			Percent	90.4
		Regular medical doctor, not stated	Number of persons	F
			Percent	F
		Total population for the variable regular medical doctor	Number of persons	1,000
			Percent	100.0
			Number of persons	F

	Females	Does not have a regular medical doctor	Percent	F
		Has not looked for a regular medical doctor	Number of persons	F
			Percent	F
		Cannot find a regular medical doctor	Number of persons	F
			Percent	F
		Reason not specified	Number of persons	F
			Percent	F
		Has a regular medical doctor	Number of persons	972
			Percent	97.2
		Regular medical doctor, not stated	Number of persons	F
			Percent	F

Symbol legend:

^E Use with caution

^F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005.
2. Health regions are defined by the provincial ministries of health. These are legislated administrative areas in all provinces. The health regions presented in this table are based on boundaries and names in effect as of June 2005. For complete Canadian coverage, each of the northern territories also represents a health region.
3. A "peer group" is a grouping of health regions that have similar social and economic characteristics. The nine peer groups are identified by the letters A through I, which are appended to the health region 4-digit code.
10. Population aged 12 and over were asked to report whether they had a regular medical doctor. Those who did not were asked to report why not. Respondents were considered not to have looked for a regular medical doctor if their responses included "Have not tried to contact one" or "Other reasons". All other respondents without a regular medical doctor were considered to have been unable to find one. Their responses included various combinations of the following: "No medical doctors available in the area", "Medical doctors in the area are not taking new patients" and "Had a medical doctor who left or retired".
11. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
12. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
13. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
14. Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.

Source: Statistics Canada. *Table 105-0458 - Regular medical doctor, by age group and sex, household population aged 12 and over, Canada, provinces, territories, health regions (June 2005 boundaries) and peer groups, every 2 years, CANSIM (database).*

<http://cansim2.statcan.ca/cgi-win/cnsmcqi.exe?>

[Lang=E&CANSIMFile=C11\C11_1_E.htm&RootDir=C11/](http://cansim2.statcan.ca/cgi-win/cnsmcqi.exe?Lang=E&CANSIMFile=C11\C11_1_E.htm&RootDir=C11/)

(accessed: October 3, 2008)

[Printer-friendly format](#)