

Table 105-04401

Social support, by age group and sex, household population aged 12 and over, selected provinces, territories and health regions (June 2005 boundaries), every 2 years

Survey or program details:

Canadian Community Health Survey - 3226

Geography²=Northwest Territories [61]

| Age group | Sex | Social support ⁵ | Characteristics 6,7,8,9 | 2005 |
|--------------------------|------------|--|-------------------------|--------|
| Age group | | сосии сорран | Number of persons | 34,664 |
| | | Total population for the variable social support | Percent | 100.0 |
| | | Low code cumper | Number of persons | F |
| | | Low social support | Percent | F |
| | Dath saves | Medium social support | Number of persons | 3,166 |
| | Both sexes | medium social support | Percent | 9. |
| | | High social support | Number of persons | 28,64 |
| | | 3 | Percent | 82. |
| | | Social support, not stated | Number of persons | 1,987 |
| | | | Percent | 5.7 |
| | | Total population for the variable social support | Number of persons | 18,07 |
| | | Total population for the variable coolar support | Percent | 100. |
| | | Low social support | Number of persons | |
| | | 2011 300 iai Support | Percent | |
| Total, 12 years and over | Males | Medium social support | Number of persons | 1,72 |
| iotai, iz years and over | Iviales | modium cociai cupport | Percent | 9. |
| | | High social support | Number of persons | 14,38 |
| | | Tiigii Sooidi Support | Percent | 79. |
| | | Social support, not stated | Number of persons | 1,353 |
| | | Social Support, not stated | Percent | 7.5 |
| | Females | Total population for the variable social support | Number of persons | 16,59 |
| | | | Percent | 100. |
| | | Low social support | Number of persons | |
| | | Low social support | Percent | |
| | | Medium social support | Number of persons | 1,437 |
| | | | Percent | 8.7 |
| | | High social support | Number of persons | 14,26 |
| | | | Percent | 85. |
| | | Social support, not stated | Number of persons | |
| | | | Percent | |
| | Both sexes | Total population for the variable social support | Number of persons | 5,71 |
| | | | Percent | 100. |
| | | Low social support | Number of persons | |
| | | | Percent | |
| | | Medium social support | Number of persons | 377 |
| | | | Percent | 6.6 |
| | | High social support | Number of persons | 4,53 |
| | | | Percent | 79. |
| | | Social support, not stated | Number of persons | 702 |
| | | | Percent | 12.3 |
| | | Total population for the variable social support | Number of persons | 2,98 |
| | | | Percent | 100. |
| | | Low social support | Number of persons | |
| | | | Percent | |

| | | Medium social support | Number of persons | F |
|----------------|-------------|--|-------------------|------------------|
| | | | Percent | F |
| | Males | High social support | Number of persons | 2,157 |
| | | Ingil occial cappert | Percent | 72.2 |
| | | Social cumpert not stated | Number of persons | F |
| | | Social support, not stated | Percent | F |
| | | T-4-1 | Number of persons | 2,730 |
| | | Total population for the variable social support | Percent | 100.0 |
| 12 to 19 years | | | Number of persons | F |
| | Females | Low social support | Percent | F |
| | | | Number of persons | F |
| | | Medium social support | Percent | F |
| | | | Number of persons | 2,378 |
| | | High social support | Percent | 87.1 |
| | | | | |
| | | Social support, not stated | Number of persons | F |
| | <u> </u> | | Percent | F |
| | | Total population for the variable social support | Number of persons | 10,944 |
| | | | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | Doth source | Modium coolal support | Number of persons | 733 ^E |
| | Both sexes | Medium social support | Percent | 6.7 ^E |
| | | | Number of persons | 9,996 |
| | | High social support | Percent | 91.3 |
| | | | Number of persons | F |
| | | Social support, not stated | Percent | F |
| | | | Number of persons | 5,591 |
| | | Total population for the variable social support | Percent | 100.0 |
| | | | | - |
| | Males | Low social support | Number of persons | F |
| | | | Percent | F |
| 20 to 34 years | | Medium social support | Number of persons | F |
| | | | Percent | F |
| | | High social support | Number of persons | 4,947 |
| | | | Percent | 88.5 |
| | | Social support, not stated | Number of persons | F |
| | | | Percent | F |
| | Females | Total population for the variable social support | Number of persons | 5,352 |
| | | | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | F |
| | | | Percent | F |
| | | High social support | Number of persons | 5,049 |
| | | | Percent | 94.3 |
| | | Social support, not stated | Number of persons | F |
| | | | Percent | F |
| | | | Number of persons | 7,169 |
| | Both sexes | Total population for the variable social support | Percent | 100.0 |
| | | | Number of persons | F |
| | | Low social support | Percent | F |
| | | Medium social support | Number of persons | 687 ^E |
| | | | | |
| | | | Percent | 9.6 ^E |
| | | High social support | Number of persons | 6,113 |
| | | | Percent | 85.3 |
| | | Social support, not stated | Number of persons | F |
| | | | Percent | F |
| | | Total population for the variable social support | Number of persons | 3,710 |
| | | | Percent | 100.0 |
| 1 | • | | • | |

|] | | | Number of persons | F |
|----------------|------------|--|-------------------|--------------------|
| | | Low social support | Percent | F |
| | | | Number of persons | F |
| | | Medium social support | Percent | F |
| | Males | | Number of persons | 3,132 |
| | | High social support | Percent | 84.4 |
| | | | Number of persons | F |
| | | Social support, not stated | Percent | F |
| L | | | Number of persons | 3,459 |
| 35 to 44 years | | Total population for the variable social support | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | F |
| | Females | | Percent | F |
| | | | Number of persons | 2,982 |
| | | High social support | Percent | 86.2 |
| | | | Number of persons | F |
| | | Social support, not stated | Percent | F |
| | | | Number of persons | 9,053 |
| | | Total population for the variable social support | Percent | 100.0 |
| | | | Number of persons | F |
| | | Low social support | Percent | F |
| | | | Number of persons | 1,075 ^E |
| | Both sexes | Medium social support | Percent | 11.9 ^E |
| | | | Number of persons | 6,693 |
| | | High social support | Percent | 73.9 |
| | | | Number of persons | F |
| | | Social support, not stated | Percent | F |
| | | | Number of persons | 4,888 |
| | | Total population for the variable social support | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | Malas | | Percent | F |
| AE to 64 years | | Madiana araial assurant | Number of persons | F |
| 45 to 64 years | Males | Medium social support | Percent | F |
| | | High social support | Number of persons | 3,551 |
| | | | Percent | 72.6 |
| | | Social support, not stated | Number of persons | F |
| | | | Percent | F |
| | Females | Total population for the variable social support | Number of persons | 4,164 |
| | | | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | 635 ^E |
| | | | Percent | 15.3 ^E |
| | | High and Lawrence | Number of persons | 3,143 |
| | | High social support | Percent | 75.5 |
| | | Social support not stated | Number of persons | F |
| | | Social support, not stated | Percent | F |
| | Both sexes | Total population for the variable social support | Number of persons | 1,782 |
| | | paper and talliand decid cappore | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | 294 ^E |
| | | | Percent | 16.5 ^E |
| | | High social support | Number of persons | 1,307 |
| | | | Percent | 73.4 |
| | | Social support, not stated | Number of persons | F |
| I | | | I | |

| 1 | 1 | ı | I | i =1 |
|-------------------|---------|--|-------------------|-------|
| | | | Percent | F |
| | Males | Total population for the variable social support | Number of persons | 894 |
| | | | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | F |
| | | | Percent | F |
| | | High social support | Number of persons | 599 |
| | | | Percent | 67.0 |
| 65 years and over | | Social support, not stated | Number of persons | F |
| | | | Percent | F |
| | Females | Total population for the variable social support | Number of persons | 889 |
| | | | Percent | 100.0 |
| | | Low social support | Number of persons | F |
| | | | Percent | F |
| | | Medium social support | Number of persons | F |
| | | | Percent | F |
| | | High social support | Number of persons | 709 |
| | | | Percent | 79.7 |
| | | Social support, not stated | Number of persons | F |
| | | | Percent | F |

Symbol legend:

E Use with caution

F Too unreliable to be published

Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005. The CANSIM table 1050440 is an update of CANSIM table 1050240.
- 2. Health regions are defined by the provincial ministries of health. These are legislated administrative areas in all provinces. The health regions presented in this table are based on boundaries and names in effect as of June 2005. For complete Canadian coverage, each of the northern territories also represents a health region.
- 5. Level of perceived social support reported by population aged 12 and over, based on responses to a series of questions dealing with emotional and informational social support.
- **6.** When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
- 7. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 8. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
- **9.** Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.

Source: Statistics Canada. *Table 105-0440 - Social support, by age group and sex, household population aged 12 and over, selected provinces, territories and health regions (June 2005 boundaries), every 2 years, CANSIM (database).*

http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?

Lang=E& CANSIMFile=CII\CII_1_E.htm& RootDir=CII/

(accessed: October 8, 2008)

Printer-friendly format

Date modified: 2007-04-27