

Statistics Canada

Home > CANSIM

Table 102-0507^{1, 2, 3, 5, 19}

Infant deaths and mortality rates, by age group, Canada, provinces and territories annual

 Data table
 Add/Remove data
 Manipulate
 Download
 Related information
 Help

The data below is a part of CANSIM table 102-0507. Use the Add/Remove data tab to customize your table.

Selected items [Add/Remove	data]															
eography, place of residence	Age at time of death ^{4, 5}	Characteristics <u>6, 8, 10, 11, 12, 16</u>	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
ukon, place of residence	Total infant	Number of deaths	6	2	4	1	6	0	4	2	1	1	3	3	2	4
	deaths, age at time of death, under 1 year	Mortality rate per 1,000 live births	10.6	3.8	7.9	2.3	12.8	0.0	8.4	5.1	2.6	2.7	8.7	8.8	6.0	11.0
	Neonatal, age at	Number of deaths	5	1	3	1	2	0	2	2	1	0	3	2	2	3
	time of death, 0 to 27 days ²	Mortality rate per 1,000 live births	8.8	1.9	5.9	2.3	4.3	0.0	4.2	5.1	2.6	0.0	8.7	5.9	6.0	8.2
	Neonatal, age at	Number of deaths	5	0	2	1	1	0	1	1	0	0	1	1	2	3
	time of death, under 1 day	Mortality rate per 1,000 live births	8.8	0.0	3.9	2.3	2.1	0.0	2.1	2.5	0.0	0.0	2.9	2.9	6.0	8.2
	Neonatal, age at time of death, 1 to 6 days	Number of deaths	0	1	1	0	0	0	1	1	1	0	0	1	0	0
		Mortality rate per 1,000 live births	0.0	1.9	2.0	0.0	0.0	0.0	2.1	2.5	2.6	0.0	0.0	2.9	0.0	0.0
	Neonatal, age at time of death, 7 to 27 days	Number of deaths	0	0	0	0	1	0	0	0	0	0	2	0	0	0
		Mortality rate per 1,000 live births	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0
	Post-neonatal, age at time of death, 1 to 11 months ²	Number of deaths	1	1	1	0	4	0	2	0	0	1	0	1	0	1
		Mortality rate per 1,000 live births	1.8	1.9	2.0	0.0	8.5	0.0	4.2	0.0	0.0	2.7	0.0	2.9	0.0	2.7
	Post-neonatal,	Number of deaths	1	1	1	0	2	0	1	0	0	0	0	0	0	1
	age at time of death, 1 to 2 months	Mortality rate per 1,000 live births	1.8	1.9	2.0	0.0	4.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.7
	Post-neonatal,	Number of deaths	0	0	0	0	2	0	1	0	0	1	0	1	0	0
	age at time of death, 3 to 5 months	Mortality rate per 1,000 live births	0.0	0.0	0.0	0.0	4.3	0.0	2.1	0.0	0.0	2.7	0.0	2.9	0.0	0.0
	Post-neonatal,	Number of deaths	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	age at time of death, 6 to 11 months		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Geography, place of residence	Age at time of death 4.5	Characteristics 6, 8, 10, 11, 12, 16	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	200
		Mortality rate per 1,000 live births														
	Total infant	Number of deaths	20 ^(T)	26 ^(T)	15 ^(T)	23 ^(T)	21 ^(T)	19 ^(T)	16 ^(T)	25 ^(T)	19 ^(T)	(T)	(T)	(T)	(T)	C
	deaths, age at time of death, under 1 year	Mortality rate per 1,000 live births	12.2 ^(T)	16.7 ^(T)	9.6 ^(T)	14.6 ^(T)	13.0 ^(T)	12.2 ^(T)	10.9 ^(T)	18.5 ^(T)	13.6 ^(T)	(T)	(T)	(T)	(T)	
	Neonatal, age at	Number of deaths	10 ^(T)	11 ^(T)	8 ^(T)	8 ^(T)	6 ^(T)	5 ^(T)	10 ^(T)	7 ^(T)	12 ^(T)	(T)	(T)	(T)	(T)	
	time of death, 0 to 27 days ²	Mortality rate per 1,000 live births	6.1 ^(T)	7.1 ^(T)	5.1 ^(T)	5.1 ^(T)	3.7 ^(T)	3.2 ^(T)	6.8 ^(T)	5.2 ^(T)	8.6 ^(T)	(T)	(T)	(T)	(T)	
	Neonatal, age at	Number of deaths	6 ^(T)	5 ^(T)	2 ^(T)	5 ^(T)	4 ^(T)	3 ^(T)	4 ^(T)	3 ^(T)	8 ^(T)	(T)	(T)	(T)	(T)	
Northwest Territories including Nunavut, place of residence (Terminated)	time of death, under 1 day	Mortality rate per 1,000 live births	3.7 ^(T)	3.2 ^(T)	1.3 ^(T)	3.2 ^(T)	2.5 ^(T)	1.9 ^(T)	2.7 ^(T)	2.2 ^(T)	5.7 ^(T)	(T)	(T)	(T)	(T)	
	Neonatal, age at	Number of deaths	3 ^(T)	3 ^(T)	4 ^(T)	3 ^(T)	1 ^(T)	1 ^(T)	2 ^(T)	2 ^(T)	1 ^(T)	(T)	(T)	(T)	(T)	
	time of death, 1 to 6 days	Mortality rate per 1,000 live births	1.8 ^(T)	1.9 ^(T)	2.6 ^(T)	1.9 ^(T)	0.6 ^(T)	0.6 ^(T)	1.4 ^(T)	1.5 ^(T)	0.7 ^(T)	(T)	(T)	(T)	(T)	
	Neonatal, age at time of death, 7 to 27 days	Number of deaths	1 ^(T)	3 ^(T)	2 ^(T)	0 ^(T)	1 ^(T)	1 ^(T)	4 ^(T)	2 ^(T)	3 ^(T)	(T)	(T)	(T)	(T)	
		Mortality rate per 1,000 live births	0.6 ^(T)	1.9 ^(T)	1.3 ^(T)	0.0 ^(T)	0.6 ^(T)	0.6 ^(T)	2.7 ^(T)	1.5 ^(T)	2.1 ^(T)	(T)	(T)	(T)	(T)	
	Post-neonatal, age at time of	Number of deaths	10 ^(T)	15 ^(T)	7 ^(T)	15 ^(T)	15 ^(T)	14 ^(T)	6 ^(T)	18 ^(T)	7 ^(T)	(T)	(T)	(T)	(T)	
	death, 1 to 11 months ²	Mortality rate per 1,000 live births	6.1 ^(T)	9.7 ^(T)	4.5 ^(T)	9.5 ^(T)	9.3 ^(T)	9.0 ^(T)	4.1 ^(T)	13.4 ^(T)	5.0 ^(T)	(T)	(T)	(T)	(Т)	
	Post-neonatal, age at time of death, 1 to 2 months	Number of deaths	2 ^(T)	5 ^(T)	2 ^(T)	7 ^(T)	8 ^(T)	5 ^(T)	3 ^(T)	6 ^(T)	2 ^(T)	(T)	(T)	(T)	(T)	
		Mortality rate per 1,000 live births	1.2 ^(T)	3.2 ^(T)	1.3 ^(T)	4.4 ^(T)	5.0 ^(T)	3.2 ^(T)	2.0 ^(T)	4.5 ^(T)	1.4 ^(T)	(T)	(Т)	(T)	(Т)	
	Post-neonatal, age at time of death, 3 to 5 months	Number of deaths	5 ^(T)	6 ^(T)	3 ^(T)	4 ^(T)	2 ^(T)	3 ^(T)	2 ^(T)	8 ^(T)	4 ^(T)	(T)	(T)	(T)	(T)	
		Mortality rate per 1,000 live births	3.1 ^(T)	3.9 ^(T)	1.9 ^(T)	2.5 ^(T)	1.2 ^(T)	1.9 ^(T)	1.4 ^(T)	5.9 ^(T)	2.9 ^(T)	(T)	(Т)	(T)	(Т)	
	Post-neonatal,	Number of deaths	3 ^(T)	4 ^(T)	2 ^(T)	4 ^(T)	5 ^(T)	6 ^(T)	1 ^(T)	4 ^(T)	1 ^(T)	(T)	(T)	(T)	(T)	
	age at time of death, 6 to 11 months	Mortality rate per 1,000 live births	1.8 ^(T)	2.6 ^(T)	1.3 ^(T)	2.5 ^(T)	3.1 ^(T)	3.8 ^(T)	0.7 ^(T)	3.0 ^(T)	0.7 ^(T)	(T)	(T)	(T)	(Т)	
orthwest Territories, place of sidence ¹⁵	Total infant deaths, age at	Number of deaths									8	6	3	7		
Sidence	time of death, under 1 year	Mortality rate per 1,000 live births									12.1	8.9	4.9	11.0	5.7	
	Neonatal, age at	Number of deaths									6	5	2	5	3	
	time of death, 0 to 27 days ²	Mortality rate per 1,000 live births									9.1	7.4	3.3	7.9	4.3	
	Neonatal, age at	Number of deaths									4	4	0	3	3	
	time of death, under 1 day	Mortality rate per 1,000 live births									6.1	5.9	0.0	4.7	4.3	
		Number of deaths									1	1	1	2	0	

Geography, place of residence	Age at time of death ^{4, 5}	Characteristics 6, 8, 10, 11, 12, 16	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
	Neonatal, age at time of death, 1 to 6 days	Mortality rate per 1,000 live births									1.5	1.5	1.6	3.1	0.0	0.0
	Neonatal, age at	Number of deaths									1	0	1	0	0	0
	time of death, 7 to 27 days	Mortality rate per 1,000 live births									1.5	0.0	1.6	0.0	0.0	0.0
	Post-neonatal,	Number of deaths									2	1	1	2	1	0
de	age at time of death, 1 to 11 months ²	Mortality rate per 1,000 live births									3.0	1.5	1.6	3.1	1.4	0.0
	Post-neonatal,	Number of deaths									0	0	0	2	1	0
death	age at time of death, 1 to 2 months	Mortality rate per 1,000 live births									0.0	0.0	0.0	3.1	1.4	0.0
	Post-neonatal,	Number of deaths									1	0	0	0	0	0
	age at time of death, 3 to 5 months	Mortality rate per 1,000 live births									1.5	0.0	0.0	0.0	0.0	0.0
	Post-neonatal, age at time of death, 6 to 11 months	Number of deaths									1	1	1	0	0	0
		Mortality rate per 1,000 live births									1.5	1.5	1.6	0.0	0.0	0.0
unavut, place of residence	Total infant deaths, age at time of death, under 1 year	Number of deaths									11	9	12	8	15	12
		Mortality rate per 1,000 live births									14.9	12.3	16.9	11.0	19.8	16.1
	Neonatal, age at time of death, 0 to 27 days ²	Number of deaths									6	5	4	2	5	7
		Mortality rate per 1,000 live births									8.1	6.8	5.6	2.8	6.6	9.4
	Neonatal, age at time of death, under 1 day	Number of deaths									4	1	0	1	2	5
		Mortality rate per 1,000 live births									5.4	1.4	0.0	1.4	2.6	6.7
	Neonatal, age at	Number of deaths									0	0	3	0	1	2
	time of death, 1 to 6 days	Mortality rate per 1,000 live births									0.0	0.0	4.2	0.0	1.3	2.7
	Neonatal, age at	Number of deaths									2	4	1	1	2	0
	time of death, 7 to 27 days	Mortality rate per 1,000 live births									2.7	5.5	1.4	1.4	2.6	0.0
	Post-neonatal,	Number of deaths									5	4	8	6	10	5
	age at time of death, 1 to 11 months ²	Mortality rate per 1,000 live births									6.8	5.5	11.3	8.3	13.2	6.7
	Post-neonatal,	Number of deaths									2	3	3	2	4	1
	age at time of death, 1 to 2 months	Mortality rate per 1,000 live births									2.7	4.1	4.2	2.8	5.3	1.3
		Number of deaths									3	0	3	3	2	2

Geography, place of residence	Age at time of death ^{4, 5}	Characteristics 6, 8, 10, 11, 12, 16	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
	Post-neonatal, age at time of death, 3 to 5 months	Mortality rate per 1,000 live births									4.1	0.0	4.2	4.1	2.6	2.7
	Post-neonatal,	Number of deaths									0	1	2	1	4	2
	age at time of death, 6 to 11 months	Mortality rate per 1,000 live births									0.0	1.4	2.8	1.4	5.3	2.7
	1	1		1		1	1		1		1	1	1	Ba	ack to or	riginal tal

Symbol legend:

(T) Series is terminated

Footnotes:

- 1. Sources: Statistics Canada, Canadian Vital Statistics, Birth and Death Databases
- 2. Mortality rate calculations in this table use live births in the calendar year instead of the Demography Division's under one year of age population estimate (Appendix 1).
- 3. Death refers to the permanent disappearance of all evidence of life at any time after a live birth has taken place. Stillbirths are excluded.
- 4. Age, in the case of infant deaths, corresponds to the completed number of months (or minutes, hours, or days) since birth.
- 5. Infant death is the death of a child under one year of age.
- 6. Infant death rate is the number of infant deaths during a given year per 1,000 live births in the same year.
- 7. Neonatal death is the death of a child under 4 weeks of age (0 to 27 days).
- 8. Neonatal mortality rate is the number of neonatal deaths during a given year per 1,000 live births in the same year.
- 9. Post-neonatal death is the death of a child under one year of age but at least 28 days old (28 to 364 days).
- 10. Post-neonatal mortality rate is the number of post-neonatal deaths during a given year per 1,000 live births in the same year.
- 11. The mortality rate represents the number of deaths in a particular age group during a given year per 1,000 live births in the same calendar year.
- 12. Live birth is the complete expulsion or extraction from its mother of a product of conception which, regardless of the duration of pregnancy, subsequently breathes or shows any other evidence of life.
- **13.** The geographic distribution of deaths in this table is based on the deceased's usual place of residence.
- 14. Nunavut and the Northwest Territories (excluding Nunavut) came into existence on April 1, 1999. Data for these two territories are shown combined and separated for 1999 and separated from 2000 on. Historical data prior to 1999 are shown for the two territories combined as the "Northwest Territories including Nunavut" series; it was terminated in 1999. The vital statistics data that pertain to these territories for 1999 were previously published on the basis of the legal definition of each territory, as per the date of the event. Vital events for Nunavut that occurred before April 1, 1999 were tabulated with those of the Northwest Territories; only those events that occurred from April 1, 1999 on were tabulated separately. See the paper versions of the following publications for data year 1999: catalogue numbers 84F0001XPB, 84F0210XPB, 84F0210XPB, 84F0208XPB and 84F0209XPB.
- 15. Northwest Territories excluding Nunavut.
- 16. The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period, (...) for figures not applicable and (x) for figures suppressed to meet the confidentiality requirements of the Statistics Act.
- 17. The category "Unknown province or territory" refers to deaths of residents of Canada with province or territory of residence unknown. Starting with the 2010 data year, province or territory of residence is imputed where unknown.
- 19. During the production of each year's birth/death/stillbirth statistics, data from previous years may be revised to reflect any updates or changes that have been received from the provincial and territorial vital statistics registrars.

Source: Statistics Canada. Table 102-0507 - Infant deaths and mortality rates, by age group, Canada, provinces and territories, annual, CANSIM (database). (accessed:) Back to search

Date modified: 2013-09-25