

<u>Home</u> > <u>CANSIM</u> >

(Note: Content area on this page may be wider than usual.)

## **CANSIM - Results**

Table 105-02041,2,3,8

Pain or discomfort by severity, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years

## Survey or program details:

Canadian Community Health Survey - 3226

Geography<sup>3</sup>=Northwest Territories

Age group	Sex	Pain or discomfort by severity <sup>2</sup>	Characteristics 4,5,6,7	2003	2005
		Total population for the variable pain or	Number of persons	33,228	34,664
		discomfort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	29,364	29,222
			Percent	88.4	84.3
		Mild pain or discomfort	Number of persons	1,341 <sup>E</sup>	1,912 <sup>E</sup>
		wind pain or disconnect	Percent	4.0 <sup>E</sup>	5.5 <sup>E</sup>
	Both	Moderate or severe pain or discomfort	Number of persons	2,488	3,297 <sup>E</sup>
	sexes	inoderate of severe pair of disconnoct	Percent	7.5	9.5 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	1,973	2,604 <sup>E</sup>
		Moderate pain or discomfort	Percent	5.9	7.5 <sup>E</sup>
		Severe pain or discomfort	Number of persons	515 <sup>E</sup>	694 <sup>E</sup>
			Percent	1.6 <sup>E</sup>	2.0 <sup>E</sup>
		Severity of pain or discomfort, not stated	Number of persons	F	F
Total, 12 years and over			Percent	F	F
		Total population for the variable pain or	Number of persons	17,262	18,070
		discomfort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	15,469	15,469
		No pain of disconnect	Percent	89.6	85.6
		Mild pain or discomfort	Number of persons	641 <sup>E</sup>	995 <sup>E</sup>
		while pain or discorniort	Percent	3.7 <sup>E</sup>	5.5 <sup>E</sup>
	Males	Madagata ay asyana nain ay diaganafant	Number of persons	1,117 <sup>E</sup>	1,465 <sup>E</sup>
		Moderate or severe pain or discomfort	Percent	6.5 <sup>E</sup>	8.1 <sup>E</sup>
		Madanka main andia ametant	Number of persons	936 <sup>E</sup>	1,243 <sup>E</sup>
		Moderate pain or discomfort	Percent	5.4 <sup>E</sup>	6.9 <sup>E</sup>
		Sovoro pain or discomfort	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F

	1	Ī	Percent	F	F
		Total population for the variable pain or	Number of persons	15,966	16,594
		discomfort by severity	Percent	100.0	100.0
		No main an diagonafant	Number of persons	13,895	13,753
		No pain or discomfort	Percent	87.0	82.9
		Mild main on discompany	Number of persons	700 <sup>E</sup>	918 <sup>E</sup>
		Mild pain or discomfort	Percent	4.4 <sup>E</sup>	5.5 <sup>E</sup>
			Number of persons	1,371	1,832 <sup>E</sup>
	Females	Moderate or severe pain or discomfort	Percent	15,966 16,59 100.0 100. 13,895 13,75 87.0 82. 700 <sup>E</sup> 918 4.4 <sup>E</sup> 5.5 1,371 1,832 8.6 11.0 1,037 <sup>E</sup> 1,361 6.5 <sup>E</sup> 8.2 F 471 F 2.8 F 1 5,656 5,71 100.0 100. 5,299 5,38 93.7 94. F 1 F 1 F 1 F 1 F 1 F 1 F 1 F 1 F 1 F 1	11.0 <sup>E</sup>
		Madagata nain ay diasamfayt	Number of persons	1,037 <sup>E</sup>	1,361 <sup>E</sup>
		Moderate pain or discomfort	Percent	6.5 <sup>E</sup>	8.2 <sup>E</sup>
		Severe pain or discomfort	Number of persons	F	471 <sup>E</sup>
		Severe pain or disconnort	Percent	F	2.8 <sup>E</sup>
		Consulty of main an discountant material	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	5,656	5,716
		discomfort by severity	Percent	100.0	100.0
		No main an diagonafant	Number of persons	5,299	5,386
	Both sexes	No pain or discomfort	Percent	93.7	94.2
		Mild a six on discourfe at	Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
			Number of persons	F	F
		Moderate pain or discomfort Percent	Percent	F	F
		Sovere pain or discomfort	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or discomfort by severity	Number of persons	3,020	2,987
12 to 19 years			Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,830	2,845
		No pain of disconnect	Percent	93.7	95.3
		Mild pain or discomfort	Number of persons	F	F
		wind pain or disconnort	Percent	F	F
	Malos	Moderate or sovere pain or discomfort	Number of persons	F	F
	Males	Moderate or severe pain or discomfort	Percent	F	F
		Madarata nain ar diagonafart	Number of persons	F	F
		Moderate pain or discomfort	Percent	F	F
		Savara nain ar discomfort	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Sougritu of pain or discomfort and stated	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	2,636	2,730
		discomfort by severity	Percent	100.0	100.0
			T		

		No pain or discomfort	Number of persons	2,469	2,541
		No pain or discomfort	Percent	93.7	93.1
		Mild pain or discomfort	Number of persons	F	F
		wind pain or disconnort	Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
	Females	initiate of severe pair of disconnoct	Percent	F	F
	remaies	Moderate pain or discomfort	Number of persons	F	F
		Woderate pain of discomfort	Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
		Severe pain or disconnort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	10,084	10,944
		discomfort by severity	Percent	100.0	100.0
			Number of persons	9,140	9,678
		No pain or discomfort	Percent	90.6	88.4
		Mild main an diagrams	Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
	Poth		Number of persons	549 <sup>E</sup>	611 <sup>E</sup>
	Both sexes	Moderate or severe pain or discomfort	Percent	5.4 <sup>E</sup>	5.6 <sup>E</sup>
			Number of persons	549 <sup>E</sup>	F
		Moderate pain or discomfort	Percent	5.4 <sup>E</sup>	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	5,260	5,591
		discomfort by severity	Percent	100.0	100.0
20 to 34 years		No pain or discomfort	Number of persons	4,789	5,126
			Percent	91.0	91.7
		Mild pain or discomfort	Number of persons	F	F
		wind paint of disconnect	Percent	F	F
	Males	Moderate or severe pain or discomfort	Number of persons	F	F
	Widies	moderate or severe pair or disconnect	Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
		inoderate pain of disconnoct	Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
		Severe pain or disconnort	Percent	F	F
		Soverity of pain or discomfort, not stated	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	4,824	5,352
		discomfort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	4,352	4,552
			Percent	90.2	85.1
		Mild pain or discomfort	Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
	ı				

Females	1	I	Number of persons	F F	362 <sup>E</sup>
		Moderate or severe pain or discomfort	Percent	F	6.8 <sup>E</sup>
			Number of persons	F	F
		Moderate pain or discomfort	Percent	F	
	Females		Number of persons	F	 F
	Severe pain or discomfort	Percent	F	F	
			Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
	1	Total population for the variable pain or	Number of persons	7,803	7,169
		discomfort by severity	Percent	100.0	100.0
			Number of persons	7,148	5,956
		No pain or discomfort	Percent	91.6	83.1
			Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
	Both	Moderate or severe pain or discomfort	Number of persons	F	937 <sup>E</sup>
	sexes	Moderate of Severe pain of discomfort	Percent	F	13.1 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	F	763 <sup>E</sup>
		Moderate pain of disconnort	Percent	F	10.6 <sup>E</sup>
		Carrage main an discountant	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Soverity of pain or discomfort, not stated	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	3,763	3,710
		discomfort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	3,610	3,029
		no pain of disconnoct	Percent	95.9	81.6
35 to 44 years		Mild pain or discomfort	Number of persons	F	F
		wind pain of discomfort	Percent	F	F
	Males	Moderate or severe pain or discomfort	Number of persons	F	F
	Maios	moderate of severe pain of disconnect	Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons		F
		,	Percent	F	F
		Total population for the variable pain or	Number of persons		3,459
		discomfort by severity	Percent		100.0
		No pain or discomfort	Number of persons	F F F S,763 S,763 S,763 S,763 S,763 S,763 F F F F F F F F F F F F F F F F F F F	2,927
			Percent		84.6
	Females	Mild pain or discomfort	Number of persons		F
		-	Percent		- F
		Moderate or severe pain or discomfort	Number of persons		457 <sup>E</sup>
		,	Percent	F	13.2 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	F	F
İ	1	I '	I		ļ

1	I		Percent	l F	F
			Number of persons	F	F
		Severe pain or discomfort	Percent	F.	F
			Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
	1	Total population for the variable pain or	Number of persons	7,899	9,053
		discomfort by severity	Percent	100.0	100.0
			Number of persons	6,369	7,021
		No pain or discomfort	Percent	80.6	77.6
			Number of persons	F	696 <sup>E</sup>
		Mild pain or discomfort	Percent	F	7.7 <sup>E</sup>
	Both	Moderate or severe pain or discomfort	Number of persons	1,148	1,193 <sup>E</sup>
	sexes	inductate of severe pain of disconnoct	Percent	14.5	13.2 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	879 <sup>E</sup>	1,047 <sup>E</sup>
		moderate pain of disseminer	Percent	11.1 <sup>E</sup>	11.6 <sup>E</sup>
		Sovere pain or discomfort	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or discomfort by severity	Number of persons	4,380	4,888
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	3,551	3,772
			Percent	81.1	77.2
		Mild pain or discomfort	Number of persons	F	F
45 to (4		Mild pain or discomfort	Percent	F	F
45 to 64 years	Males	Moderate or severe pain or discomfort	Number of persons	519 <sup>E</sup>	F
	iviales	moderate of Severe pain of disconnect	Percent	11.8 <sup>E</sup>	F
		Moderate pain or discomfort	Number of persons	399 <sup>E</sup>	F
			Percent	9.1 <sup>E</sup>	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
			Number of persons	F	F
		,	Percent	F	F
		Total population for the variable pain or discomfort by severity	Number of persons	3,519	4,164
		disconnort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,818	3,248
			Percent	80.1	78.0
		Mild pain or discomfort	Number of persons	F	F
	Females		Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	630 <sup>E</sup>	
			Percent	17.9 <sup>E</sup>	
		Moderate pain or discomfort	Number of persons	480 <sup>E</sup>	556 <sup>E</sup>
			Percent	13.6 <sup>E</sup>	13.4 <sup>E</sup>
		Severe pain or discomfort	Number of persons	F	F
	1	1	I		

		I	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	1,786	1,782
		discomfort by severity	Percent	100.0	100.0
			Number of persons	1,408	1,181
		No pain or discomfort	Percent	78.8	66.3
			Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
	Both		Number of persons	F	334 <sup>E</sup>
	sexes	Moderate or severe pain or discomfort	Percent	F	18.8 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	F 3 5 7 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	F
		Moderate pain or disconnoct	Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
		Severe pair or disconnort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
		Severity of pain of disconnoct, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	839	894
		discomfort by severity	Percent	100.0	100.0
		No pain or discomfort	Number of persons	690	698
		No pain or discomfort	Percent	82.2	78.1
		Mild nain or discomfort	Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
65 years and	Malaa	Madayata ay assaya wain ay diasayafayt	Number of persons	F	F
over	Males	Moderate or severe pain or discomfort	Percent	F	F
		Madanata nain an diagantant	Number of persons	F	F
		Moderate pain or discomfort	Percent	F	F
		Carrage and an alice among and	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		`	Number of persons	F	F
		Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	947	889
		discomfort by severity	Percent	100.0	100.0
		No nain ar discomfort	Number of persons	718	484
		No pain or discomfort	Percent	75.8	54.4
		Mild nain or discomfort	Number of persons	F	F
		Mild pain or discomfort	Percent	F	F
			Number of persons	F	278 <sup>E</sup>
	Females	Moderate or severe pain or discomfort	Percent	F	31.3 <sup>E</sup>
		Moderate pain or discomfort	Number of persons	F	F
		Moderate pain or discomfort	Percent	F	F
		Source main or discountant	Number of persons	F	F
		Severe pain or discomfort	Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
		coverity of pain of disconnoct, not stated	Percent	F	F

## Symbol legend:

E Use with caution

F Too unreliable to be published

## Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey, 2003 and 2005
- 2. Population aged 12 and over who report that they usually have pain or discomfort. Severity is measured as severe, moderate or mild.
- 3. Canada and provincial estimates are based on sub-sample weights.
- **4.** When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
- **6.** Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.
- **7.** The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.
- 8. The CANSIM table 105-0204 is an update of CANSIM table 105-0004.

**Source:** Statistics Canada. *Table 105-0204 - Pain or discomfort by severity, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years, CANSIM (database).* 

http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?

Lang=E& CANSIMFile=CII\CII\_1\_E.htm& RootDir=CII/

(accessed: October 17, 2008)

Printer-friendly format Begin a new CANSIM request

Date Modified: 2007-05-25