

(**Note:** Content area on this page may be wider than usual.)

CANSIM - Results

Table 105-0204 [1,2,3,8](#)

Pain or discomfort by severity, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years

Survey or program details:

Canadian Community Health Survey - [3226](#)

Geography³=Nunavut

Age group	Sex	Pain or discomfort by severity ²	Characteristics ^{4,5,6,7}	2003	2005
Total, 12 years and over	Both sexes	Total population for the variable pain or discomfort by severity	Number of persons	13,743	14,948
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	12,672	12,967
			Percent	92.2	86.7
		Mild pain or discomfort	Number of persons	259 ^E	1,099
			Percent	1.9 ^E	7.4
		Moderate or severe pain or discomfort	Number of persons	783 ^E	817 ^E
			Percent	5.7 ^E	5.5 ^E
		Moderate pain or discomfort	Number of persons	558 ^E	497 ^E
			Percent	4.1 ^E	3.3 ^E
		Severe pain or discomfort	Number of persons	F	320 ^E
			Percent	F	2.1 ^E
	Males	Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or discomfort by severity	Number of persons	6,975	7,627
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	6,680	6,671
			Percent	95.8	87.5
		Mild pain or discomfort	Number of persons	F	549
			Percent	F	7.2
		Moderate or severe pain or discomfort	Number of persons	F	372 ^E
			Percent	F	4.9 ^E
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F

			Percent	F	F
		Females	Total population for the variable pain or discomfort by severity	Number of persons	6,768 7,321
				Percent	100.0 100.0
			No pain or discomfort	Number of persons	5,993 6,296
				Percent	88.5 86.0
			Mild pain or discomfort	Number of persons	167 ^E 550
				Percent	2.5 ^E 7.5
			Moderate or severe pain or discomfort	Number of persons	609 ^E F
				Percent	9.0 ^E F
			Moderate pain or discomfort	Number of persons	445 ^E F
				Percent	6.6 ^E F
			Severe pain or discomfort	Number of persons	F F
				Percent	F F
			Severity of pain or discomfort, not stated	Number of persons	F F
				Percent	F F
12 to 19 years		Both sexes	Total population for the variable pain or discomfort by severity	Number of persons	3,286 3,321
				Percent	100.0 100.0
			No pain or discomfort	Number of persons	3,016 3,128
				Percent	91.8 94.2
			Mild pain or discomfort	Number of persons	F F
				Percent	F F
			Moderate or severe pain or discomfort	Number of persons	F F
				Percent	F F
			Moderate pain or discomfort	Number of persons	F F
				Percent	F F
			Severe pain or discomfort	Number of persons	F F
				Percent	F F
			Severity of pain or discomfort, not stated	Number of persons	F F
				Percent	F F
		Males	Total population for the variable pain or discomfort by severity	Number of persons	1,612 1,683
				Percent	100.0 100.0
			No pain or discomfort	Number of persons	1,538 1,581
				Percent	95.4 93.9
			Mild pain or discomfort	Number of persons	F F
				Percent	F F
			Moderate or severe pain or discomfort	Number of persons	F F
				Percent	F F
			Moderate pain or discomfort	Number of persons	F F
				Percent	F F
			Severe pain or discomfort	Number of persons	F F
				Percent	F F
			Severity of pain or discomfort, not stated	Number of persons	F F
				Percent	F F
			Total population for the variable pain or discomfort by severity	Number of persons	1,675 1,638
				Percent	100.0 100.0

20 to 34 years	Females	No pain or discomfort	Number of persons	1,478	1,547
			Percent	88.3	94.5
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
	Both sexes	Total population for the variable pain or discomfort by severity	Number of persons	4,821	5,278
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	4,675	4,731
			Percent	97.0	89.6
		Mild pain or discomfort	Number of persons	F	300 ^E
			Percent	F	5.7 ^E
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or discomfort by severity	Number of persons	2,330	2,730
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,244	2,423
			Percent	96.3	88.7
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or discomfort by severity	Number of persons	2,491	2,548
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,431	2,309
			Percent	97.6	90.6
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F

	Females	Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
35 to 44 years	Both sexes	Total population for the variable pain or discomfort by severity	Number of persons	2,543	2,900
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,262	2,444
			Percent	89.0	84.3
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or discomfort by severity	Number of persons	1,368	1,433
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	1,270 ^E	1,221
			Percent	92.8	85.2
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Females	Total population for the variable pain or discomfort by severity	Number of persons	1,174	1,467
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	992	1,223
			Percent	84.5	83.3
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F

45 to 64 years		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Both sexes	Total population for the variable pain or discomfort by severity	Number of persons	2,572	2,931
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	2,307	2,363
			Percent	89.7	80.6
		Mild pain or discomfort	Number of persons	F	298 ^E
			Percent	F	10.2 ^E
		Moderate or severe pain or discomfort	Number of persons	236 ^E	F
			Percent	9.2 ^E	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or discomfort by severity	Number of persons	1,361	1,466
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	1,324	1,271
			Percent	97.3	86.7
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Females	Total population for the variable pain or discomfort by severity	Number of persons	1,211	1,465
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	983	1,092
			Percent	81.1	74.5
		Mild pain or discomfort	Number of persons	F	270 ^E
			Percent	F	18.4 ^E
		Moderate or severe pain or discomfort	Number of persons	199 ^E	F
			Percent	16.4 ^E	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
			Number of persons	F	F

65 years and over	Both sexes	Severity of pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or discomfort by severity	Number of persons	521	519
			Percent	100.0	100.0
		No pain or discomfort	Number of persons	412	301 ^E
			Percent	79.2	58.0 ^E
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or discomfort by severity	Number of persons	F	315
			Percent	F	100.0
		No pain or discomfort	Number of persons	F	176 ^E
			Percent	F	55.7 ^E
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Females	Total population for the variable pain or discomfort by severity	Number of persons	F	204
			Percent	F	100.0
		No pain or discomfort	Number of persons	F	F
			Percent	F	F
		Mild pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate or severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Moderate pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severe pain or discomfort	Number of persons	F	F
			Percent	F	F
		Severity of pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F

Symbol legend:

^E Use with caution

F

[†] Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey, 2003 and 2005
2. Population aged 12 and over who report that they usually have pain or discomfort. Severity is measured as severe, moderate or mild.
3. Canada and provincial estimates are based on sub-sample weights.
4. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
6. Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.
7. The following standard symbols are used in this Statistics Canada table: (...) for figures not available for a specific reference period and (...) for figures not applicable.
8. The CANSIM table 105-0204 is an update of CANSIM table 105-0004.

Source: Statistics Canada. *Table 105-0204 - Pain or discomfort by severity, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years, CANSIM (database).*

[http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?
Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/](http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?Lang=E&CANSIMFile=CII\CII_1_E.htm&RootDir=CII/)
(accessed: October 17, 2008)

[Printer-friendly format](#) [Begin a new CANSIM request](#)

Date Modified: 2007-05-25