

(Note: Content area on this page may be wider than usual.)

CANSIM - Results

Table 105-0491^{1,2}
 Canadian Community Health Survey (CCHS 3.1) off-reserve
 Aboriginal profile, by sex, Canada, provinces and territories,
 occasional

Survey or program details:
 Canadian Community Health Survey - 3226

Geography=Yukon Territory

Off-reserve Aboriginal profile ²	Sex	Health profile	Characteristics ^{47,48,49,50,51,52}	2005
Off-reserve Aboriginal profile ²	Both sexes	Very good or excellent self-rated health ³	Number of persons	15,386
			Percent	56.6
		Very good or excellent self-rated mental health ⁴	Number of persons	20,036
			Percent	73.7
		With arthritis or rheumatism ^{5,6}	Number of persons	3,760
			Percent	13.8
		With diabetes ^{7,8}	Number of persons	1,160 ^F
			Percent	4.3 ^E
		With asthma ⁹	Number of persons	2,373
			Percent	8.7
		With high blood pressure ¹⁰	Number of persons	3,071
			Percent	11.3
		Injuries within the past 12 months ^{11,12}	Number of persons	4,236
			Percent	15.6
		1 or more two-week disability days ¹³	Number of persons	5,300
			Percent	19.5
		Participation and activity limitation ¹⁴	Number of persons	7,685
			Percent	28.3
		Current daily or occasional smoker ^{15,16,17}	Number of persons	8,257
			Percent	30.4
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	1,561
			Percent	8.2 ^E
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	2,438
			Percent	12.9
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	1,347
			Percent	7.1
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	1,497 ^F
			Percent	7.9 ^E
		Complete restriction on smoking at home ²¹	Number of persons	16,741
			Percent	61.6
		Complete restriction on smoking at work ²²	Number of persons	14,697
			Percent	78.5
		Smoking initiation age (5 to 14 years) ²³	Number of persons	8,390
			Percent	47.2
		Never had a drink ²⁴	Number of persons	2,056
			Percent	7.6
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	5,964
			Percent	27.9
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	15,668
			Percent	57.6
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	5,549
			Percent	22.8
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	7,290
			Percent	30.3
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	4,295
			Percent	17.8
		Self-reported youth body mass index, overweight or obese ^{29,31}	Number of persons	540 ^F
			Percent	18.8 ^E
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	18,831
			Percent	69.3
		Has a regular medical doctor ³⁵	Number of persons	20,002
			Percent	73.6
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	21,195
			Percent	78.0
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	14,554
			Percent	53.5
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	5,486
			Percent	20.2
		Influenza immunization, less than one year ago ⁴²	Number of persons	8,241
			Percent	30.3
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
		Very good or excellent self-rated health ³	Number of persons	7,681
			Percent	56.2
		Very good or excellent self-rated mental health ⁴	Number of persons	9,959
			Percent	72.9
		With arthritis or rheumatism ^{5,6}	Number of persons	1,545
			Percent	11.3
		With diabetes ^{7,8}	Number of persons	404 ^F
			Percent	3.0 ^E
		With asthma ⁹	Number of persons	857 ^F
			Percent	6.3 ^E
		With high blood pressure ¹⁰	Number of persons	1,433 ^F
			Percent	10.5 ^E
		Injuries within the past 12 months ^{11,12}	Number of persons	2,359
			Percent	17.3
		1 or more two-week disability days ¹³	Number of persons	2,231
			Percent	16.3
		Participation and activity limitation ¹⁴	Number of persons	3,900
			Percent	28.5
			Number of persons	4,457

Total off-reserve population	Males	Current daily or occasional smoker ^{15,16,17}	Percent	32.6
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	855 ^F
			Percent	9.3 ^F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	1,248 ^F
			Percent	13.6 ^F
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	630 ^F
			Percent	6.8 ^F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	707 ^F
			Percent	7.7 ^F
		Complete restriction on smoking at home ²¹	Number of persons	8,045
			Percent	58.9
		Complete restriction on smoking at work ²²	Number of persons	6,727
			Percent	70.3
		Smoking initiation age (5 to 14 years) ²³	Number of persons	4,692
			Percent	49.4
		Never had a drink ²⁴	Number of persons	832 ^F
			Percent	6.1 ^F
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	4,236
			Percent	37.7
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	8,222
			Percent	60.2
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	2,814
			Percent	23.2
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	4,484
			Percent	36.9
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	1,801 ^F
			Percent	14.8 ^F
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	370 ^F
			Percent	24.5 ^F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	9,399
			Percent	68.8
		Has a regular medical doctor ³⁵	Number of persons	8,969
			Percent	65.6
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	9,188
			Percent	67.2
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	6,174
			Percent	45.2
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	1,760 ^F
			Percent	12.9 ^F
		Influenza immunization, less than one year ago ⁴²	Number of persons	3,040
			Percent	22.2
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
	Females	Very good or excellent self-rated health ³	Number of persons	7,704
			Percent	57.0
		Very good or excellent self-rated mental health ⁴	Number of persons	10,077
			Percent	74.5
		With arthritis or rheumatism ^{5,6}	Number of persons	2,216
			Percent	16.4
		With diabetes ^{7,8}	Number of persons	756 ^F
			Percent	5.6 ^F
		With asthma ⁹	Number of persons	1,516
			Percent	11.2
		With high blood pressure ¹⁰	Number of persons	1,638
			Percent	12.1
		Injuries within the past 12 months ^{11,12}	Number of persons	1,877
			Percent	13.9
		1 or more two-week disability days ¹³	Number of persons	3,069
			Percent	22.7
		Participation and activity limitation ¹⁴	Number of persons	3,785
			Percent	28.0
		Current daily or occasional smoker ^{15,16,17}	Number of persons	3,800
			Percent	28.1
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	705 ^F
			Percent	7.3 ^F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	1,189 ^F
			Percent	12.2 ^F
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	717 ^F
			Percent	7.4 ^F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	790 ^F
			Percent	8.1 ^F
		Complete restriction on smoking at home ²¹	Number of persons	8,696
			Percent	64.3
		Complete restriction on smoking at work ²²	Number of persons	7,971
			Percent	87.0
		Smoking initiation age (5 to 14 years) ²³	Number of persons	3,697
			Percent	44.7
		Never had a drink ²⁴	Number of persons	1,225 ^F
			Percent	9.1 ^F
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	1,728
			Percent	17.0 ^F
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	7,446
			Percent	55.1
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	2,736
			Percent	22.5
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	2,806
			Percent	23.5
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	2,494
			Percent	20.9
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	9,433
			Percent	69.7
		Has a regular medical doctor ³⁵	Number of persons	11,033
			Percent	81.6
			Number of persons	12,007

		Contact with medical doctors in the past 12 months ^{36,37}	Percent	88.8
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	8,380
			Percent	62.0
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	3,726
			Percent	27.6
		Influenza immunization, less than one year ago ⁴²	Number of persons	5,202
			Percent	38.5
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	1,280
			Percent	38.2
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	9,127
			Percent	79.2
Both sexes		Very good or excellent self-rated health ³	Number of persons	2,396 ^F
			Percent	47.4
		Very good or excellent self-rated mental health ⁴	Number of persons	3,319
			Percent	65.7
		With arthritis or rheumatism ^{5,6}	Number of persons	595 ^F
			Percent	11.8 ^F
		With diabetes ^{7,8}	Number of persons	F
			Percent	F
		With asthma ⁹	Number of persons	378 ^F
			Percent	7.5 ^F
		With high blood pressure ¹⁰	Number of persons	684 ^F
			Percent	13.5 ^F
		Injuries within the past 12 months ^{11,12}	Number of persons	904 ^F
			Percent	17.9 ^F
		1 or more two-week disability days ¹³	Number of persons	1,085 ^F
			Percent	21.5
		Participation and activity limitation ¹⁴	Number of persons	990 ^F
			Percent	19.6 ^F
		Current daily or occasional smoker ^{15,16,17}	Number of persons	2,466 ^F
			Percent	48.8
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
			Percent	15.4 ^F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
			Percent	14.3 ^E
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
			Percent	F
		Complete restriction on smoking at home ²¹	Number of persons	2,480 ^F
			Percent	49.1
		Complete restriction on smoking at work ²²	Number of persons	1,980 ^F
			Percent	71.8
		Smoking initiation age (5 to 14 years) ²³	Number of persons	2,223 ^F
			Percent	55.2
		Never had a drink ²⁴	Number of persons	F
			Percent	F
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	1,365 ^F
			Percent	38.1
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	2,569
			Percent	50.8
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	978 ^F
			Percent	21.5 ^F
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	989 ^F
			Percent	21.8 ^F
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	1,163 ^F
			Percent	25.6 ^E
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	3,509 ^F
			Percent	69.4
		Has a regular medical doctor ³⁵	Number of persons	2,982
			Percent	59.0
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	3,625
			Percent	71.7
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	2,300 ^F
			Percent	45.5
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	991 ^F
			Percent	19.6 ^F
		Influenza immunization, less than one year ago ⁴²	Number of persons	1,830 ^F
			Percent	36.2
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
		Very good or excellent self-rated health ³	Number of persons	1,123 ^F
			Percent	49.6
		Very good or excellent self-rated mental health ⁴	Number of persons	1,486 ^E
			Percent	65.6
		With arthritis or rheumatism ^{5,6}	Number of persons	F
			Percent	F
		With diabetes ^{7,8}	Number of persons	F
			Percent	F
		With asthma ⁹	Number of persons	F
			Percent	F
		With high blood pressure ¹⁰	Number of persons	F
			Percent	F
		Injuries within the past 12 months ^{11,12}	Number of persons	553 ^F
			Percent	24.4 ^F
		1 or more two-week disability days ¹³	Number of persons	431 ^F
			Percent	19.0 ^F
		Participation and activity limitation ¹⁴	Number of persons	377 ^F
			Percent	16.6 ^E
		Current daily or occasional smoker ^{15,16,17}	Number of persons	1,149 ^F
			Percent	50.7 ^F
			Number of persons	F

Males	Exposed to second-hand smoke at home ^{18,19}	Percent	F
	Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
		Percent	F
	Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
		Percent	F
	Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
		Percent	F
	Complete restriction on smoking at home ²¹	Number of persons	1,074 ^E
		Percent	47.4
	Complete restriction on smoking at work ²²	Number of persons	782 ^E
		Percent	65.6 ^E
	Smoking initiation age (5 to 14 years) ²³	Number of persons	1,178 ^E
		Percent	64.6
	Never had a drink ²⁴	Number of persons	F
		Percent	F
	5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	832 ^E
		Percent	48.8 ^E
	Leisure-time physically active or moderately active ^{26,27}	Number of persons	1,293 ^E
		Percent	57.1
	Life stress, quite a lot (18 years and over) ²⁸	Number of persons	F
		Percent	18.7 ^E
	Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	F
		Percent	25.3 ^E
	Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	454 ^E
		Percent	23.5 ^E
	Self-reported youth body mass index, overweight or obese ^{29,31}	Number of persons	F
		Percent	F
	Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	1,467 ^E
		Percent	64.7
	Has a regular medical doctor ³⁵	Number of persons	1,082 ^E
		Percent	47.8 ^E
	Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	1,119 ^E
		Percent	49.4
	Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	763 ^E
		Percent	33.7 ^E
	Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	F
		Percent	F
	Influenza immunization, less than one year ago ⁴²	Number of persons	585 ^E
		Percent	25.8 ^E
	Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
		Percent	...
	Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
		Percent	...
Females	Very good or excellent self-rated health ³	Number of persons	1,273 ^E
		Percent	45.7
	Very good or excellent self-rated mental health ⁴	Number of persons	1,833 ^E
		Percent	65.8
	With arthritis or rheumatism ^{5,6}	Number of persons	355 ^E
		Percent	12.7 ^E
	With diabetes ^{7,8}	Number of persons	F
		Percent	F
	With asthma ⁹	Number of persons	F
		Percent	6.4 ^E
	With high blood pressure ¹⁰	Number of persons	F
		Percent	16.0 ^E
	Injuries within the past 12 months ^{11,12}	Number of persons	F
		Percent	12.6 ^E
	1 or more two-week disability days ¹³	Number of persons	654 ^E
		Percent	23.5 ^E
	Participation and activity limitation ¹⁴	Number of persons	614 ^E
		Percent	22.0 ^E
	Current daily or occasional smoker ^{15,16,17}	Number of persons	1,317 ^E
		Percent	47.3
	Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
		Percent	F
	Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
		Percent	F
	Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
		Percent	F
	Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
		Percent	F
	Complete restriction on smoking at home ²¹	Number of persons	1,405 ^E
		Percent	50.4
	Complete restriction on smoking at work ²²	Number of persons	1,198 ^E
		Percent	76.6
	Smoking initiation age (5 to 14 years) ²³	Number of persons	1,045 ^E
		Percent	47.4
	Never had a drink ²⁴	Number of persons	F
		Percent	F
	5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	533 ^E
		Percent	28.3 ^E
	Leisure-time physically active or moderately active ^{26,27}	Number of persons	1,276 ^E
		Percent	45.8 ^E
	Life stress, quite a lot (18 years and over) ²⁸	Number of persons	615 ^E
		Percent	23.5 ^E
	Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	F
		Percent	19.2 ^E
	Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	709 ^E
		Percent	27.3 ^E
	Self-reported youth body mass index, overweight or obese ^{29,31}	Number of persons	F
		Percent	F
	Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	2,042 ^E
		Percent	73.2
	Has a regular medical doctor ³⁵	Number of persons	1,900 ^E
		Percent	68.2

Aboriginal		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	2,505 ^E
			Percent	89.9
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	1,537 ^F
			Percent	55.1
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	660 ^F
			Percent	23.7 ^F
		Influenza immunization, less than one year ago ⁴²	Number of persons	1,245 ^F
Both sexes			Percent	44.7
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	F
			Percent	F
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	1,822 ^F
			Percent	73.0
		Very good or excellent self-rated health ³	Number of persons	12,852
			Percent	58.6
		Very good or excellent self-rated mental health ⁴	Number of persons	16,580
			Percent	75.7
		With arthritis or rheumatism ^{5,6}	Number of persons	3,112
			Percent	14.2
		With diabetes ^{7,8}	Number of persons	861 ^F
			Percent	3.9 ^F
		With asthma ⁹	Number of persons	1,995
			Percent	9.1
		With high blood pressure ¹⁰	Number of persons	2,387
			Percent	10.9
		Injuries within the past 12 months ^{11,12}	Number of persons	3,286
			Percent	15.0
		1 or more two-week disability days ¹³	Number of persons	4,154
			Percent	19.0
		Participation and activity limitation ¹⁴	Number of persons	6,628
			Percent	30.2
		Current daily or occasional smoker ^{15,16,17}	Number of persons	5,665
			Percent	25.8
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	1,161 ^F
			Percent	7.2 ^F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	2,054
			Percent	12.7
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	1,058
			Percent	6.5
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	1,300 ^F
			Percent	8.0 ^F
		Complete restriction on smoking at home ²¹	Number of persons	14,153
			Percent	64.6
		Complete restriction on smoking at work ²²	Number of persons	12,674
			Percent	80.3
		Smoking initiation age (5 to 14 years) ²³	Number of persons	6,040
			Percent	44.5
		Never had a drink ²⁴	Number of persons	1,539
			Percent	7.0
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	4,599
			Percent	26.1
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	13,006
			Percent	59.3
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	4,535
			Percent	23.2
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	6,266
			Percent	32.4
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	3,079
			Percent	15.9
		Self-reported youth body mass index, overweight or obese ^{29,31}	Number of persons	404 ^F
			Percent	17.3 ^F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	15,136
			Percent	69.1
		Has a regular medical doctor ³⁵	Number of persons	16,834
			Percent	76.8
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	17,401
			Percent	79.4
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	12,182
			Percent	55.6
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	4,442
			Percent	20.3
		Influenza immunization, less than one year ago ⁴²	Number of persons	6,297
			Percent	28.7
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
		Very good or excellent self-rated health ³	Number of persons	6,500
			Percent	57.7
		Very good or excellent self-rated mental health ⁴	Number of persons	8,362
			Percent	74.2
		With arthritis or rheumatism ^{5,6}	Number of persons	1,251 ^F
			Percent	11.1 ^F
		With diabetes ^{7,8}	Number of persons	310 ^F
			Percent	2.8 ^F
		With asthma ⁹	Number of persons	658 ^F
			Percent	5.8 ^F
		With high blood pressure ¹⁰	Number of persons	1,194 ^F
			Percent	10.6 ^F
		Injuries within the past 12 months ^{11,12}	Number of persons	1,793
			Percent	15.9
		1 or more two-week disability days ¹³	Number of persons	1,787 ^F
			Percent	15.9 ^F
		Participation and activity limitation ¹⁴	Number of persons	3,471
			Percent	30.8
		Current daily or occasional smoker ^{15,16,17}	Number of persons	3,214
			Percent	28.5
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	682 ^F
			Percent	8.5 ^F

Non-Aboriginal	Males	Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	1,139 ^E
			Percent	14.1 ^E
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	581 ^E
			Percent	7.2 ^E
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
			Percent	F
		Complete restriction on smoking at home ²¹	Number of persons	6,922
			Percent	61.4
		Complete restriction on smoking at work ²²	Number of persons	5,927
			Percent	71.8
		Smoking initiation age (5 to 14 years) ²³	Number of persons	3,432
			Percent	45.3
		Never had a drink ²⁴	Number of persons	725 ^E
			Percent	6.4 ^E
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	3,404
			Percent	36.2
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	6,895
			Percent	61.2
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	2,440
			Percent	24.2
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	3,978
			Percent	39.4
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	1,294 ^E
			Percent	12.8 ^E
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	7,819
			Percent	69.4
		Has a regular medical doctor ³⁵	Number of persons	7,794
			Percent	69.1
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	7,991
			Percent	70.9
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	5,398
			Percent	47.9
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	1,376 ^E
			Percent	12.2 ^E
		Influenza immunization, less than one year ago ⁴²	Number of persons	2,388
			Percent	21.2
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
	Females	Very good or excellent self-rated health ³	Number of persons	6,352
			Percent	59.7
		Very good or excellent self-rated mental health ⁴	Number of persons	8,218
			Percent	77.2
		With arthritis or rheumatism ^{5,6}	Number of persons	1,861
			Percent	17.5
		With diabetes ^{7,8}	Number of persons	551 ^E
			Percent	5.2 ^E
		With asthma ⁹	Number of persons	1,337 ^E
			Percent	12.6 ^E
		With high blood pressure ¹⁰	Number of persons	1,193
			Percent	11.2
		Injuries within the past 12 months ^{11,12}	Number of persons	1,492 ^E
			Percent	14.0 ^E
		1 or more two-week disability days ¹³	Number of persons	2,367
			Percent	22.2
		Participation and activity limitation ¹⁴	Number of persons	3,157
			Percent	29.7
		Current daily or occasional smoker ^{15,16,17}	Number of persons	2,450
			Percent	23.0
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	915 ^E
			Percent	11.2 ^E
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	478 ^E
			Percent	5.8 ^E
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	690 ^E
			Percent	8.4 ^E
		Complete restriction on smoking at home ²¹	Number of persons	7,231
			Percent	67.9
		Complete restriction on smoking at work ²²	Number of persons	6,747
			Percent	89.5
		Smoking initiation age (5 to 14 years) ²³	Number of persons	2,608
			Percent	43.4
		Never had a drink ²⁴	Number of persons	815 ^E
			Percent	7.7 ^E
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	1,195 ^E
			Percent	14.5 ^E
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	6,111
			Percent	57.4
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	2,095
			Percent	22.1
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	2,287
			Percent	24.7
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	1,785
			Percent	19.2
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	7,317
			Percent	68.7
		Has a regular medical doctor ³⁵	Number of persons	9,040
			Percent	84.9
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	9,409
			Percent	88.4
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	6,784
			Percent	63.7

		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	3,066
			Percent	28.8
		Influenza immunization, less than one year ago ⁴²	Number of persons	3,909
			Percent	36.7
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	1,179 ^F
			Percent	41.8 ^F
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	7,279
			Percent	81.2
Both sexes		Very good or excellent self-rated health ³	Number of persons	F
			Percent	F
		Very good or excellent self-rated mental health ⁴	Number of persons	F
			Percent	F
		With arthritis or rheumatism ^{5,6}	Number of persons	F
			Percent	F
		With diabetes ^{7,8}	Number of persons	F
			Percent	F
		With asthma ⁹	Number of persons	F
			Percent	F
		With high blood pressure ¹⁰	Number of persons	F
			Percent	F
		Injuries within the past 12 months ^{11,12}	Number of persons	F
			Percent	F
		1 or more two-week disability days ¹³	Number of persons	F
			Percent	F
		Participation and activity limitation ¹⁴	Number of persons	F
			Percent	F
		Current daily or occasional smoker ^{15,16,17}	Number of persons	F
			Percent	F
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
			Percent	F
		Complete restriction on smoking at home ²¹	Number of persons	F
			Percent	F
		Complete restriction on smoking at work ²²	Number of persons	F
			Percent	F
		Smoking initiation age (5 to 14 years) ²³	Number of persons	F
			Percent	F
		Never had a drink ²⁴	Number of persons	F
			Percent	F
		5 or more drinks on one occasion, 12 or more times a year ²⁵	Number of persons	F
			Percent	F
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	F
			Percent	F
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	F
			Percent	F
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	F
			Percent	F
		Has a regular medical doctor ³⁵	Number of persons	F
			Percent	F
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	F
			Percent	F
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	F
			Percent	F
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	F
			Percent	F
		Influenza immunization, less than one year ago ⁴²	Number of persons	F
			Percent	F
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
		Very good or excellent self-rated health ³	Number of persons	F
			Percent	F
		Very good or excellent self-rated mental health ⁴	Number of persons	F
			Percent	F
		With arthritis or rheumatism ^{5,6}	Number of persons	F
			Percent	F
		With diabetes ^{7,8}	Number of persons	F
			Percent	F
		With asthma ⁹	Number of persons	F
			Percent	F
		With high blood pressure ¹⁰	Number of persons	F
			Percent	F
		Injuries within the past 12 months ^{11,12}	Number of persons	F
			Percent	F
		1 or more two-week disability days ¹³	Number of persons	F
			Percent	F
		Participation and activity limitation ¹⁴	Number of persons	F
			Percent	F
		Current daily or occasional smoker ^{15,16,17}	Number of persons	F
			Percent	F
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
			Percent	F
		Complete restriction on smoking at home ²¹	Number of persons	F
			Percent	F

Aboriginal, not stated	Males	Complete restriction on smoking at work ⁴²	Number of persons	F
			Percent	F
		Smoking initiation age (5 to 14 years) ⁴³	Number of persons	F
			Percent	F
		Never had a drink ⁴⁴	Number of persons	F
			Percent	F
		5 or more drinks on one occasion, 12 or more times a year ⁴⁵	Number of persons	F
			Percent	F
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	F
			Percent	F
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	F
			Percent	F
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	F
			Percent	F
	Females	Has a regular medical doctor ³⁵	Number of persons	F
			Percent	F
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	F
			Percent	F
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	F
			Percent	F
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	F
			Percent	F
		Influenza immunization, less than one year ago ⁴²	Number of persons	F
			Percent	F
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	...
			Percent	...
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	...
			Percent	...
		Very good or excellent self-rated health ³	Number of persons	F
			Percent	F
		Very good or excellent self-rated mental health ⁴	Number of persons	F
			Percent	F
		With arthritis or rheumatism ^{5,6}	Number of persons	F
			Percent	F
		With diabetes ^{7,8}	Number of persons	F
			Percent	F
		With asthma ⁹	Number of persons	F
			Percent	F
		With high blood pressure ¹⁰	Number of persons	F
			Percent	F
		Injuries within the past 12 months ^{11,12}	Number of persons	F
			Percent	F
		1 or more two-week disability days ¹³	Number of persons	F
			Percent	F
		Participation and activity limitation ¹⁴	Number of persons	F
			Percent	F
		Current daily or occasional smoker ^{15,16,17}	Number of persons	F
			Percent	F
		Exposed to second-hand smoke at home ^{18,19}	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles and/or public places ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in vehicles ²⁰	Number of persons	F
			Percent	F
		Exposure to second-hand smoke in the past month, in public places ²⁰	Number of persons	F
			Percent	F
		Complete restriction on smoking at home ²¹	Number of persons	F
			Percent	F
		Complete restriction on smoking at work ⁴²	Number of persons	F
			Percent	F
		Smoking initiation age (5 to 14 years) ⁴³	Number of persons	F
			Percent	F
		Never had a drink ⁴⁴	Number of persons	F
			Percent	F
		5 or more drinks on one occasion, 12 or more times a year ⁴⁵	Number of persons	F
			Percent	F
		Leisure-time physically active or moderately active ^{26,27}	Number of persons	F
			Percent	F
		Life stress, quite a lot (18 years and over) ²⁸	Number of persons	F
			Percent	F
		Overweight, self-reported adult body mass index 25.00 to 29.99 (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Obese, self-reported adult body mass index 30.00 or higher (18 years and over) ^{29,30,31,32}	Number of persons	F
			Percent	F
		Self-reported youth body mass index, overweight or obese ^{29,33}	Number of persons	F
			Percent	F
		Very strong or somewhat strong sense of belonging to local community ³⁴	Number of persons	F
			Percent	F
		Has a regular medical doctor ³⁵	Number of persons	F
			Percent	F
		Contact with medical doctors in the past 12 months ^{36,37}	Number of persons	F
			Percent	F
		Contact with dental professionals in the past 12 months ^{38,39}	Number of persons	F
			Percent	F
		Contact with alternative health care providers in the past 12 months ^{40,41}	Number of persons	F
			Percent	F
		Influenza immunization, less than one year ago ⁴²	Number of persons	F
			Percent	F
		Received routine screening mammogram within the last 2 years (50 to 69 years) ^{43,44}	Number of persons	F
			Percent	F
		Pap smear, within the last 3 years (18 to 69 years) ^{45,46}	Number of persons	F
			Percent	F

Symbol legend:
... Not applicable
F Use with caution
F Too unreliable to be published

Footnotes:

1. Source: Statistics Canada, Canadian Community Health Survey (CCHS 3.1), 2005. Due to changes in the questionnaire introduced in 2005, these data are not comparable to the CANSIM table 105-0112.
2. Aboriginal population includes those people living in Canada who identified themselves or their cultural and/or racial background as North American Indian, Métis or Inuit.
3. Population aged 12 and over who rate their own health status as being either excellent or very good. Self-rated health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function.
4. Population aged 12 and over who rate their own mental health status as being excellent or very good. Self-reported mental health provides a general indication of the population suffering from some form of mental disorder, mental or emotional problems, or distress, not necessarily reflected in self-reported (physical) health.
5. Population aged 12 and over who report that they have been diagnosed by a health professional as having arthritis or rheumatism.
6. Arthritis or rheumatism includes rheumatoid arthritis and osteoarthritis, but excludes fibromyalgia.
7. Population aged 12 and over who report that they have been diagnosed by a health professional as having diabetes.
8. Diabetes includes females 15 and over who have been diagnosed with gestational diabetes.
9. Population aged 12 and over who report that they have been diagnosed by a health professional as having asthma.
10. Population aged 12 and over who report that they have been diagnosed by a health professional as having high blood pressure.
11. Population aged 12 and over who sustained injuries in the past 12 months. Repetitive strain injuries are not included.
12. Refers to injuries which are serious enough to limit normal activities. For those with more than one injury in the past 12 months, refers to "the most serious injury", as identified by the respondent.
13. Population aged 12 and over who stayed in bed or cut down on normal activities because of illness or injury, on one or more days in the past 2 weeks.
14. Population aged 12 and over who report being limited in selected activities (home, school, work and other activities) because of a physical condition, mental condition or health problem which has lasted or is expected to last 6 months or longer. "Participation and activity limitation" was previously referred to as "Activity limitation".
15. Population aged 12 and over who reported being a current smoker (daily or occasional).
16. Daily smokers refers to those who reported smoking cigarettes every day.
17. Occasional smokers refers to those who reported smoking cigarettes occasionally. This includes former daily smokers who now smoke occasionally.
18. Non-smoking population aged 12 and over who reported that at least one person smokes inside their home every day or almost every day.
19. Smoking includes cigarettes, cigars and pipes.
20. Non-smoking population aged 12 and over who reported being exposed to second-hand smoke in private vehicles and/or public places on every day or almost every day in the past month.
21. Population aged 12 and over who reported there are restrictions against smoking in the home and that the restriction is that smokers are asked to refrain from smoking in the house.
22. Employed population aged 15 to 75 who reported that smoking is completely restricted at their place of work.
23. Population aged 12 and over who reported being either a current or former smoker and who reported smoking their first whole cigarette between the ages of 5 and 14.
24. Population aged 12 and over who reported never having a drink.
25. Population aged 12 and over who reported having at least 1 drink in the past 12 months and who reported having 5 or more drinks on one occasion, 12 or more times in the past 12 months.
26. Population aged 12 and over reporting being physically active or moderately active, based on their responses to questions about the frequency, duration and intensity of their participation in leisure-time physical activity.
27. Respondents are classified as active, moderately active or inactive based on an index of average daily physical activity over the past 3 months. For each leisure time physical activity engaged in by the respondent, an average daily energy expenditure is calculated by multiplying the number of times the activity was performed by the average duration of the activity by the energy cost (kilocalories per kilogram of body weight per hour) of the activity. The index is calculated as the sum of the average daily energy expenditures of all activities. Respondents are classified as follows: 3.0 kcal/kg/day or more = physically active; 1.5 to 2.9 kcal/kg/day = moderately active; less than 1.5 kcal/kg/day = inactive.
28. Population aged 18 and over who reported their level of life stress as quite a lot.
29. Body mass index (BMI) is a method of classifying body weight according to health risk. According to the World Health Organization (WHO) and Health Canada guidelines, health risk levels are associated with each of the following BMI categories: normal weight = least health risk; underweight and overweight = increased health risk; obese, class I = high health risk; obese, class II = very high health risk; obese, class III = extremely high health risk.
30. Body mass index (BMI) is calculated by dividing the respondent's body weight (in kilograms) by their height (in metres) squared.
31. A definition change was implemented in 2004 to conform with World Health Organization (WHO) and Health Canada guidelines for body weight classification. The index is calculated for the population aged 18 and over, excluding pregnant females and persons less than 3 feet (0.914 metres) tall or greater than 6 feet 11 inches (2.108 metres).
32. According to the World Health Organization (WHO) and Health Canada guidelines, the index for body weight classification is: less than 18.50 (underweight); 18.50 to 24.99 (normal weight); 25.00 to 29.99 (overweight); 30.00 to 34.99 (obese, class I); 35.00 to 39.99 (obese, class II); 40.00 or greater (obese, class III).
33. Body mass index (BMI) for youth is different from that of adults as they are still maturing. This variable classifies the measured BMI of children aged 12 to 17 as "obese" or "overweight" according to the age- and sex-specific BMI cut-off points as defined by Cole and others. The Cole cut-off points are based on pooled international data (Brazil, Great Britain, Hong Kong, Netherlands, Singapore and United States) for BMI and linked to the internationally accepted adult BMI cut-off points of 25 (overweight) and 30 (obese). Respondents who do not fall within the categories of "obese" or "overweight" (as defined by Cole and others) have been classified by the Canadian Community Health Survey (CCHS) as "neither overweight nor obese".
34. Population aged 12 and over who describe their sense of belonging to their local community as very strong or somewhat strong. Research shows a high correlation of sense of community-belonging with physical and mental health.
35. Population aged 12 and over were asked to report whether they had a regular medical doctor.
36. Population aged 12 and over who have consulted with a medical doctor in the past 12 months.
37. Medical doctor include family or general practitioners as well as specialists such as surgeons, allergists, orthopaedists, gynaecologists or psychiatrists. For population aged 12 to 17, includes pediatricians.
38. Population aged 12 and over who have consulted with a dental professional in the past 12 months.
39. Dental professionals include dentists or orthodontists.
40. Population aged 12 and over who have consulted with an alternative health care provider in the past 12 months.
41. Alternative health care providers include massage therapists, acupuncturists, homeopaths or naturopaths, Feldenkrais or Alexander teachers, relaxation therapists, biofeedback teachers, rollers, herbalists, reflexologists, spiritual healers, religious healers and others.
42. Population aged 12 and over who reported having had their last influenza immunization (flu shot) less than one year ago.
43. Females aged 50 to 69 who reported having had their last mammogram for routine screening or other reasons within the last 2 years.
44. Screening by mammography is an important strategy for early detection of breast cancer.
45. Females aged 18 to 69 who reported having had their last Pap smear test within the last 3 years.
46. Pap tests (Papanicolaou) detect pre-malignant lesions before cancer of the cervix develops.
47. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate.
48. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
49. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
50. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
51. The data expressed as proportions (%) in these tables are calculated using the total population of the selected group as the denominator.
52. The following standard symbols are used in this Statistics Canada table: (.) for figures not available for a specific reference period and (...) for figures not applicable.

Source: Statistics Canada. *Table 105-0491 - Canadian Community Health Survey (CCHS 3.1) off-reserve Aboriginal profile, by sex, Canada, provinces and territories, occasional*, CANSIM (database).
http://cansim2.statcan.ca/cgi-win/cnsmcgl.exe?Lang=E&CANSIMFile=C11/C11_1_E.htm&RootDir=C11/
(accessed: October 17, 2008)

[Printer-friendly format](#) [Begin a new CANSIM request](#)