<u>Home</u> > <u>CANSIM</u> >

(Note: Content area on this page may be wider than usual.)

## **CANSIM - Results**

Table 105-0203<sup>1,2,3,8</sup>

Pain or discomfort that affects activities, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years

## Survey or program details:

Canadian Community Health Survey - 3226

Geography <sup>3</sup> =Nunavut							
Age group	Sex	Pain or discomfort that affects activities <sup>2</sup>	Characteristics 4,5,6,7	2003	2005		
		Total population for the variable pain or discomfort that affects activities	Number of persons	13,743	14,948		
			Percent	100.0	100.0		
		No pain or discomfort that affects activities	Number of persons	12,672	12,967		
		No pair or discomfort that affects activities	Percent	92.2	86.7		
		Pain or discomfort, does not prevent activity	Number of persons	256 <sup>E</sup>	685 <sup>E</sup>		
			Percent	1.9 <sup>E</sup>	4.6 <sup>E</sup>		
	Both	Pain or discomfort, prevents a few, some or	Number of persons	786 <sup>E</sup>	1,231		
	sexes	most activities	Percent	5.7 <sup>E</sup>	8.2		
		Pain or discomfort, prevents a few or some	Number of persons	709 <sup>E</sup>	1,103 <sup>E</sup>		
		activities	Percent	5.2 <sup>E</sup>	7.4 <sup>E</sup>		
		Pain or discomfort, prevents most activities	Number of persons	F	F		
			Percent	F	F		
Total, 12 years		Pain or discomfort, not stated	Number of persons	F	F		
and over			Percent	F	F		
		Total population for the variable pain or	Number of persons	6,975	7,627		
		discomfort that affects activities	Percent	100.0			
		No pain or discomfort that affects activities	Number of persons	6,680			
			Percent	95.8	87.5		
		Pain or discomfort, does not prevent activity	Number of persons	F	335 <sup>E</sup>		
		Tamer dissemient, does not prevent delivity	Percent	F	4.4 <sup>E</sup>		
	Males	Pain or discomfort, prevents a few, some or Nu	Number of persons	F	587 <sup>E</sup>		
		most activities	Percent	F	7.7 <sup>E</sup>		
		Pain or discomfort, prevents a few or some	Number of persons	F	517 <sup>E</sup>		
		activities	Percent	F	6.8 <sup>E</sup>		
		Pain or discomfort, prevents most activities	Number of persons	F	F		
		ant of discombit, prevents most activities	Percent	F	F		
			l				

		Numbe	Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	6,768	7,321
		discomfort that affects activities	Percent	100.0	100.0
			Number of persons	5,993	6,296
		No pain or discomfort that affects activities	Percent	88.5	86.0
			Number of persons	F	F
		Pain or discomfort, does not prevent activity	Percent	F	F
		Pain or discomfort, prevents a few, some or	Number of persons	660 <sup>E</sup>	645 <sup>E</sup>
	Females	most activities	Percent	9.8 <sup>E</sup>	8.8 <sup>E</sup>
		Pain or discomfort, prevents a few or some	Number of persons	583 <sup>E</sup>	585 <sup>E</sup>
		activities	Percent	8.6 <sup>E</sup>	8.0 <sup>E</sup>
			Number of persons	F.	F
		Pain or discomfort, prevents most activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	3,286	3,321
		discomfort that affects activities	Percent	100.0	100.0
			Number of persons	3,016	3,128
		No pain or discomfort that affects activities	Percent	91.8	94.2
	Both sexes		Number of persons	F	F
		Pain or discomfort, does not prevent activity	Percent	F	F
		Pain or discomfort, prevents a few, some or	Number of persons	F	F
		most activities	Percent	F	F
		Pain or discomfort, prevents a few or some activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or	Number of persons	1,612	1,683
12 to 19 years		discomfort that affects activities	Percent	100.0	100.0
		No pain or discomfort that affects activities	Number of persons	1,538	1,581
			Percent	95.4	93.9
		Pain or discomfort, does not prevent activity	Number of persons	F	F
_		Pain or discomfort, does not prevent activity	Percent	F	F
		Pain or discomfort, prevents a few, some or	Number of persons	F	F
		most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
		. a or allocation t, provents most activities	Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
		2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	Percent	F	F
		Total population for the variable pain or	Number of persons	1,675	1,638
		discomfort that affects activities	Percent	100.0	100.0
ı	•	ı	•		

1		1	Number of persons	1,478	1,547
		No pain or discomfort that affects activities	Percent	88.3	94.5
			Number of persons	F	F
		Pain or discomfort, does not prevent activity	Percent	F	F
	Pain or discomfort, prevents a few, some or	Number of persons	F	F	
		most activities	Percent	F	F
	Females	Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, prevents most activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	4,821	5,278
		discomfort that affects activities	Percent	100.0	100.0
			Number of persons	4,675	4,731
		No pain or discomfort that affects activities	Percent	97.0	89.6
			Number of persons	77.0 F	288 <sup>E</sup>
		Pain or discomfort, does not prevent activity	<u> </u>		
			Percent	F	5.5 <sup>E</sup>
	Both	Pain or discomfort, prevents a few, some or	Number of persons	F	F
	sexes	most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	2,330	2,730
		discomfort that affects activities	Percent	100.0	100.0
20 1- 24		No pain or discomfort that affects activities  Pain or discomfort, does not prevent activity	Number of persons	2,244	2,423
20 to 34 years			Percent	96.3	88.7
			Number of persons	F	F
		Tail of disconnect, does not prevent detivity	Percent	F	F
	Males	Pain or discomfort, prevents a few, some or	Number of persons	F	F
	Ividics	most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
		Pair of discomort, prevents most activities	Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	2,491	2,548
		discomfort that affects activities	Percent	100.0	100.0
		No pain or discomfort that offects activities	Number of persons	2,431	2,309
		No pain or discomfort that affects activities	Percent	97.6	90.6
		Doin or discomfort does not account and the	Number of persons	_	F
		Pain or discomfort, does not prevent activity	Percent	F	F
	I				

1	I	Pain or discomfort, prevents a few, some or	Number of persons	F	F
		most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
	Females		Number of persons	F	F
		Pain or discomfort, prevents most activities	Percent	F	F
		Pair and Parameter and Advantage	Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	2,543	2,900
		discomfort that affects activities	Percent	100.0	100.0
		No noin or discomfort that offects activities	Number of persons	2,262	2,444
		No pain or discomfort that affects activities	Percent	89.0	84.3
		Pain or discomfort, does not prevent activity	Number of persons	F	F
		Pain of discomort, does not prevent activity	Percent	F	F
	Both	Pain or discomfort, prevents a few, some or	Number of persons	F	F
	sexes	most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	244 <sup>E</sup>
		activities	Percent	F	8.4 <sup>E</sup>
			Number of persons	F	F
		Pain or discomfort, prevents most activities	Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
	Males	Total population for the variable pain or	Number of persons	1,368	1,433
		discomfort that affects activities	Percent	100.0	100.0
		No pain or discomfort that affects activities	Number of persons	1,270 <sup>E</sup>	1,221
			Percent	92.8	85.2
		Pain or discomfort, does not prevent activity	Number of persons	F	F
35 to 44 years			Percent	F	F
		Pain or discomfort, prevents a few, some or most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	1,174	1,467
		discomfort that affects activities	Percent	100.0	100.0
		No pain or discomfort that affects activities  Pain or discomfort, does not prevent activity	Number of persons	992	1,223
			Percent	84.5	83.3
	Females		Number of persons	F	F
		Pain or discomfort, prevents a few, some or	Percent	F	F
			Number of persons	F	F
		most activities	Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
ı	•	1	1	ı İ	

	L	Number of persons	F	F	
		Pain or discomfort, prevents most activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	2,572	2,931
		discomfort that affects activities	Percent	100.0	100.0
			Number of persons	2,307	2,363
		No pain or discomfort that affects activities	Percent	89.7	80.6
			Number of persons	F	F
		Pain or discomfort, does not prevent activity	Percent	F	F
	Dath	Pain or discomfort, prevents a few, some or	Number of persons	227 <sup>E</sup>	448 <sup>E</sup>
	Both sexes	most activities	Percent	8.8 <sup>E</sup>	15.3 <sup>E</sup>
		Pain or discomfort, prevents a few or some	Number of persons	191 <sup>E</sup>	432 <sup>E</sup>
		activities	Percent	7.4 <sup>E</sup>	14.7 <sup>E</sup>
			Number of persons	F	F
		Pain or discomfort, prevents most activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
		Total population for the variable pain or	Number of persons	1,361	1,466
		discomfort that affects activities	Percent	100.0	100.0
		No pain or discomfort that affects activities	Number of persons	1,324	1,271
			Percent	97.3	86.7
		Pain or discomfort, does not prevent activity	Number of persons	F	F
			Percent	F	F
45 to 64 years	Males	Pain or discomfort, prevents a few, some or most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	1 4/F
		Total population for the variable pain or discomfort that affects activities	Number of persons	1,211	1,465
	İ	and the state of t	Percent Number of persons	100.0 983	1,092
		No pain or discomfort that affects activities	Percent	81.1	74.5
			Number of persons	01.1 F	74.3 F
		Pain or discomfort, does not prevent activity	Percent	F	F
			Number of persons	190 <sup>E</sup>	307
	Females	Pain or discomfort, prevents a few, some or most activities	Percent	15.7 <sup>E</sup>	20.9
		Pain or discomfort, prevents a few or some	Number of persons	F	297
		activities	Percent	F	20.2
			Number of persons	F	F
		Pain or discomfort, prevents most activities	Percent	F	F
			Number of persons	F	F
		Pain or discomfort, not stated	Percent	F	F
	<del>:</del>	+			

		Total population for the variable pain or	Number of persons	521	519
		discomfort that affects activities	Percent	100.0	100.0
		No main an diagonal allocate officials and initial	Number of persons	412	301 <sup>E</sup>
		No pain or discomfort that affects activities	Percent	79.2	58.0 <sup>E</sup>
			Number of persons	F	F
		Pain or discomfort, does not prevent activity	Percent	F	F
	Both	Pain or discomfort, prevents a few, some or most activities	Number of persons	F	F
	sexes		Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
		. and an another of proteins most demanded	Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	F	315
		discomfort that affects activities	Percent	F	100.0
		No pain or discomfort that affects activities	Number of persons	F	176 <sup>E</sup>
		no pain of disconnect that affects activities	Percent	F	55.7 <sup>E</sup>
		Pain or discomfort, does not prevent activity	Number of persons	F	F
			Percent	F	F
65 years and over	Males	Pain or discomfort, prevents a few, some or most activities	Number of persons	F	F
ovei			Percent	F	F
		Pain or discomfort, prevents a few or some activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F
		Total population for the variable pain or	Number of persons	F	204
		discomfort that affects activities	Percent	F	100.0
		No pain or discomfort that affects activities	Number of persons	F	F
		раши от опосотиното плата аптоло	Percent	F	F
		Pain or discomfort, does not prevent activity	Number of persons	F	F
I	Females	Tail of discomort, does not prevent activity	Percent	F	F
		Pain or discomfort, prevents a few, some or most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, prevents a few or some	Number of persons	F	F
		activities	Percent	F	F
		Pain or discomfort, prevents most activities	Number of persons	F	F
			Percent	F	F
		Pain or discomfort, not stated	Number of persons	F	F
			Percent	F	F

## Symbol legend:

E Use with caution

F Too unreliable to be published

## Footnotes:

- 1. Source: Statistics Canada, Canadian Community Health Survey, 2003 and 2005
- 2. Population aged 12 and over who report usually having pain or discomfort which prevents or limits activities.
- 3. Canada and provincial estimates are based on sub-sample weights.
- **4.** When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 5. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified as follows: (E) use with caution.
- **6.** Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability and are identified as follows: (F) too unreliable to be published.
- **7.** The following standard symbols are used in this Statistics Canada table: (..) for figures not available for a specific reference period and (...) for figures not applicable.
- 8. The CANSIM table 105-0203 is an update of CANSIM table 105-0003.

**Source:** Statistics Canada. *Table 105-0203 - Pain or discomfort that affects activities, by age group and sex, household population aged 12 and over, Canadian Community Health Survey (CCHS 2.1 and 3.1), Canada, provinces and territories, every 2 years, CANSIM (database).* 

http://cansim2.statcan.ca/cgi-win/cnsmcgi.exe?

Lang=E& CANSIMFile=CII\CII\_1\_E.htm& RootDir=CII/

(accessed: October 17, 2008)

Printer-friendly format Begin a new CANSIM request

Date Modified: 2007-05-25