

Alcohol Use – Binge Drinking

		2006			
		n	weighted %	N	95% CI
Gender					
	Male	202	21%	911	17.8 - 25.2
	Female	123	12%	1,116	9.4 - 15.0
	Total	325	17%	2,027	14.5 - 19.2
Race					
	Native (any mention)	71	15%	427	10.8 - 19.3
	Non-Native	253	17%	1,587	14.7 - 20.1
Age					
	18–24	32	22%	169	14.6 - 31.7
	25–34	102	34%	330	27.5 - 41.6
	35–44	77	17%	404	13.3 - 22.5
	45–54	66	12%	468	8.8 - 16.7
	55–64	32	5%	359	3.5 - 7.8
	65 or older	16	5%	270	2.5 - 9.0
Education					
	Less than H.S.	19	13%	158	6.3 - 25.7
	H.S. Grad or GED	119	20%	610	15.6 - 24.4
	Some College or Tech School	89	15%	603	11.7 - 20.2
	College Grad	98	16%	653	12.5 - 20.4
Income					
	Less than \$15K	20	15%	154	7.1 - 29.7
	\$15,000–24,999	19	9%	209	4.4 - 17.3
	\$25,000–34,999	41	25%	206	16.8 - 35.9
	\$35,000–49,999	51	18%	292	12.4 - 26.1
	\$50,000–74,999	84	23%	420	17.8 - 29.0
	\$75K+	92	15%	536	11.9 - 19.4

n = Number of respondents who had 5 or more drinks on one or more occasions in the past 30 days.

% = This is a weighted (adjusted) percentage of the state population (adult) at risk in this demographic subgroup, based on the survey data.

N = Total number of respondents in this subgroup.

95% CI = 95% Confidence Interval; the range of values within which the true value of a prevalence estimate would be expected to fall within, 95% of the time.