

# Alcohol Use – Binge Drinking

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:	26.11c: Reduce binge drinking among adults to 6%.
Healthy Alaskans 2010 Objective:	4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:			Yes			Age-Adjusted Rate		
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI	
<b>Total</b>	<b>17.9%</b>	( 15.7% - 20.4% )	88,249	389	2,348		<b>17.4%</b>	( 15.2% - 19.8% )	
<b>Demographics</b>									
<b>Gender</b>									
Female	12.4%	( 10.1% - 15.2% )	29,245	155	1,282		12.3%	( 9.9% - 15.2% )	
Male	22.9%	( 19.3% - 27.0% )	59,004	234	1,066		22.2%	( 18.8% - 26.1% )	
<b>Age Groups (Categories Used in Age-Adjustment)</b>									
Persons aged 18 to 24 years	18%	( 11% - 28% )	12,383	29	145	3	NA	( NA - NA )	
Persons aged 25 to 34 years	26%	( 20% - 33% )	25,641	88	313		NA	( NA - NA )	
Persons aged 35 to 44 years	23%	( 18% - 30% )	21,519	88	421		NA	( NA - NA )	
Persons aged 45 to 64 years	14.4%	( 11.7% - 17.5% )	25,585	164	1,068		NA	( NA - NA )	
Persons aged 65 years and older	5%	( 3% - 10% )	2,560	19	376	3	NA	( NA - NA )	
<b>Race and Ethnicity</b>									
American Indian or Alaska Native	18%	( 14% - 24% )	12,810	86	431		19%	( 14% - 24% )	
Asian or Pacific Islander	4%	( 2% - 9% )	619	7	66	3	4%	( 2% - 9% )	
Asian	1%	( 0% - 5% )	156	3	53	3	2%	( 0% - 7% )	
Native Hawaiian or Other Pacific Islander	DSU	( DSU - DSU )	DSU	DSU	13	3	DSU	( DSU - DSU )	
Black or African American	DSU	( DSU - DSU )	DSU	DSU	34	3	DSU	( DSU - DSU )	
White	18.7%	( 16.0% - 21.8% )	70,016	278	1,725		18.2%	( 15.5% - 21.2% )	
Hispanic or Latino	16%	( 8% - 30% )	2,558	11	61	3	15%	( 7% - 27% )	
Not Hispanic or Latino	18.1%	( 15.8% - 20.6% )	85,752	378	2,270		17.7%	( 15.4% - 20.2% )	
Black or African American, not Hispanic/Latino	DSU	( DSU - DSU )	DSU	DSU	27	3	DSU	( DSU - DSU )	
White, not Hispanic or Latino	19.0%	( 16.2% - 22.1% )	68,018	273	1,658		18.5%	( 15.7% - 21.7% )	

Risk Factors

For table end notes see Appendix J on Pg 429.

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:		26.11c: Reduce binge drinking among adults to 6%.							
Healthy Alaskans 2010 Objective:		4.4: Reduce binge drinking among adults to 13%.							
Screening Question:		Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)							
Response:		Yes					Age-Adjusted Rate		
Population at Risk (See Appendix)	%	Observed Rate		Individuals	n	N	#	Age-Adjusted Rate	
		%	95% CI					%	95% CI
<b>Alaska Native</b>									
Yes	19%	(	14% -	24%)	15,154	90	472	19%	( 14% - 24%)
No	17.9%	(	15.3% -	20.7%)	73,375	298	1,861	17.2%	( 14.7% - 20.0%)
<b>Geographic Location</b>									
Anchorage & Vicinity	17%	(	13% -	21%)	44,969	78	496	16%	( 13% - 20%)
Fairbanks & Vicinity	21%	(	17% -	27%)	15,323	82	487	20%	( 16% - 25%)
Gulf Coast	19%	(	15% -	25%)	10,722	74	468	20%	( 16% - 25%)
Rural	15%	(	12% -	20%)	6,831	66	405	14%	( 11% - 18%)
Southeast	19%	(	16% -	24%)	10,198	89	492	19%	( 15% - 24%)
<b>Urban/Rural</b>									
Metropolitan Statistical Area	17.9%	(	14.8% -	21.4%)	58,714	157	949	17.3%	( 14.4% - 20.7%)
Micropolitan Statistical Area & Urban Clusters	18.5%	(	15.2% -	22.4%)	16,415	126	756	17.5%	( 14.4% - 21.1%)
Rural	17.2%	(	13.4% -	21.6%)	13,120	106	643	17.5%	( 13.9% - 21.9%)
<b>Education Level (persons aged 25 years and older)</b>									
Less than high school	18%	(	11% -	27%)	4,104	24	140	19%	( 12% - 29%)
High school graduate	18.6%	(	14.9% -	23.0%)	21,176	134	644	18.6%	( 14.6% - 23.3%)
At least some college	21.6%	(	17.1% -	26.8%)	28,586	113	667	20.3%	( 16.1% - 25.3%)
College Graduate	14.3%	(	10.8% -	18.6%)	21,953	89	748	13.6%	( 10.3% - 17.7%)
<b>Employment Status</b>									
Employed	19.7%	(	16.8% -	22.9%)	63,807	276	1,467	17.1%	( 14.5% - 20.0%)
Unemployed	21%	(	14% -	29%)	9,269	46	218	22%	( 14% - 34%)
Not in Workforce (Student, Homemaker, Retired)	12.5%	(	8.6% -	17.7%)	12,811	56	542	14.2%	( 9.7% - 20.4%)
Unable to work	13%	(	5% -	29%)	2,341	9	104	33%	( 21% - 47%)

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:	26.11c: Reduce binge drinking among adults to 6%.
Healthy Alaskans 2010 Objective:	4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:			Yes			Age-Adjusted Rate	
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI
<b>Marital Status</b>								
Married or Unwed Couple	16.4%	( 13.6% - 19.5% )	47,700	192	1,299		14.9%	( 12.2% - 18.0% )
Divorced/Separated	6%	( 2% - 13% )	1,130	9	169	3	9%	( 3% - 22% )
Widowed	20%	( 14% - 27% )	11,844	73	411	3	21%	( 13% - 32% )
Never Married	22%	( 16% - 29% )	19,735	83	324	3	20%	( 15% - 27% )
<b>Income Level</b>								
<\$15,000	24%	( 15% - 36% )	7,401	34	183	3	30%	( 21% - 42% )
\$15,000 - \$24,999	14%	( 8% - 26% )	5,799	32	238	3	13%	( 8% - 21% )
\$25,000 - \$49,999	19%	( 15% - 25% )	18,672	84	482	3	19%	( 15% - 25% )
\$50,000 - \$74,999	14%	( 10% - 19% )	10,767	56	395	3	13%	( 9% - 19% )
\$75,000	21.7%	( 17.7% - 26.3% )	37,946	152	760		21.1%	( 16.4% - 26.6% )
<b>Poverty Threshold</b>								
Poor (<100% Poverty Threshold)	14%	( 7% - 25% )	4,759	25	158	3	14%	( 8% - 22% )
Near Poor (100% to 199% Poverty Threshold)	21%	( 14% - 29% )	12,992	54	295	3	21%	( 14% - 29% )
Middle/High Income (>=200% Poverty Threshold)	19.4%	( 16.7% - 22.5% )	63,417	279	1,605		18.6%	( 15.9% - 21.7% )
<b>Below Poverty Guidelines</b>								
Yes	17%	( 11% - 27% )	8,026	36	215	3	16%	( 11% - 24% )
No	19.4%	( 16.8% - 22.3% )	72,772	322	1,843		18.8%	( 16.1% - 21.9% )
<b>Veteran</b>								
Yes	17%	( 13% - 23% )	14,984	72	415	3	17%	( 12% - 22% )
No	18.0%	( 15.5% - 20.8% )	72,828	316	1,926		17.0%	( 14.7% - 19.7% )

Risk Factors

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:

26.11c: Reduce binge drinking among adults to 6%.

Healthy Alaskans 2010 Objective:

4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:			Yes			Age-Adjusted Rate	
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI
<b>Health Status</b>								
<b>General Health</b>								
Excellent to Very Good	17.7%	( 14.8% - 21.0% )	50,947	212	1,234		16.1%	( 13.6% - 19.1% )
Good	19.5%	( 15.4% - 24.5% )	29,188	133	766		19.6%	( 15.1% - 24.9% )
Fair/Poor	15%	( 10% - 22% )	8,084	44	334	3	16%	( 11% - 23% )
<b>Healthy Days (Mean Number of Days)</b>								
Physical Health Not Good	2.8	( 1.9 - 3.6 )					3.7	( 2.1 - 5.3 )
Mental Health Not Good	3.6	( 2.4 - 4.8 )					3.1	( 2.1 - 4.0 )
Unhealthy Days (Physical or Mental Health Not Good)	6.2	( 4.9 - 7.6 )					6.6	( 4.8 - 8.4 )
Days with Activity Limitation	1.8	( 1.2 - 2.4 )					1.8	( 1.2 - 2.5 )
<b>Healthy Days (Percentage with 14 or More Days)</b>								
Physical Health Not Good	21%	( 13% - 31% )	7,876	32	227	3	23%	( 16% - 33% )
Mental Health Not Good	26%	( 16% - 38% )	8,655	30	181		27%	( 19% - 38% )
Unhealthy Days (Physical or Mental Health Not Good)	26%	( 19% - 34% )	16,885	61	360		28%	( 21% - 36% )
Activity Limitation	16%	( 9% - 28% )	3,968	22	157	3	20%	( 11% - 35% )
<b>Disability</b>								
<b>Disabled</b>								
Yes	13.8%	( 10.3% - 18.1% )	15,225	78	578	3	14.4%	( 10.7% - 19.1% )
No	19.2%	( 16.5% - 22.2% )	72,665	308	1,740		17.9%	( 15.3% - 20.7% )
<b>Activity Limitation</b>								
Yes	12.9%	( 9.5% - 17.3% )	13,400	70	545	3	13.0%	( 9.5% - 17.4% )
No	19.4%	( 16.7% - 22.3% )	74,490	316	1,777		18.2%	( 15.7% - 21.1% )

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:	26.11c: Reduce binge drinking among adults to 6%.
Healthy Alaskans 2010 Objective:	4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:		Observed Rate				Age-Adjusted Rate	
	%		95% CI	Individuals	n	N #	%	95% CI
Require Special Equipment								
Yes	16%	(	9% - 26%)	4,483	20	162 3	30%	( 21% - 42% )
No	18.0%	(	15.7% - 20.6%)	83,759	369	2,181	17.2%	( 15.0% - 19.7% )
<b>Mental Health</b>								
Social and Emotional Support								
Always/Usually	18.3%	(	15.8% - 21.2%)	68,343	293	1,725	17.5%	( 15.0% - 20.2% )
Sometimes/Rarely/Never	19%	(	13% - 25%)	17,538	82	498 3	19%	( 14% - 26% )
Life Satisfaction								
Very Satisfied / Satisfied	18.0%	(	15.6% - 20.6%)	80,354	357	2,144	17.3%	( 15.0% - 19.9% )
Dissatisfied / Very Dissatisfied	32%	(	19% - 49%)	5,906	22	90	30%	( 19% - 45% )
<b>Healthcare</b>								
<b>Healthcare Coverage</b>								
Health Plan								
Yes	16.5%	(	14.1% - 19.2%)	66,190	286	1,919	16.6%	( 14.1% - 19.3% )
No	25%	(	19% - 32%)	21,127	101	407	21%	( 17% - 27% )
<b>Immunization</b>								
Flu Shot Within Past 12 Months (Ages 65+)								
Yes	13.8%	(	10.7% - 17.7%)	26,023	113	910 3	14.3%	( 11.0% - 18.5% )
No	20.5%	(	17.5% - 23.9%)	61,613	271	1,410	19.3%	( 16.4% - 22.6% )
Ever Had Pneumonia Shot (Ages 65+)								
Yes	11.6%	(	8.5% - 15.5%)	11,643	62	594 3	13.3%	( 9.6% - 18.3% )
No	20.5%	(	17.5% - 23.8%)	65,323	273	1,470	19.2%	( 16.4% - 22.4% )

Risk Factors

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:

26.11c: Reduce binge drinking among adults to 6%.

Healthy Alaskans 2010 Objective:

4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:		Observed Rate				Age-Adjusted Rate	
	%		95% CI	Individuals	n	N #	%	95% CI
<b>Screening</b>								
AIDS/HIV Screening (Ages 18-64)								
Yes	22.7%	(	18.9% - 27.1%)	45,892	193	881	22.0%	( 18.1% - 26.4% )
No	18.1%	(	14.7% - 22.2%)	37,179	163	930	19.9%	( 15.9% - 24.7% )
<b>Diagnoses</b>								
<b>Arthritis</b>								
Arthritis								
Yes	18.5%	(	14.3% - 23.6%)	21,182	96	686 3	21.3%	( 15.0% - 29.3% )
No	17.9%	(	15.3% - 20.9%)	65,885	286	1,613	16.2%	( 13.9% - 18.9% )
<b>Asthma</b>								
Asthma Diagnosis								
Yes	21%	(	15% - 28%)	15,097	53	337 3	20%	( 14% - 28% )
No	17.5%	(	15.1% - 20.1%)	73,401	336	2,004	17.0%	( 14.6% - 19.6% )
Current Asthma								
Yes	20%	(	13% - 30%)	8,928	31	212 3	21%	( 13% - 31% )
No	21%	(	11% - 36%)	5,140	20	107 3	19%	( 11% - 32% )
<b>Cardiovascular and Cerebrovascular Disease</b>								
Cardiovascular Disease								
Yes	12%	(	6% - 22%)	2,773	12	139 3	18%	( 6% - 40% )
No	18.4%	(	16.0% - 21.0%)	85,138	374	2,182	17.5%	( 15.2% - 20.0% )
Heart Attack (Myocardial Infarction)								
Yes	11%	(	5% - 21%)	1,767	11	98 3	21%	( 7% - 49% )
No	18.2%	(	15.9% - 20.8%)	86,352	377	2,239	17.4%	( 15.2% - 19.9% )

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:	26.11c: Reduce binge drinking among adults to 6%.
Healthy Alaskans 2010 Objective:	4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:		Yes				Age-Adjusted Rate	
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI
<b>Coronary Heart Disease (Angina)</b>								
Yes	15%	( 6% - 30% )	2,173	7	87	3	25%	( 6% - 62% )
No	18.1%	( 15.8% - 20.7% )	85,856	380	2,242		17.3%	( 15.1% - 19.8% )
<b>Stroke</b>								
Yes	7%	( 3% - 16% )	667	5	71	3	13%	( 4% - 34% )
No	18.2%	( 15.9% - 20.7% )	87,627	384	2,269		17.5%	( 15.2% - 20.0% )
<b>Diabetes</b>								
<b>Nongestational Diabetes</b>								
Yes	8%	( 4% - 16% )	2,327	13	173	3	6%	( 3% - 13% )
No	18.5%	( 16.1% - 21.1% )	85,702	375	2,169		17.6%	( 15.3% - 20.1% )
<b>Pre-Diabetes</b>								
Yes	16%	( 9% - 26% )	6,614	26	216	3	16%	( 9% - 27% )
No	18.7%	( 16.3% - 21.5% )	79,036	348	1,951		17.7%	( 15.4% - 20.3% )
<b>Risk Factors</b>								
<b>Alcohol</b>								
<b>Binge Drinking</b>								
Yes	100%	( 0% - 0% )	88,249	389	389		100%	( 0% - 0% )
No	0.0%	( 0.0% - 0.0% )	0	0	1,959		0.0%	( 0.0% - 0.0% )
<b>Heavy Drinking</b>								
Yes	81%	( 71% - 88% )	24,354	120	153		79%	( 68% - 87% )
No	13.6%	( 11.5% - 16.0% )	61,813	253	2,151		13.3%	( 11.2% - 15.6% )

Risk Factors

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:		26.11c: Reduce binge drinking among adults to 6%.						
Healthy Alaskans 2010 Objective:		4.4: Reduce binge drinking among adults to 13%.						
Screening Question:		Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)						
Response:		Observed Rate			Yes		Age-Adjusted Rate	
Population at Risk (See Appendix)	%	95% CI	Individuals	n	N	#	%	95% CI
<b>Hypercholesterolemia</b>								
High Cholesterol								
Yes	14.8%	( 11.2% - 19.3% )	18,505	88	742	3	17.6%	( 12.2% - 24.8% )
No	17.4%	( 14.2% - 21.1% )	39,406	178	1,052		16.3%	( 13.2% - 20.0% )
<b>Hypertension</b>								
High Blood Pressure								
Yes	19.6%	( 15.6% - 24.3% )	25,751	122	757		24.6%	( 18.6% - 31.7% )
No	17.3%	( 14.7% - 20.3% )	62,330	264	1,573		15.8%	( 13.4% - 18.6% )
<b>Nutrition</b>								
Fruit and Vegetable Index								
<1 Per Day or Never	18%	( 10% - 30% )	5,424	24	136	3	17%	( 10% - 28% )
1 to <3 Times Per Day	23.7%	( 19.3% - 28.7% )	39,479	167	800		22.7%	( 18.4% - 27.6% )
3 to <5 Times Per Day	16.1%	( 12.6% - 20.2% )	27,357	121	817		15.6%	( 12.2% - 19.7% )
5 Or More Times Per Day	13.5%	( 9.9% - 18.0% )	15,211	72	536	3	13.9%	( 10.3% - 18.5% )
<b>Physical Activity</b>								
Physical Activity Recommendations (2008)								
Active	19.5%	( 16.6% - 22.7% )	66,412	276	1,513		18.2%	( 15.6% - 21.2% )
Insufficient	16%	( 11% - 22% )	12,591	65	419	3	15%	( 11% - 21% )
Inactive	18%	( 11% - 27% )	7,145	32	228	3	17%	( 11% - 27% )
Leisure Time Exercise								
Yes	19.3%	( 16.6% - 22.3% )	73,676	305	1,797		18.2%	( 15.7% - 21.1% )
No	13.1%	( 9.9% - 17.1% )	14,473	83	543	3	12.4%	( 9.3% - 16.2% )

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:	26.11c: Reduce binge drinking among adults to 6%.
Healthy Alaskans 2010 Objective:	4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:			Yes			Age-Adjusted Rate	
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI
<b>Sexual Violence/Intimate Partner Violence</b>								
Parents Physically Hurt by Spouse/Partner								
Yes	22%	( 16% - 29% )	18,785	85	425	3	19%	( 15% - 25% )
No	18.1%	( 15.5% - 21.1% )	64,573	277	1,710		17.7%	( 15.1% - 20.6% )
Unwanted Sexual Activity								
Yes	19%	( 13% - 27% )	11,671	51	336	3	17%	( 12% - 23% )
No	18.7%	( 16.1% - 21.7% )	71,478	312	1,801		18.4%	( 15.8% - 21.3% )
Ever Hurt or Threatened by Intimate Partner								
Yes	26.8%	( 21.0% - 33.5% )	24,818	116	500		27.0%	( 20.0% - 34.0% )
No	16.8%	( 14.2% - 19.7% )	58,768	249	1,644		16.2%	( 13.8% - 19.1% )
Past 5 Years Feared for Safety or Physically Hurt by Intimate Partner								
Yes	29%	( 17% - 44% )	6,345	30	113		24%	( 15% - 37% )
No	18.3%	( 15.8% - 21.0% )	77,152	335	2,035		18.0%	( 15.5% - 20.7% )
<b>Tobacco Use</b>								
Cigarette Smoking Status								
Current Smoker	28%	( 23% - 34% )	27,104	139	482		27%	( 20% - 34% )
Former Smoker	18.8%	( 14.8% - 23.7% )	26,213	121	733		19.5%	( 15.1% - 24.7% )
Never Smoked	13.8%	( 10.9% - 17.3% )	34,886	128	1,112	3	12.8%	( 10.2% - 15.9% )
Smokeless Tobacco Status								
Current User	34%	( 22% - 48% )	7,119	32	105		34%	( 22% - 47% )
Former User	33%	( 25% - 41% )	28,498	110	366		30%	( 23% - 37% )
Never Used	14.3%	( 12.0% - 16.9% )	50,127	231	1,730		14.1%	( 11.8% - 16.7% )

Risk Factors

# Alcohol Use – Binge Drinking (continued)

Binge drinking, Adults (18 years of age and older), Alaska BRFSS, 2009:  
Standard (2009) Survey Instrument

Healthy People 2010 Objective:

26.11c: Reduce binge drinking among adults to 6%.

Healthy Alaskans 2010 Objective:

4.4: Reduce binge drinking among adults to 13%.

Screening Question: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Population at Risk (See Appendix)	Response:		Yes				Age-Adjusted Rate	
	%	Observed Rate 95% CI	Individuals	n	N	#	%	95% CI
<b>Weight Status</b>								
Weight Status								
Normal (BMI <25)	13.8%	( 10.6% - 17.7% )	24,151	117	763	3	12.6%	( 9.8% - 15.9% )
Overweight (BMI 25 to 30)	20.9%	( 17.1% - 25.3% )	37,542	160	850		20.5%	( 16.6% - 25.0% )
Obese (BMI ≥30)	20.2%	( 15.9% - 25.5% )	24,720	106	656		19.8%	( 15.3% - 25.3% )
Obese I (BMI 30 TO < 35)	22%	( 16% - 28% )	17,185	78	425	3	24%	( 17% - 31% )
Obese II & III (BMI ≥35)	18%	( 11% - 27% )	7,927	28	231	3	17%	( 10% - 26% )