

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.3.d Average length of stay per discharge (in days) by main diagnosis.
Both sexes**

| | | | Denmark | Faroe Islands | Finland | Åland |
|------|---|-------------|---------|------------------|---------|---------|
| | Main diagnosis | ICD-10 code | 2009 | 2003-07 | 2009 | 2005-09 |
| I | <i>Certain infectious and parasitic diseases</i> | A00-B99 | 4.9 | 5.3 | 7.1 | 9.4 |
| | Thereof: | | | | | |
| | Septicaemia | A40-A41 | 7.9 | 10.0 | 11.2 | 13.7 |
| II | <i>Neoplasms</i> | C00-D48 | 5.7 | 4.7 | 6.9 | 8.3 |
| | Thereof: | | | | | |
| | Malignant neoplasm of colon, rectum and anus | C18-C21 | 7.4 | 5.5 | 9.7 | 11.5 |
| | Malignant neoplasms of trachea, bronchus and lung | C33-C34 | 5.7 | 3.4 | 10.0 | 12.3 |
| | Malignant neoplasm of breast | C50 | 2.8 | 5.6 | 6.0 | 6.0 |
| | Malignant neoplasm of prostate | C61 | 4.4 | 9.3 | 8.6 | 7.5 |
| III | <i>Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism</i> | D50-D89 | 3.3 | 3.7 | 4.7 | 7.3 |
| IV | <i>Endocrine, nutritional and metabolic diseases</i> | E00-E90 | 4.0 | 7.2 | 8.8 | 16.2 |
| | Thereof: | | | | | |
| | Diabetes mellitus | E10-E14 | 5.3 | 11.0 | 11.6 | 30.7 |
| V | <i>Mental and behavioural disorders</i> | F00-F99 | 16.5 | 30.4 | 40.2 | 63.1 |
| | Thereof: | | | | | |
| | Mental and behavioural disorders due to alcohol | F10 | 2.9 | 3.2 | 7.3 | 5.1 |
| VI | <i>Diseases of the nervous system</i> | G00-G99 | 5.2 | 4.3 | 19.8 | 24.0 |
| | Thereof: | | | | | |
| | Transient cerebral ischaemic attacks and related syndromes | G45 | 2.6 | 4.9 | 4.8 | 3.4 |
| VII | <i>Diseases of the eye and adnexa</i> | H00-H59 | 2.1 | 1.1 | 1.3 | 2.6 |
| VIII | <i>Diseases of the ear and mastoid process</i> | H60-H95 | 1.9 | 0.7 | 1.8 | 2.4 |

The table continues

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Gennemsnitlig liggetid per udskrivning (i dage) efter hoveddiagnose. Tabel 3.4.3.d
Begge køn**

| <i>Iceland¹⁾</i> | <i>Norway</i> | <i>Sweden</i> | | | | |
|-----------------------------|---------------|---------------|----------------|--|------|--|
| 2009 | 2009 | 2009 | ICD-10 kode | Hoveddiagnose | | |
| 5.7 | 6.4 | 5.8 | <i>A00-B99</i> | <i>Visse infektions- og parasitære sygdomme</i> Heraf: | I | |
| 13.5 | 10.3 | 8.6 | <i>A40-A41</i> | Blodforgiftning | | |
| 7.6 | 6.6 | 7.3 | <i>C00-D48</i> | <i>Svulster</i> Heraf: | II | |
| 11.2 | 9.2 | 10.5 | <i>C18-C21</i> | Ondartede svulster i tyktarm og endetarm | | |
| 8.8 | 8.2 | 10.1 | <i>C33-C34</i> | Ondartede svulster i luftårer, bronkier og lunger | | |
| 5.2 | 4.3 | 4.4 | <i>C50</i> | Ondartet svulst i bryst | | |
| 8.3 | 5.0 | 6.4 | <i>C61</i> | Ondartet svulst i prostata | | |
| 5.6 | 3.7 | 4.7 | <i>D50-D89</i> | <i>Sygdomme i blod og bloddannende organer og visse lidelser i forbindelse med immunsystemet</i> | III | |
| 6.8 | 3.9 | 5.2 | <i>E00-E90</i> | <i>Endokrine, ernærings- og stofskiftesygdomme</i> Heraf: | IV | |
| 10.5 | 4.6 | 6.3 | <i>E10-E14</i> | Sukkersyge | | |
| 14.9 | 3.3 | 16.7 | <i>F00-F99</i> | <i>Psykiske og adfærdsmæssige lidelser</i> Heraf: | V | |
| 6.0 | 1.8 | 3.2 | <i>F10</i> | Alkoholbetingede psykiske lidelser og adfærdsforstyrrelser | | |
| 9.9 | 3.3 | 5.2 | <i>G00-G99</i> | <i>Sygdomme i nervesystemet</i> Heraf: | VI | |
| 4.3 | 2.6 | 2.8 | <i>G45</i> | Forbigående utilstrækkelig blodforsyning til hjernen og beslægtede syndromer | | |
| 2.7 | 3.5 | 2.5 | <i>H00-H59</i> | <i>Sygdomme i øje og øjenomgivelser</i> Heraf: | VII | |
| 2.7 | 2.4 | 2.2 | <i>H60-H95</i> | <i>Sygdomme i øre og processus mastoideus</i> | VIII | |

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.3.d Average length of stay per discharge (in days) by main diagnosis.
Both sexes. Continued**

| | | | Denmark | Faroe Islands | Finland | Åland |
|-------------|---|-----------------|---------|------------------|---------|---------|
| | Main diagnosis | ICD-10 code | 2009 | 2003-07 | 2009 | 2005-09 |
| IX | <i>Diseases of the circulatory system</i> | <i>I00-I99</i> | 4.2 | 9.4 | 14.3 | 12.3 |
| | Thereof: | | 2.3 | | | |
| | Angina pectoris | I20 | 3.7 | 5.5 | 4.5 | 3.6 |
| | Acute myocardial infarction | I21-I22 | 3.5 | 10.8 | 9.3 | 10.6 |
| | Other ischaemic heart disease | I23-I25 | 2.8 | 5.9 | 18.0 | 7.4 |
| | Conduction disorders and cardiac arrhythmias | I44-I49 | 5.8 | 4.4 | 4.7 | 4.6 |
| | Heart failure | I50 | 6.8 | 14.2 | 13.1 | 15.5 |
| | Cerebrovascular diseases | I60-I69 | 4.3 | 30.9 | 35.6 | 29.4 |
| X | <i>Diseases of the respiratory system</i> | <i>J00-J99</i> | 4.3 | 5.3 | 9.3 | 10.6 |
| | Thereof: | | | | | |
| | Pneumonia | J12-J18 | 5.7 | 8.3 | 16.0 | 23.1 |
| | Chronic obstructive pulmonary disease and bronchiectasis | J40-J44, J47 | 4.7 | 8.1 | 10.1 | 10.6 |
| | Asthma | J45-J46 | 1.9 | 3.0 | 6.4 | 15.8 |
| XI | <i>Diseases of the digestive system</i> | <i>K00-K93</i> | 4.0 | 2.5 | 4.5 | 4.3 |
| | Thereof: | | | | | |
| | Diseases of appendix | K35-K38 | 3.1 | 3.5 | 3.0 | 2.8 |
| | Alcoholic liver disease | K70 | 8.2 | 5.5 | 9.5 | 10.3 |
| | Other diseases of liver | K71-K77 | 6.8 | 7.4 | 7.2 | 13.1 |
| | Cholelithiasis | K80 | 3.1 | 3.3 | 3.7 | 3.7 |
| XII | <i>Diseases of the skin and subcutaneous tissue</i> | <i>L00-L99</i> | 4.0 | 4.7 | 6.9 | 5.5 |
| XIII | <i>Diseases of the musculoskeletal system and connective tissue</i> | <i>M00-M99</i> | 3.6 | 4.9 | 4.6 | 6.0 |
| | Thereof: | | | | | |
| | Systemic connective tissue disorders | M30-M36 | 6.0 | 5.8 | 7.6 | 18.8 |

The table continues

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Gennemsnitlig liggetid per udskrivning (i dage) efter hoveddiagnose. Tabel 3.4.3.d
Begge køn. Fortsat**

| <i>Iceland¹⁾</i> | <i>Norway</i> | <i>Sweden</i> | | | | |
|-----------------------------|---------------|---------------|-------------|---|------|--|
| 2009 | 2009 | 2009 | ICD-10 kode | Hoveddiagnose | | |
| 7.6 | 4.7 | 5.6 | I00-I99 | <i>Sygdomme i kredsløbsorganer</i> | IX | |
| | | | | Heraf: | | |
| 4.7 | 2.8 | 3.2 | I20 | Brystkrampe | | |
| 6.8 | 4.1 | 4.5 | I21-I22 | Akut hjerteinfarkt | | |
| 8.7 | 2.8 | 3.6 | I23-I25 | Anden iskæmisk hjertesygdom | | |
| 5.1 | 2.7 | 2.7 | I44-I49 | Ledningsforstyrrelser i hjertet og hjerterytmefforstyrrelser | | |
| 9.1 | 5.9 | 6.5 | I50 | Hjertesvigt | | |
| 13.9 | 9.2 | 10.6 | I60-I69 | Karsygdomme i hjernen | | |
| 7.0 | 6.0 | 5.1 | J00-J99 | <i>Sygdomme i åndedraætsorganer</i> | X | |
| | | | | Heraf: | | |
| 7.9 | 7.4 | 6.3 | J12-J18 | Lungebetændelse | | |
| 10.2 | 7.4 | 6.1 | J40-J44;J47 | Kronisk obstruktiv lungesygdom | | |
| 3.5 | 5.7 | 2.5 | J45-J46 | Astma | | |
| 4.5 | 4.4 | 4.5 | K00-K93 | <i>Sygdomme i fordøjelsesorganer</i> | XI | |
| | | | | Heraf: | | |
| 2.5 | 2.9 | 2.6 | K35-K38 | Blindtarmsbetændelse og andre sygdomme i blindtarm | | |
| 9.0 | 8.0 | 8.3 | K70 | Alkoholisk leversygdom | | |
| 9.0 | 7.1 | 7.6 | K71-K77 | Andre leversygdomme | | |
| 3.0 | 3.6 | 3.5 | K80 | Galdesten | | |
| 6.2 | 6.0 | 6.2 | L00-L99 | <i>Sygdomme i hud og underhud</i> | XII | |
| 6.1 | 4.7 | 5.0 | M00-M99 | <i>Sygdomme i knogler, bevægelsessystem og bindevæv</i> | XIII | |
| | | | | Heraf: | | |
| 9.2 | 5.1 | 6.2 | M30-M36 | Generaliserede bindevævssygdomme | | |

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.3.d Average length of stay per discharge (in days) by main diagnosis.
Both sexes. Continued**

| | | | Denmark | Faroe Islands | Finland | Åland |
|-------|--|----------------|---------|------------------|---------|---------|
| | Main diagnosis | ICD-10 code | 2009 | 2003-07 | 2009 | 2005-09 |
| XIV | <i>Diseases of the genitourinary system</i> | <i>N00-N99</i> | 3.2 | 2.9 | 5.1 | 3.4 |
| | Thereof: | | | | | |
| | Glomerular and renal tubulointerstitial diseases | N00-N16 | 4.0 | 3.9 | 8.3 | 5.4 |
| | Renal failure | N17-N19 | 5.3 | 8.6 | 10.2 | 12.3 |
| | Hyperplasia of prostate | N40 | 2.2 | 4.9 | 4.2 | 2.9 |
| XV | <i>Pregnancy, childbirth and the puerperium</i> | <i>O00-O99</i> | 2.6 | 4.4 | 3.2 | 3.6 |
| | Thereof: | | 1.1 | | | |
| | Medical abortion | 004 | 2.6 | 0.0 | 1.1 | 1.1 |
| | Single spontaneous delivery | 080 | 9.6 | 4.8 | 3.2 | 4.0 |
| XVI | <i>Certain conditions originating in the perinatal period</i> | <i>P00-P96</i> | 3.3 | 4.7 | 7.8 | 7.8 |
| XVII | <i>Congenital malformations, deformations and chromosomal abnormalities</i> | <i>Q00-Q99</i> | 2.5 | 4.2 | 4.5 | 13.1 |
| XVIII | <i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</i> | <i>R00-R99</i> | 2.5 | 3.2 | 4.2 | 4.9 |
| | Thereof: | | | | | |
| | Pain in throat and chest | R07 | 1.4 | 2.2 | 2.1 | 1.7 |
| | Abdominal and pelvic pain | R10 | 1.8 | 1.7 | 2.9 | 2.6 |

The table continues

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Gennemsnitlig liggetid per udskrivning (i dage) efter hoveddiagnose. Tabel 3.4.3.d
Begge køn. Fortsat**

| <i>Iceland¹⁾</i> | <i>Norway</i> | <i>Sweden</i> | | | |
|-----------------------------|---------------|---------------|----------------|--|-------|
| 2009 | 2009 | 2009 | ICD-10 kode | Hoveddiagnose | |
| 4.1 | 3.8 | 4.0 | <i>N00-N99</i> | <i>Sygdomme i urin- og kønsorganer</i> | XIV |
| | | | | Heraf: | |
| 4.3 | 4.6 | 4.4 | <i>N00-N16</i> | Glomulære og tubulointerstitielle nyresygdomme | |
| 9.9 | 6.6 | 7.4 | <i>N17-N19</i> | Nyreinsufficiens | |
| 3.9 | 3.3 | 2.8 | <i>N40</i> | Forstørret blærehalskirtel | |
| 2.2 | 3.5 | 2.5 | <i>O00-O99</i> | <i>Svangerskab, fødsel og barsel</i> | XV |
| | | | | Heraf: | |
| 1.4 | 0.7 | 0.8 | <i>004</i> | Legal abort | |
| 1.8 | - | 2.2 | <i>080</i> | Spontan fødsel (enkelfødsel) | |
| 4.5 | 10 | 10.5 | <i>P00-P96</i> | <i>Visse tilstande med oprindelse i den perinatale periode</i> | XVI |
| 3.8 | 4.5 | 5.3 | <i>Q00-Q99</i> | <i>Medfødte misdannelser og kromosomanomalier</i> | XVII |
| 4.2 | 1.8 | 2.5 | <i>R00-R99</i> | <i>Symptomer, tegn og anomalie kliniske og laboratoriske fund som ikke er klassificeret andetsteds</i> | XVIII |
| | | | | Heraf: | |
| 1.9 | 1.1 | 1.4 | <i>R07</i> | Smerter i hals og bryst | |
| 2.5 | 1.5 | 2.0 | <i>R10</i> | Smerter i mave og underliv | |

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.3.d Average length of stay per discharge (in days) by main diagnosis.
Both sexes. Continued**

| | Main diagnosis | ICD-10 code | Denmark | Faroe Islands | Finland | Åland |
|----------------------------|--|--|---------|------------------|---------|---------|
| | | | 2009 | 2003-07 | 2009 | 2005-09 |
| XIX | <i>Injury, poisoning and certain other consequences of external causes</i> | S00-T98 | 3.8 | 4.5 | 8.1 | 8.9 |
| | Thereof: | | | | | |
| | Intracranial injury | S06 | 3.2 | 1.9 | 10.1 | 14.8 |
| | Fracture of femur | S72 | 7.9 | 12.8 | 18.5 | 23.4 |
| | Fracture of lower leg, including ankle | S82 | 5.1 | 4.9 | 7.9 | 12.3 |
| | Poisonings by drugs, medicaments and biological substances and toxic effects of substances chiefly nonmedicinal as to source | T36-T65 | 1.8 | 2.1 | 2.1 | 1.2 |
| | Complications of surgical and medical care, not elsewhere classified | T80-T88 | 5.5 | 8.3 | 8.4 | 9.3 |
| XXI | <i>Factors influencing health status and contact with health services</i> | Z00-Z99 | 4.7 | 2.5 | 6.1 | 10.1 |
| | Thereof: | | | | | |
| | Medical observation and evaluation for suspected diseases and conditions | Z03 | 1.9 | 2.3 | 2.8 | 2.5 |
| | Other medical care (including radiotherapy and chemotherapy sessions) | Z51 | 17.4 | 1.5 | 3.5 | 4.7 |
| All (ex- cept XX) | <i>All causes</i> | A00-Z99 (excluding V, W, X and Y codes) | 4.6 | 5.4 | 9.4 | 9.3 |

1 Only discharges with a length of stay less than 90 days 1 Kun udskrivninger med en liggetid under 90 dage

Sources: *Tables 3.4.1.a and 3.4.2.a*

Kilder: Tabellerne 3.4.1.a og 3.4.2.a

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Gennemsnitlig liggetid per udskrivning (i dage) efter hoveddiagnose. Tabel 3.4.3.d
Begge køn. Fortsat**

| <i>Iceland¹⁾</i> | <i>Norway</i> | <i>Sweden</i> | | | |
|-----------------------------|---------------|---------------|---|--|---------------------------|
| 2009 | 2009 | 2009 | ICD-10 kode | Hoveddiagnose | |
| 6.5 | 4.4 | 5.2 | S00-T98 | <i>Læsioner, forgiftninger og visse andre følger af ydre påvirkninger</i> | XIX |
| | | | | <i>Heraf:</i> | |
| 9.0 | 2.4 | 3.6 | S06 | Interkraniele skader | |
| 10.8 | 8.7 | 9.7 | S72 | Brud på lårben | |
| 3.8 | 5.2 | 5.1 | S82 | Brud på underben og ankel | |
| 2.4 | 1.3 | 1.4 | T36-T65 | Forgiftning | |
| | | | | | |
| 6.5 | 6.7 | 6.3 | T80-T88 | Komplikationer i forbindelse med behandling som ikke er klassificeret andetsteds | |
| 6.8 | 5.0 | 5.0 | Z00-Z99 | <i>Faktorer af betydning for sundhedstilstand og kontakter med sundhedsvesenet</i> | XXI |
| | | | | <i>Heraf:</i> | |
| 1.7 | 1.6 | 2.4 | Z03 | Medicinsk observation og vurdering for mistænkt sygdom | |
| 4.3 | 2.4 | 5.9 | Z51 | Anden medicinsk behandling (inkl. radioterapi og kemoterapi) | |
| 5.8 | 4.6 | 5.7 | A00-Z99 <i>(excluding V, W, X and Y codes)</i> | <i>I alt</i> | All <i>(except XX)</i> |

1 Only discharges with a length of stay less than 90 days 1 Kun udskrivninger med en liggetid under 90 dage

Sources: Kilder:

Tables 3.4.1.a and 3.4.2.a

Tabellerne 3.4.1.a og 3.4.2.a