

Table 4.1.9 Deaths from alcohol-related causes per 100 000 inhabitants by sex and age

Alkoholrelaterede dødsårsager per 100 000 indbyggere efter køn og alder

	Denmark	Faroe Islands	Greenland	Finland	Åland	Iceland	Norway	Sweden
	2009	2005-09	2005-09	2009	2005-09	2009	2009	2009
<i>Men</i>								
Mænd								
0-34	0.6	1.8	1.3	3.2	0.7	-	0.3	0.2
35-44	17.2	37.5	14.8	47.7	-	-	3.8	3.6
45-64	104.6	36.1	66.4	142.8	11.4	10.2	26.0	21.3
65-74	116.5	107.2	165.6	123.5	26.8	21.3	45.1	24.5
75+	65.9	31.1	315.0	47.5	9.3	-	16.2	10.7
Total	45.2	24.9	32.0	62.5	6.6	3.7	11.6	9.2
<i>Women</i>								
Kvinder								
0-34	0.4	0.0	2.8	0.8	-	-	0.2	0.0
35-44	4.0	0.0	8.6	9.4	-	-	0.3	0.8
45-64	34.6	9.7	40.9	37.4	2.0	5.3	9.7	7.2
65-74	43.6	33.3	100.7	24.9	10.1	-	12.8	6.3
75+	17.9	0.0	168.1	6.6	-	9.6	6.4	1.0
Total	15.6	4.8	20.3	15.1	1.5	1.9	4.1	2.7
<i>M+W</i>								
M+K								
0-34	0.5	0.9	2.0	2.0	0.4	-	0.2	0.1
35-44	10.7	17.6	11.9	28.9	-	-	2.1	2.2
45-64	69.7	22.2	55.5	89.9	6.7	7.8	18.0	14.3
65-74	78.6	69.1	135.0	70.5	18.5	10.3	28.3	15.2
75+	36.6	18.6	227.0	21.0	3.5	5.5	10.2	4.9
Total	30.3	14.5	26.5	38.3	4.0	2.8	7.9	5.9

Sources: The national registers for causes of death

Kilder: De nationale dødsårsagsregistre

ICD-10: E244, F10, G312, G621, G721, I426, K292,

K700-709, K860, O354, P043, Q860, Y15, X45