

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.2.d Bed-days in hospitals per 100 000 population by main diagnosis.
Both sexes**

			Denmark	Faroe Islands	Finland	Åland
	Main diagnosis	ICD-10 code	2009	2003-07	2009	2005-09
I	<i>Certain infectious and parasitic diseases</i>	<i>A00-B99</i>	3 254	2 514	5 584	5 894
	Thereof:					
	Septicaemia	A40-A41	1 337	591	1 208	1 415
II	<i>Neoplasms</i>	<i>C00-D48</i>	8 685	8 639	15 277	16 741
	Thereof:					
	Malignant neoplasm of colon, rectum and anus	C18-C21	1 148	1 502	1 584	1 590
	Malignant neoplasms of trachea, bronchus and lung	C33-C34	813	719	1 347	1 609
	Malignant neoplasm of breast	C50	501	949	1 285	906
	Malignant neoplasm of prostate	C61	382	796	1 065	1 546
III	<i>Diseases of the blood and bloodforming organs and certain disorders involving the immune mechanism</i>	<i>D50-D89</i>	1 029	1 700	979	1 042
IV	<i>Endocrine, nutritional and metabolic diseases</i>	<i>E00-E90</i>	2 801	3 285	3 368	6 163
	Thereof:					
	Diabetes mellitus	E10-E14	925	2 346	2 236	4 754
V	<i>Mental and behavioural disorders</i>	<i>F00-F99</i>	18 189	28 703	54 908	26 525
	Thereof:					
	Mental and behavioural disorders due to alcohol	F10	831	791	2 375	723
VI	<i>Diseases of the nervous system</i>	<i>G00-G99</i>	3 002	2 790	20 094	19 243
	Thereof:					
	Transient cerebral ischaemic attacks and related syndromes	G45	227	288	592	305
VII	<i>Diseases of the eye and adnexa</i>	<i>H00-H59</i>	223	659	1 303	555
VIII	<i>Diseases of the ear and mastoid process</i>	<i>H60-H95</i>	234	225	556	723

The table continues

Sengedage på sygehuse per 100.000 indbyggere efter Tabel 3.4.2.d
hoveddiagnose. Begge køn

<i>Iceland¹⁾</i>	<i>Norway</i>	<i>Sweden</i>			
2009	2009	2009	ICD-10 kode	Hoveddiagnose	
1 063	3 158	3 048	<i>A00-B99</i>	<i>Visse infektions- og parasitære sygdomme</i>	I
				Heraf:	
296	1 604	1 160	<i>A40-A41</i>	Blodforgiftning	
8 955	10 576	10 248	<i>C00-D48</i>	<i>Svulster</i>	II
				Heraf:	
1 106	1 433	1 239	<i>C18-C21</i>	Ondartede svulster i tyktarm og endetarm	
1 184	991	983	<i>C33-C34</i>	Ondartede svulster i luftrør, bronkier og lunger	
624	391	459	<i>C50</i>	Ondartet svulst i bryst	
645	528	706	<i>C61</i>	Ondartet svulst i prostata	
792	577	756	<i>D50-D89</i>	<i>Sygdomme i blod og bloddannende organer og visse lidelser i forbindelse med immunsystemet</i>	III
1 927	1 201	2 092	<i>E00-E90</i>	<i>Endokrine, ernærings- og stofskiftesygdomme</i>	IV
				Heraf:	
700	467	1 109	<i>E10-E14</i>	Sukkersyge	
3 173	831	18 922	<i>F00-F99</i>	<i>Psyriske og adfærdsmæssige lidelser</i>	V
				Heraf:	
179	158	1 059	<i>F10</i>	Alkoholbetingede psykiske lidelser og adfærdsförstyrrelser	
3 137	2 436	2 562	<i>G00-G99</i>	<i>Sygdomme i nervesystemet</i>	VI
				Heraf:	
87	225	290	<i>G45</i>	Forbigående utilstrækkelig blodforsyning til hjernen og beslægtede syndromer	
225	366	229	<i>H00-H59</i>	<i>Sygdomme i øje og øjenomgivelser</i>	VII
133	197	209	<i>H60-H95</i>	<i>Sygdomme i øre og processus mastoideus</i>	VIII

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.2.d Bed-days in hospitals per 100 000 population by main diagnosis.
Both sexes. Continued**

			Denmark	Faroe Islands	Finland	Åland
	Main diagnosis	ICD-10 code	2009	2003-07	2009	2005-09
IX	<i>Diseases of the circulatory system</i>	<i>I00-I99</i>	10 546	21 690	45 230	33 411
	Thereof:					
	Angina pectoris	I20	679	1 564	1 010	562
	Acute myocardial infarction	I21-I22	1 017	2 227	2 464	3 073
	Other ischaemic heart disease	I23-125	460	520	4 637	586
	Conduction disorders and cardiac arrhythmias	I44-I49	1 597	2 202	2 725	2 407
	Heart failure	I50	994	1 849	4 840	5 860
	Cerebrovascular diseases	I60-I69	2 445	10 234	21 099	13 854
X	<i>Diseases of the respiratory system</i>	<i>J00-J99</i>	2 445	7 626	17 029	17 415
	Thereof:					
	Pneumonia	J12-J18	8 000	3 194	10 867	8 658
	Chronic obstructive pulmonary disease and bronchiectasis	J40-J44, J47	3 445	1 627	1 730	2 862
	Asthma	J45-J46	1 481	668	671	1 202
XI	<i>Diseases of the digestive system</i>	<i>K00-K93</i>	229	7 046	7 989	8 027
	Thereof:		7 012			
	Diseases of appendix	K35-K38	338	374	369	382
	Alcoholic liver disease	K70	378	48	566	183
	Other diseases of liver	K71-K77	378	300	347	485
	Cholelithiasis	K80	369	744	879	1 023
XII	<i>Diseases of the skin and subcutaneous tissue</i>	<i>L00-L99</i>	656	1 183	1 549	1 073
XIII	<i>Diseases of the musculoskeletal system and connective tissue</i>	<i>M00-M99</i>	1 196	6 961	10 162	13 111
	Thereof:		4 695			
	Systemic connective tissue disorders	M30-M36	283	354	408	1 238

The table continues

Sengedage på sygehuse per 100.000 indbyggere efter Tabel 3.4.2.d
hoveddiagnose. Begge køn. Fortsat

<i>Iceland¹⁾</i>	<i>Norway</i>	<i>Sweden</i>			
2009	2009	2009	ICD-10 kode	Hoveddiagnose	
10 979	11 282	14 293	I00-I99	Sygdomme i kredsløbsorganer	IX
				Heraf:	
1 109	676	789	I20	Brystkrampe	
1 127	1 779	1 583	I21-I22	Akut hjerteinfarkt	
1 057	690	248	I23-I25	Anden iskæmisk hjertesygdom	
1 342	1 080	1 407	I44-I49	Ledningsforstyrrelser i hjertet og hjerterytmeforstyrrelser	
1 288	1 141	2 226	I50	Hjertesvigt	
2 468	2 885	4 714	I60-I69	Karsygdomme i hjernen	
5 207	8 571	5 522	J00-J99	Sygdomme i åndedrætsorganer	X
				Heraf:	
2 016	3 700	2 405	J12-J18	Lungebetændelse	
1 566	1 563	1 202	J40-J44; J47	Kronisk obstruktiv lungesygdom	
126	477	132	J45-J46	Astma	
5 210	5 457	5 507	K00-K93	Sygdomme i fordøjelsesorganer	XI
				Heraf:	
348	324	298	K35-K38	Blindtarmsbetændelse og andre sygdomme i blindtarm	
113	144	150	K70	Alkoholisk leversygdom	
192	221	205	K71-K77	Andre leversygdomme	
686	582	640	K80	Galdesten	
1 416	921	752	L00-L99	Sygdomme i hud og underhud	XII
5 482	5 159	4 915	M00-M99	Sygdomme i knogler, bevægelsessystem og bindevæv	XIII
				Heraf:	
309	292	307	M30-M36	Generaliserede bindevævssygdomme	

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.2.d Bed-days in hospitals per 100 000 population by main diagnosis.
Both sexes. Continued**

			Denmark	Faroe Islands	Finland	Åland
	Main diagnosis	ICD-10 code	2009	2003-07	2009	2005-09
XIV	<i>Diseases of the genitourinary system</i>	<i>N00-N99</i>	3 838	2 806	6 497	5 517
	Thereof:					
	Glomerular and renal tubulointerstitial diseases	N00-N16	559	438	2 669	885
	Renal failure	N17-N19	826	269	747	833
	Hyperplasia of prostate	N40	111	336	336	365
XV	<i>Pregnancy, childbirth and the puerperium</i>	<i>O00-O99</i>	4 116	7 948	4 561	5 136
	Thereof:					
	Medical abortion	O04	97	2	77	132
	Single spontaneous delivery	O80	1 815	5 158	2 442	2 815
XVI	<i>Certain conditions originating in the perinatal period</i>	<i>P00-P96</i>	1 711	1 215	1 375	916
XVII	<i>Congenital malformations, deformations and chromosomal abnormalities</i>	<i>Q00-Q99</i>	598	814	875	2 253
XVIII	<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</i>	<i>R00-R99</i>	4 405	4 262	5 921	6 981
	Thereof:					
	Pain in throat and chest	R07	98	93	306	278
	Abdominal and pelvic pain	R10	833	748	740	797

The table continues

Sengedage på sygehuse per 100.000 indbyggere efter Tabel 3.4.2.d
hoveddiagnose. Begge køn. Fortsat

<i>Iceland¹⁾</i>	<i>Norway</i>	<i>Sweden</i>			
2009	2009	2009	ICD-10 kode	Hoveddiagnose	
2 852	3 599	2 958	<i>N00-N99</i>	<i>Sygdomme i urin- og kønsorganer</i>	XIV
				Heraf:	
298	570	520	N00-N16	Glomerære og tubulointerstitielle nyresygdomme	
794	1 021	722	N17-N19	Nyreinsufficiens	
199	250	134	N40	Forstørret blærehalskirtel	
4 113	2 535	3 691	<i>O00-O99</i>	<i>Svangerskab, fødsel og barsel</i>	XV
				Heraf:	
29	17	29	004	Legal abort	
1 871	-	1 933	080	Spontan fødsel (enkelfødsel)	
2 341	1 954	1 788	<i>P00-P96</i>	<i>Visse tilstande med oprindelese i den perinatale periode</i>	XVI
444	704	609	<i>Q00-Q99</i>	<i>Medfødte misdannelser og kromosomanomalier</i>	XVII
2 474	2 361	3 875	<i>R00-R99</i>	<i>Symptomer, tegn og anormale kliniske og laboratoriske fund som ikke er klassificeret andetsteds</i>	XVIII
				Heraf:	
168	374	475	R07	Smerter i hals og bryst	
377	481	639	R10	Smerter i mave og underliv	

Tabellen fortsætter

MORBIDITY, MEDICAL TREATMENT, ACCIDENTS AND MEDICINAL PRODUCTS

**Table 3.4.2.d Bed-days in hospitals per 100 000 population by main diagnosis.
Both sexes. Continued**

			Denmark	Faroe Islands	Finland	Åland
Main diagnosis		ICD-10 code	2009	2003-07	2009	2005-09
XIX	<i>Injury, poisoning and certain other consequences of external causes</i>	<i>S00-T98</i>	7 667	8 340	19 138	17 930
	Thereof:					
	Intracranial injury	S06	398	392	1 871	3 021
	Fracture of femur	S72	1 599	2 996	5 605	5 470
	Fracture of lower leg, including ankle	S82	571	887	1 784	2 246
	Poisonings by drugs, medicaments and biological substances and toxic effects of substances chiefly nonmedicinal as to source	T36-T65	397	185	245	58
	Complications of surgical and medical care, not elsewhere classified	T80-T88	1 505	778	2 015	2 280
XXI	<i>Factors influencing health status and contact with health services</i>	<i>Z00-Z99</i>	14 363	8 832	3 154	10 520
	Thereof:					
	Medical observation and evaluation for suspected diseases and conditions	Z03	3 544	2 461	87	408
	Other medical care (including radiotherapy and chemotherapy sessions)	Z51	545	34	98	10
All (except XX)	<i>All causes</i>	<i>A00-Z99 (excluding V, W, X and Y codes)</i>	105 562	126 494	225 549	199 176

1 Only discharges with a length of stay less than 90 days 1 Kun udskrivninger med en liggetid under 90 dage

Sources: The national in-patient registers

Kilder: Landspatientregistrene

Sengedage på sygehuse per 100.000 indbyggere efter Tabel 3.4.2.d
hoveddiagnose. Begge køn. Fortsat

<i>Iceland¹⁾</i>	<i>Norway</i>	<i>Sweden</i>			
2009	2009	2009	ICD-10 kode	Hoveddiagnose	
6 550	8 266	8 373	<i>S00-T98</i>	<i>Læsioner, forgiftninger og visse andre følger af ydre påvirkninger</i>	XIX
				Heraf:	
495	479	591	S06	Interkranielle skader	
1 718	2 043	2 581	S72	Brud på lårben	
440	701	645	S82	Brud på underben og ankel	
84	156	175	T36-T65	Forgiftning	
962	1 890	1 326	T80-T88	Komplikationer i forbindelse med behandling som ikke er klassificeret andetsteds	
4 668	8 644	3 486	<i>Z00-Z99</i>	<i>Faktorer af betydning for sundhedstilstand og kontakter med sundhedsvæsenet</i>	XXI
				Heraf:	
365	124	491	Z03	Medicinsk observation og vurdering for mistænkt sygdom	
42	346	891	Z51	Anden medicinsk behandling (inkl. radioterapi og kemoterapi)	
70 698	78 792	93 019	<i>A00-Z99 (excluding V, W, X and Y codes)</i>	<i>I alt</i>	All (except XX)

1 Only discharges with a length of stay less than 90 days

1 Kun udskrivninger med en liggetid under 90 dage

Sources: The national in-patient registers

Kilder: Landspatientregistrene