



Home > CANSIM

Table 102-0703 1, 2

Perinatal mortality, by sex, five-year average, Canada and Inuit regions every 5 years

 Data table
 Add/Remove data
 Manipulate
 Download
 Related information
 Help

Data table

The data below is a part of CANSIM table 102-0703. Use the Add/Remove data tab to customize your table.

| Geography ³ | Sex | Characteristics | 1994-1998 | 1999-2003 | 2004-2008 |
|-----------------------------|------------|--|-----------|-----------|-----------|
| Canada ⁴ | Both sexes | Perinatal deaths (number) ⁶ | 12,384 | 10,454 | 11,115 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 6.8 | 6.3 | 6.2 |
| | Males | Perinatal deaths (number) ⁶ | 6,676 | 5,715 | 5,914 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 7.2 | 6.7 | 6.5 |
| | Females | Perinatal deaths (number) ⁶ | 5,708 | 4,739 | 5,201 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 6.5 | 5.9 | 6.0 |
| Inuit Nunangat ⁵ | Both sexes | Perinatal deaths (number) ⁶ | 68 | 64 | 64 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 11.5 | 10.8 | 10.5 |
| | Males | Perinatal deaths (number) ⁶ | 34 | 32 | 35 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 11.2 | 10.5 | 11.2 |
| | Females | Perinatal deaths (number) ⁶ | 34 | 32 | 29 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 11.8 | 11.1 | 9.9 |
| Inuvialuit Region | Both sexes | Perinatal deaths (number) ⁶ | х | х | х |
| | | Perinatal mortality (rate per 1,000 total births) ² | х | х | х |
| | Males | Perinatal deaths (number) ⁶ | х | х | х |
| | | Perinatal mortality (rate per 1,000 total births) ² | х | х | х |
| | Females | Perinatal deaths (number) ⁶ | х | х | х |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | х | х | х |
| Nunavut | Both sexes | Perinatal deaths (number) ⁶ | 43 | 35 | 46 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 11.8 | 9.5 | 12.1 |
| | Males | Perinatal deaths (number) ⁶ | 19 | 19 | 27 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 10.2 | 10.0 | 13.6 |
| | Females | Perinatal deaths (number) ⁶ | 24 | 16 | 19 |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | 13.5 | 9.0 | 10.4 |
| | | | | | |

Canada

| Geography ³ | Sex | Characteristics | 1994-1998 | 1999-2003 | 2004-2008 |
|---------------------------|------------|--|-----------|-----------|-----------|
| Nunavik | Both sexes | Perinatal deaths (number) ⁶ | 19 | 19 | 14 |
| | | Perinatal mortality (rate per 1,000 total births) ² | 13.9 | 13.7 | 9.5 |
| | Males | Perinatal deaths (number) ⁶ | 11 | 8 | 6 |
| | | Perinatal mortality (rate per 1,000 total births) ² | 15.6 | 11.4 | 7.8 |
| | Females | Perinatal deaths (number) ⁶ | 8 | 11 | 8 |
| | | Perinatal mortality (rate per 1,000 total births) ² | 12.1 | 16.2 | 11.3 |
| Nunatsiavut ¹⁰ | Both sexes | Perinatal deaths (number) ⁶ | х | х | × |
| | | Perinatal mortality (rate per 1,000 total births) ² | х | х | x |
| | Males | Perinatal deaths (number) ⁶ | х | х | × |
| | | Perinatal mortality (rate per 1,000 total births) ² | х | х | × |
| | Females | Perinatal deaths (number) ⁶ | х | х | × |
| | | Perinatal mortality (rate per 1,000 total births) ^Z | х | х | × |

Back to original table

Symbol legend:

X Suppressed to meet the confidentiality requirements of the Statistics Act

Footnotes:

- 1. Sources: Statistics Canada, Canadian Vital Statistics, Birth, Death and Stillbirth Databases
- 2. Numbers and rates on this table are based on the summation of five consecutive years of data.
- 3. The geographic distribution of deaths in this table is based on the place of residence of the deceased.
- **4.** Numbers and rates for Canada include births, deaths and stillbirths for Inuit Nunangat.
- 5. Inuit Nunangat is comprised of four regions created through the signing of land claims agreements and from west to east includes the Inuvialuit Region in the Northwest Territories, Nunavut, Nunavik north of the 55th parallel in Quebec and Nunatsiavut in northern Labrador (Inuit Tapiriit Kanatami, 2008).
- **6.** Perinatal deaths include late fetal deaths (stillbirths with a gestational age of 28 weeks or more) and early neonatal deaths (deaths of infants aged less than one week).
- 7. Perinatal mortality rate is calculated by dividing the count of perinatal deaths by total births (includes live births and late fetal deaths).
- 8. The confidence intervals were produced via the Fleiss method (Fleiss JL, Statistical Methods for Rates and Proportions, 2nd Ed, Wiley and Sons, NY, 1981, page 14, Formula (1.26) and (1.27)).
- **9.** The 95% confidence interval (CI) illustrates the degree of variability associated with a number or a rate. Wide confidence intervals indicate high variability and thus the rates associated with them should be interpreted and compared with caution.
- 10. In 2006, new Census geography identified the reserve of Natuashish, within the unorganized territory of Division No. 10, Subd. E. As a result the latest data for Nunatsiavut are based on different boundaries excluding this reserve, which contained 706 people as of 2006 Census, and represent about 23% of the Nunatsiavut population.

Source: Statistics Canada. *Table 102-0703 - Perinatal mortality, by sex, five-year average, Canada and Inuit regions, every 5 years, CANSIM (database). (accessed: 2015-05-04)

<u>Back to search</u>*

Date modified: 2012-12-10