

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

| Year | | | 1970 | 1971 | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | | |
|--|--------------------------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|---|
| Geography | Gender | Cause of death | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nordland | men | Stomach cancer (C16) | 36 | 23 | 28 | 26 | 17 | 31 | 26 | 26 | 23 | 17 | 17 | 14 | 18 | 28 | 20 | 20 | 17 | 20 | 12 | 11 | 11 | 17 | 13 | 12 | 15 | 7 | | |
| | | Colon cancer (C18) | 4 | 12 | 7 | 12 | 9 | 7 | 8 | 11 | 8 | 3 | 5 | 12 | 9 | 8 | 9 | 12 | 7 | 8 | 13 | 14 | 16 | 11 | 12 | 16 | 5 | 11 | | |
| | | Lung cancer (C33-C34) | 21 | 32 | 27 | 23 | 23 | 30 | 33 | 24 | 30 | 30 | 29 | 45 | 47 | 40 | 43 | 51 | 34 | 39 | 38 | 35 | 47 | 35 | 35 | 48 | 33 | 30 | | |
| | | Breast cancer (C50) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Prostate cancer (C61) | 12 | 13 | 11 | 11 | 15 | 9 | 10 | 20 | 4 | 15 | 20 | 8 | 10 | 18 | 15 | 21 | 16 | 18 | 11 | 24 | 14 | 13 | 22 | 18 | 7 | 14 | | |
| | | Skin cancer (C43) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | | Diabetes (E10-E14) | 5 | - | 6 | - | 3 | - | 4 | 5 | 5 | 3 | 6 | 4 | 4 | 4 | 4 | 11 | 4 | 4 | 7 | 6 | 13 | 4 | : | 10 | 3 | 5 | 5 | |
| | | Ischaemic heart disease (I20-I25) | 267 | 275 | 246 | 294 | 239 | 254 | 253 | 228 | 263 | 247 | 254 | 230 | 238 | 225 | 241 | 240 | 239 | 231 | 250 | 208 | 227 | 229 | 207 | 198 | 157 | 184 | | |
| | | Stroke (I60-I69) | 77 | 64 | 75 | 66 | 54 | 59 | 44 | 50 | 46 | 49 | 47 | 43 | 50 | 47 | 45 | 41 | 34 | 37 | 39 | 32 | 35 | 37 | 31 | 51 | 34 | 17 | | |
| | | COPD/emphysema/asthma/chronic bronchitis (J40-J47) | 11 | 10 | 10 | 7 | 10 | 19 | 9 | 7 | 16 | 13 | 18 | 18 | 23 | 15 | 21 | 23 | 11 | 21 | 14 | 19 | 12 | 10 | 15 | 16 | 15 | 16 | | |
| | Chronic liver disease (K70, K73-K74) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | |
| | Accidents (V01-X59, Y85-86) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 39 | 37 | 53 | 38 | 32 | 42 | |
| | Suicide (X60-X84, Y87.0) | 12 | 11 | 7 | 9 | 12 | 12 | 11 | 12 | 8 | 8 | 25 | 20 | 24 | 19 | 26 | 19 | 17 | 18 | 17 | 20 | 30 | 23 | 19 | 23 | 21 | 19 | | | |
| | COPD and lung cancer (J44, C33-34) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 52 | 38 | 45 | 49 | 37 | 33 | |
| | women | Stomach cancer (C16) | 13 | 19 | 17 | 10 | 18 | 8 | 10 | 13 | 3 | 11 | 9 | 12 | 8 | 12 | 11 | 10 | 6 | 7 | 6 | 2 | : | : | : | : | : | : | | |
| | | Colon cancer (C18) | 5 | 6 | 7 | 7 | 5 | 9 | 12 | 7 | 10 | 11 | 9 | 11 | 7 | 11 | 4 | 16 | 7 | 11 | 11 | 5 | 8 | 9 | 13 | 13 | 10 | 14 | | |
| | | Lung cancer (C33-C34) | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 3 | - | 8 | 4 | 9 | 6 | 13 | 3 | 11 | 13 | 15 | 9 | 12 | 18 | 18 | 20 | 12 | 19 | 21 | | |
| | | Breast cancer (C50) | 19 | 20 | 16 | 33 | 27 | 16 | 17 | 15 | 24 | 15 | 17 | 19 | 27 | 19 | 24 | 15 | 22 | 17 | 25 | 25 | 17 | 26 | 26 | 27 | 24 | 16 | | |
| | | Prostate cancer (C61) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Skin cancer (C43) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| Diabetes (E10-E14) | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| Ischaemic heart disease (I20-I25) | | 76 | 84 | 79 | 64 | 66 | 72 | 71 | 50 | 69 | 67 | 70 | 60 | 73 | 62 | 64 | 70 | 64 | 66 | 59 | 68 | 63 | 66 | 61 | 48 | 47 | 59 | | | |
| Stroke (I60-I69) | | 68 | 57 | 63 | 54 | 54 | 37 | 39 | 29 | 38 | 37 | 32 | 41 | 33 | 26 | 23 | 26 | 27 | 25 | 29 | 36 | 17 | 17 | 25 | 17 | 22 | 23 | | | |
| COPD/emphysema/asthma/chronic bronchitis (J40-J47) | | 7 | 6 | 10 | 7 | 4 | 6 | 4 | 2 | 10 | 4 | 11 | 4 | 8 | 7 | 11 | 2 | 9 | 9 | 10 | 10 | 7 | 10 | 7 | 9 | 12 | 12 | | | |
| Chronic liver disease (K70, K73-K74) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | | |
| Accidents (V01-X59, Y85-86) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 12 | 13 | 11 | 4 | 7 | 9 | | |
| Suicide (X60-X84, Y87.0) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | |
| COPD and lung cancer (J44, C33-34) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 20 | 20 | 21 | 15 | 23 | 27 | | |
| Troms | men | Stomach cancer (C16) | 39 | 25 | 31 | 28 | 17 | 33 | 28 | 21 | 16 | 21 | 29 | 29 | 20 | 30 | 14 | 19 | 22 | 27 | 25 | 10 | : | : | : | : | : | : | | |
| | | Colon cancer (C18) | 9 | - | 11 | 11 | - | - | 14 | 5 | 9 | - | 10 | 11 | 11 | 5 | 8 | 6 | 5 | 9 | 5 | 13 | : | : | : | : | : | : | | |
| | | Lung cancer (C33-C34) | 8 | 20 | 34 | 26 | 26 | 31 | 29 | 28 | 44 | 31 | 30 | 44 | 49 | 32 | 28 | 43 | 46 | 64 | 42 | 50 | 42 | 48 | 48 | 40 | 62 | 29 | | |
| | | Breast cancer (C50) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Prostate cancer (C61) | 14 | 14 | 10 | 14 | 15 | 8 | 9 | 11 | 7 | 14 | 9 | 18 | 5 | 9 | 11 | 26 | 12 | 17 | 13 | 12 | 8 | 19 | 13 | 17 | 8 | 21 | | |

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

| Year | | | 1970 | 1971 | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | | |
|-----------------------------------|--------|--|----------------------|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|---|
| Geography | Gender | Cause of death | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Skin cancer (C43) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | | Diabetes (E10-E14) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | | Ischaemic heart disease (I20-I25) | 333 | 279 | 224 | 307 | 271 | 338 | 277 | 303 | 319 | 296 | 285 | 271 | 284 | 259 | 255 | 276 | 306 | 325 | 236 | 273 | 252 | 237 | 204 | 182 | 220 | 178 | | |
| | | Stroke (I60-I69) | 95 | 87 | 68 | 84 | 69 | 36 | 46 | 66 | 38 | 42 | 50 | 50 | 42 | 63 | 38 | 35 | 38 | 45 | 39 | 29 | 44 | 39 | 32 | 29 | 42 | 35 | | |
| | | COPD/emphysema/asthma/chronic bronchitis (J40-J47) | 12 | 8 | 13 | 10 | 6 | 12 | 13 | 15 | 7 | 22 | 29 | 19 | 12 | 26 | 20 | 12 | 15 | 19 | 10 | 16 | 24 | 20 | 30 | 14 | 30 | 16 | | |
| | | Chronic liver disease (K70, K73-K74) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Accidents (V01-X59, Y85-86) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 63 | 37 | 54 | 42 | 28 | 44 | |
| | | Suicide (X60-X84, Y87.0) | 13 | 11 | 10 | 13 | 11 | 10 | 16 | 18 | 9 | 20 | 17 | 14 | 24 | 21 | 17 | 13 | 21 | 34 | 19 | 28 | 19 | 18 | 21 | 24 | 23 | 12 | | |
| | | COPD and lung cancer (J44, C33-34) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 48 | 55 | 60 | 46 | 77 | 40 | |
| | | women | Stomach cancer (C16) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Colon cancer (C18) | 6 | 11 | 5 | 8 | 6 | 9 | 11 | - | 11 | 6 | - | 7 | 9 | 8 | 11 | 9 | 11 | 19 | 16 | - | 10 | 16 | 17 | 10 | 6 | 5 | | |
| | | Lung cancer (C33-C34) | - | - | - | 9 | - | - | 7 | 10 | - | 5 | 6 | 5 | 8 | 11 | 9 | 12 | 8 | 11 | 7 | 9 | 17 | 14 | 5 | 13 | 15 | 6 | | |
| | | Breast cancer (C50) | 24 | 19 | 18 | 25 | - | 21 | 13 | 30 | 14 | 19 | 23 | 21 | 27 | 15 | 22 | 13 | 9 | 29 | 36 | 27 | 12 | 26 | 21 | 17 | 33 | 16 | | |
| | | Prostate cancer (C61) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Skin cancer (C43) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Diabetes (E10-E14) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Ischaemic heart disease (I20-I25) | 102 | 111 | 91 | 97 | 92 | 84 | 83 | 68 | 88 | 70 | 86 | 69 | 64 | 62 | 56 | 72 | 82 | 68 | 67 | 57 | 57 | 70 | 47 | 60 | 65 | 69 | | |
| | | Stroke (I60-I69) | 59 | 74 | 74 | 61 | 51 | 52 | 60 | 43 | 30 | 36 | 34 | 36 | 41 | 32 | 24 | 46 | 27 | 40 | 19 | 43 | 25 | 27 | 34 | 17 | 27 | 19 | | |
| | | COPD/emphysema/asthma/chronic bronchitis (J40-J47) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 | 4 | 16 | 9 | 9 | 13 | |
| | | Chronic liver disease (K70, K73-K74) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Accidents (V01-X59, Y85-86) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 7 | 15 | 15 | 9 | 9 | 15 | |
| | | Suicide (X60-X84, Y87.0) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | COPD and lung cancer (J44, C33-34) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 21 | 14 | 10 | 16 | 17 | 11 | |
| | | Finnmark | men | Stomach cancer (C16) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Colon cancer (C18) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | |
| | | Lung cancer (C33-C34) | 28 | 25 | 42 | 81 | 44 | 41 | 30 | 79 | 58 | 65 | 48 | 58 | 64 | 53 | 75 | 67 | 47 | 55 | 50 | 39 | 55 | 77 | 57 | 49 | 56 | 47 | | |
| Breast cancer (C50) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | | |
| Prostate cancer (C61) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | | |
| Skin cancer (C43) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | | |
| Diabetes (E10-E14) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : | | | |
| Ischaemic heart disease (I20-I25) | 333 | 294 | 302 | 367 | 352 | 342 | 290 | 350 | 304 | 270 | 293 | 338 | 240 | 263 | 276 | 312 | 346 | 273 | 282 | 305 | 298 | 241 | 225 | 236 | 238 | 292 | | | | |
| Stroke (I60-I69) | 125 | 84 | 51 | 86 | 76 | 49 | 72 | 68 | 80 | 63 | 76 | 53 | 45 | 37 | 56 | 44 | 67 | 84 | 35 | 38 | 56 | 58 | 72 | 32 | 42 | 38 | | | | |

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

| Year | 1970 | 1971 | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Geography | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gender | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cause of death | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 22 | 26 | 20 | - | 11 | 32 | 26 | 19 | 15 | 24 | 22 | 18 | 18 | 21 | 17 | 33 | 18 | 33 | 39 | 38 | 14 | 28 | 20 | 24 | 32 | 22 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 62 | 96 | 88 | 95 | 52 | 63 |
| | - | - | 10 | 17 | 17 | 13 | - | 25 | 11 | 14 | 24 | 35 | 12 | 26 | 31 | 38 | 23 | 35 | 42 | 28 | 22 | 26 | 31 | 29 | 28 | 25 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 55 | 77 | 64 | 59 | 60 | 50 |
| women | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 16 | 16 | 10 | 33 | 44 | 26 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | 87 | 101 | 85 | 115 | 82 | 94 | 106 | 72 | 99 | 56 | 97 | 77 | 87 | 90 | 103 | 105 | 88 | 76 | 73 | 88 | 100 | 44 | 99 | 64 | 85 | 73 |
| | 79 | 55 | 44 | 43 | 31 | 55 | 74 | 50 | 64 | 36 | 70 | 30 | 67 | 40 | 50 | 52 | 34 | 31 | 55 | 35 | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | : | : | : | : | : | : |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 20 | 16 | 16 | 48 | 51 | 31 |

CellMark Legend

.. Missing data

. Not possible to calculate

:

obs: Number of deaths is shown only at country level.

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

Description

Number of deaths and deaths per 100 000 persons of same age and gender per year. ICD-10 codes in parentheses.

The statistics include all persons registered as a resident of Norway at the time of death, regardless of whether the death occurred in Norway or abroad.

Rates are age standardized to reduce the effect of differing age distributions when groups are compared over time and between geographical regions.

Annual figures are standardized according to 5-year age groups in the Norwegian population per 1 January 2012.

To change the table, open "change selection of...".

Four measures are available. Use the Measure button to select:

1. number of deaths (Only shown for Norway, for privacy reasons)

2. deaths per 100 000 persons = number per 100 000 inhabitants* per year (rate)

3. per 100 000, standardized = number per 100 000 inhabitants* per year (rate). Standardized for age composition.

4. standardized ratio (Norway = 100) = Ratio between the county's standardized rate and the national rate for a given year. Examples; ratio = 130 means that the county's standardized rate is 30% higher than the national level. A ratio of 87 means that the county's rate is 13% lower than the national level.

*Includes residents in the relevant age and gender segment.

Standardized figures are recommended when comparing geographical areas, and when looking at trends over time. The purpose of standardization is to reduce the influence of varying age compositions when comparing groups in time and space.

The following editions of the ICD system have been used: 1970-1985: ICD-8, 1986-1995: ICD-9, 1996 onwards: ICD-10.

External injury and poisoning (V01-Y89) includes: transport accidents, accidental falls, accidental poisoning, suicide and homicide.

Traffic accidents includes the following ICD-10 codes (4th digit in parentheses):

V01-V06(.1), V81-V82(.1), V09(.2-3), V89(.2-3), V10-V18(.4-5,9), V20-V28(.4-5,9), V19(.4-6,8-9), V29(.4-6,8-9), V39(.4-6,8-9), V49(.4-6,8-9), V59(.4-6,8-9), V69(.4-6,8-9), V79(.4-6,8-9), V30-V38(.5-7,9), V40-V48(.5-7,9), V50-V58(.5-7,9), V60-V68(.5-7,9), V70-V78(.5-7,9), V83-V86(.0-3), V87(.0-9)

Suicide: sequelae of intentional self-harm (ICD-10: Y87.0) are included.

Rationale for indicator

Information about premature death (defined as death before 75 years of age) from selected disease groups is important when evaluating where to concentrate efforts of prevention. The distribution of deaths among disease groups today, does not necessarily reflect the health related behaviour of the population over the last few years.

Source

Cause of Death Registry, Norwegian Institute of Public Health

Collection

Based on information from the Cause of Death Registry.

Mortality statistics are collated from death reports completed by public physicians. Additional information is gathered from the Cancer Registry, Medical Birth Register, statistics over traffic accidents and results of autopsies and forensic examinations. Causes of death are coded according to the underlying cause of death sited by the physician who signs the death certificate. Underlying causes of death are defined as the illness or injury that, in the opinion of the physician, started the chain of conditions leading directly to death. Causes of death are coded according to the principles and directions of the World Health Organisation (WHO). The international classification system ICD is used.

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

Interpretation and sources of error

The transition from coding according to ICD-9 to ICD-10 may lead to changes in the figures between the years 1995 and 1996.

Data quality

The data quality is considered to be good. The number of autopsies, however, is decreasing and quality control of diagnoses is therefore becoming more difficult.

When numbers are missing

Statistics based on fewer than 3 cases is hidden to protect the identity of the persons. Figures are also hidden when the population group in which the cases originate, is smaller than 10 persons. If more than 20 per cent of the cases in a time series are hidden due to the abovementioned reasons, the complete time series is hidden to avoid giving a skewed impression.

The entire time series is removed if over half the rates are based on fewer than 7 deaths. This is because of reduced reliability. This rule is applied separately on the time periods 1970-1989 and 1990-present.

Time periods

1970-2015

Geographical level

Country, health region, counties

Gender

Men, women.

Age groups

Age at death: All ages, 0-74 years, 0-44, 45-74, and 75 years and over.

Frequency of updates

Annually

Last updated

11/28/16

Keywords

Click on a keyword to search for similar indicators.

- Accident
- Asthma
- BowI cancer
- Breast cancer
- Bronchitis
- Diabetes

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

- Cancer
- Car accident
- Cardiovascular
- Cardiovascular diseases
- Cause of death
- Chronic Obstructive Pulmonary Disease
- Colon cancer
- COPD
- Dead
- Death
- Diabetes
- Digestive system
- Diagnosis
- Emphysema
- Heart
- Heart attack
- Heart disease
- Infarct
- Injury
- Ischemic
- Ischaemic
- Liver
- Lung cancer
- Malignant
- Malignant melanoma
- Melanoma
- Myocardial infarct
- Prostate cancer
- Respiratory
- Respiratory organs
- Road toll
- Stomach cancer
- Stroke
- Suicide
- Traffic accident
- Tumour
- Violent death

Fact sheets

Below are links to relevant fact sheets, articles and reports. These may describe trends over time in the Norwegian population or differences by sex, age group, geographical region or socioeconomic status:

Causes of death, key figures (NHC) - 0-74 yrs, deaths per 100 000 persons, age standardised

- [Health and ageing in Norway - Public Health Report 2014](#)
- [Stroke - fact sheet \(in Norwegian only\)](#)
- [Cardiovascular disease in Norway - Public health report 2014](#)
- [Cancer mortality in Norway - fact sheet](#)
- [Suicide and suicide attempts in Norway - fact sheet](#)
- [Accidents and injuries - fact sheet \(in Norwegian only\)](#)
- [Life expectancy in Norway - fact sheet](#)