



Long-term illness. Disease, injury or impairment, by region, chronic illness, time, contents and sex

**Long-term illness. Disease,
injury or impairment**

	Both sexes	Males	Females
Northern Norway			
Good health (per cent)			
1998	75	77	73
2002	76	78	75
2005	77	77	77
2008	77	79	75
2012	71	74	68
Poor health (per cent)			
1998	7	6	9
2002	7	6	8
2005	7	8	6
2008	10	10	9
2012	11	9	13
Good dental health (per cent)			
1998	:	:	:
2002	:	:	:
2005	:	:	:
2008	71	68	73
2012	67	65	69
Poor dental health (per cent)			
1998	:	:	:
2002	:	:	:
2005	:	:	:
2008	10	10	9
2012	8	8	8
Less than 10 own teeth (per cent)			
1998	:	:	:
2002	6	7	6
2005	:	:	:
2008	8	6	11
2012	10	10	9
Long-standing illness (per cent)			
1998	60	56	64

2002	64	62	65
2005	61	56	66
2008	55	55	55
2012	66	63	70
Health problem that affects everyday life to a great extent (per cent)			
1998	14	11	16
2002	13	10	16
2005	12	12	12
2008	15	14	16
2012	14	10	19
Health problem that affects everyday life to a some extent (per cent)			
1998	20	16	23
2002	21	20	22
2005	21	15	28
2008	18	16	20
2012	21	18	24
Nervous conditions (per cent)			
1998	4	2	6
2002	5	3	7
2005	6	2	10
2008	4	2	5
2012	6	5	7
Diseases of the nervous system (per cent)			
1998	6	4	8
2002	5	3	7
2005	5	3	8
2008	6	5	8
2012	6	5	6
Diseases of the eye/ear (per cent)			
1998	8	8	8
2002	10	10	11
2005	9	7	10
2008	10	11	9
2012	13	12	14
Cardiovascular diseases (per cent)			
1998	15	15	16
2002	17	17	16
2005	17	15	19
2008	14	15	13
2012	19	17	22
Diseases of the respiratory system (per cent)			
1998	18	16	19

2002	16	15	18
2005	18	15	22
2008	13	13	12
2012	19	19	20
Ulcer etc (per cent)			
1998	3	3	2
2002	3	3	2
2005	1	2	1
2008	0	0	0
2012	1	1	0
Other diseases of the digestive system (per cent)			
1998	4	2	5
2002	4	3	5
2005	4	4	4
2008	3	2	4
2012	5	3	7
Diseases of genito-urinary system (per cent)			
1998	3	2	3
2002	3	3	3
2005	2	2	2
2008	3	3	2
2012	2	3	2
Diseases of the skin (per cent)			
1998	9	10	9
2002	9	8	11
2005	6	5	8
2008	6	7	6
2012	10	12	8
Diseases of the musculo-skeletal system (per cent)			
1998	28	24	33
2002	28	24	31
2005	27	21	33
2008	22	20	23
2012	22	17	29
Injuries (per cent)			
1998	8	11	6
2002	7	8	6
2005	8	9	6
2008	7	8	6
2012	7	9	5
Other diseases (per cent)			
1998	12	7	17

2002	14	9	20
2005	16	12	20
2008	14	10	17
2012	18	12	24
Injury/poisoning resulting in visit to doctor. Last 12 months (per cent)			
1998	:	:	:
2002	:	:	:
2005	13	12	13
2008	11	14	7
2012	11	10	12
Those affected: Number of injuries/poisonings resulting in visit to doctor. Last 12 months. Per 1...			
1998	:	:	:
2002	:	:	:
2005	1	1	1
2008	1	1	1
2012	120	119	122
Those affected: Percentage with injuries due to accident last 12 months			
1998	:	:	:
2002	:	:	:
2005	79	81	77
2008	62	63	60
2012	73	73	72
Those affected: Percentage with injuries due to violence last 12 months			
1998	:	:	:
2002	:	:	:
2005	2	2	2
2008	6	7	4
2012	5	7	3
Those affected: Percentage with injuries due to other causes last 12 months			
1998	:	:	:
2002	:	:	:
2005	23	26	21
2008	32	30	36
2012	25	26	25
Number of persons interviewed			
1998	736	358	378
2002	697	349	348
2005	719	379	340
2008	661	323	338
2012	529	271	258