



Long-term illness. Disease, injury or impairment, by region, chronic illness, time, contents and age

**Long-term illness. Disease,
injury or impairment**

67 years or older	16- 24 years	25- 44 years	45- 66 years	Years, total
----------------------------	--------------------	--------------------	--------------------	-----------------

Northern Norway

Good health (per cent)

1998	59	89	80	68	75
2002	52	90	86	72	76
2005	56	91	86	72	77
2008	57	93	83	73	77
2012	49	90	80	68	71

Poor health (per cent)

1998	18	2	4	9	7
2002	14	1	4	8	7
2005	15	3	3	9	7
2008	17	1	7	12	10
2012	28	:	5	11	11

Good dental health (per cent)

1998	:	:	:	:	:
2002	:	:	:	:	:
2005	:	:	:	:	:
2008	57	83	78	66	71
2012	64	77	67	64	67

Poor dental health (per cent)

1998	:	:	:	:	:
2002	:	:	:	:	:
2005	:	:	:	:	:
2008	20	6	6	11	10
2012	11	5	6	9	8

Less than 10 own teeth (per cent)

1998	:	:	:	:	:
2002	30	:	:	5	6
2005	:	:	:	:	:
2008	44	:	0	4	8
2012	34	1	2	7	10

Long-standing illness (per cent)

1998	81	49	50	69	60
2002	86	52	50	71	64
2005	87	40	54	64	61
2008	72	43	41	65	55
2012	87	53	49	74	66
Health problem that affects everyday life to a great extent (per cent)					
1998	21	7	11	19	14
2002	20	5	8	17	13
2005	16	5	8	16	12
2008	18	9	12	19	15
2012	21	8	12	14	14
Health problem that affects everyday life to a some extent (per cent)					
1998	30	14	17	21	20
2002	26	18	19	21	21
2005	30	14	20	21	21
2008	32	14	13	18	18
2012	25	16	13	27	21
Nervous conditions (per cent)					
1998	5	5	4	3	4
2002	7	4	3	7	5
2005	8	6	6	5	6
2008	2	5	2	5	4
2012	7	10	8	1	6
Diseases of the nervous system (per cent)					
1998	2	3	5	11	6
2002	2	4	6	6	5
2005	4	3	7	5	5
2008	5	5	4	9	6
2012	6	4	6	6	6
Diseases of the eye/ear (per cent)					
1998	21	3	6	7	8
2002	25	4	5	12	10
2005	32	4	3	7	9
2008	26	4	4	10	10
2012	27	3	6	16	13
Cardiovascular diseases (per cent)					
1998	48	3	5	20	15
2002	40	:	4	25	17
2005	49	:	6	21	17
2008	43	1	3	17	14
2012	45	4	7	22	19
Diseases of the respiratory system (per cent)					
1998	23	22	18	14	18

2002	16	23	16	15	16
2005	21	21	18	16	18
2008	11	14	12	13	13
2012	15	32	19	17	19
Ulcer etc (per cent)					
1998	5	:	1	5	3
2002	5	:	1	4	3
2005	2	:	1	2	1
2008	1	:	:	0	0
2012	2	:	:	1	1
Other diseases of the digestive system (per cent)					
1998	9	2	1	5	4
2002	6	1	2	5	4
2005	9	2	2	6	4
2008	4	1	3	5	3
2012	10	1	4	6	5
Diseases of genito-urinary system (per cent)					
1998	5	2	2	2	3
2002	4	3	2	4	3
2005	5	:	2	2	2
2008	6	1	1	3	3
2012	5	:	2	2	2
Diseases of the skin (per cent)					
1998	5	12	7	12	9
2002	5	6	10	12	9
2005	7	5	6	7	6
2008	5	9	7	5	6
2012	6	8	10	14	10
Diseases of the musculo-skeletal system (per cent)					
1998	47	13	19	39	28
2002	50	13	19	32	28
2005	39	10	20	34	27
2008	32	5	15	29	22
2012	40	4	11	29	22
Injuries (per cent)					
1998	15	5	8	8	8
2002	9	4	6	8	7
2005	15	2	7	8	8
2008	8	4	5	9	7
2012	5	4	6	9	7
Other diseases (per cent)					
1998	24	4	10	14	12
2002	24	9	13	14	14

2005	37	5	11	16	16
2008	33	6	6	16	14
2012	30	4	9	23	18
Injury/poisoning resulting in visit to doctor. Last 12 months (per cent)					
1998	:	:	:	:	:
2002	:	:	:	:	:
2005	11	20	15	8	13
2008	5	22	12	7	11
2012	9	19	12	8	11
Those affected: Number of injuries/poisonings resulting in visit to doctor. Last 12 months. Per 1...					
1998	:	:	:	:	:
2002	:	:	:	:	:
2005	1	1	1	1	1
2008	1	1	1	1	1
2012	124	148	107	109	120
Those affected: Percentage with injuries due to accident last 12 months					
1998	:	:	:	:	:
2002	:	:	:	:	:
2005	82	89	72	81	79
2008	80	67	58	58	62
2012	72	88	62	72	73
Those affected: Percentage with injuries due to violence last 12 months					
1998	:	:	:	:	:
2002	:	:	:	:	:
2005	:	:	5	:	2
2008	:	5	8	5	6
2012	:	12	6	:	5
Those affected: Percentage with injuries due to other causes last 12 months					
1998	:	:	:	:	:
2002	:	:	:	:	:
2005	9	16	31	24	23
2008	20	29	35	37	32
2012	35	13	32	22	25
Number of persons interviewed					
1998	97	107	295	237	736
2002	102	79	249	267	697
2005	102	96	257	264	719
2008	95	94	215	257	661
2012	111	71	144	203	529