## **Statistics Canada**

**Home** > **CANSIM** > **Search** results >

# Table 577-0007 <sup>1</sup>/<sub>2</sub>, <sup>2</sup>/<sub>3</sub>

Aboriginal peoples survey, smoking status, by Aboriginal identity, age group and sex, population aged 15 years and over, Canada, provinces and territories

occasional

#### **Data table**

The data below is a part of CANSIM table 577-0007. Use the **Add/Remove data** tab to customize your table.

### Selected items [Add/Remove data]

**Geography** = Nunavut

**Statistics**  $\frac{13}{2}$ ,  $\frac{14}{2}$  = Number of persons (persons)

Aboriginal identity <sup>3</sup>	Age group <sup>6</sup>	Sex	Smoking status <sup>Z</sup>	2012
			Total, smoking status	17,82
			Current daily or occasional smoker <sup>8, 9</sup>	12,21
			Daily smoker <sup>8</sup> , <sup>9</sup>	10,54
			Occasional smoker <sup>8, 9</sup>	1,67
		Both	Non-smoker <sup>8, 9, 10</sup>	4,59
		sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	82
			Not exposed to second-hand smoke at home $\frac{10}{1}$	3,77
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	1,01
			Total, smoking status	8,15
		Male	Current daily or occasional smoker <sup>8, 9</sup>	5,58
			Daily smoker <sup>8</sup> , <sup>9</sup>	4,72
			Occasional smoker <sup>8, 9</sup>	86
	Total, 15 years and		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	2,04
	over		Exposed to second-hand smoke at home $\frac{10}{1}$	410
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,63
			Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	530
		Female	Total, smoking status	9,66
			Current daily or occasional smoker <sup>8, 9</sup>	6,63
			Daily smoker <sup>8</sup> , <sup>9</sup>	5,81
			Occasional smoker <sup>8</sup> , <sup>9</sup>	81
			Non-smoker <sup>8, 9, 10</sup>	2,55
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	410
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	2,14
			Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	480

			Total, smoking status	5,680
			Current daily or occasional smoker <sup>8, 9</sup>	3,880
			Daily smoker <sup>8</sup> , <sup>9</sup>	3,310
			Occasional smoker <sup>8</sup> , <sup>9</sup>	570
		Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,440
		sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	360 <sup>E</sup>
			Not exposed to second-hand smoke at home $\frac{10}{1}$	1,080
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
			Smoking status not specified <sup>8, 9, 12</sup>	360 <sup>E</sup>
			Total, smoking status	2,570
			Current daily or occasional smoker <sup>8, 9</sup>	1,710
			Daily smoker <sup>8</sup> , <sup>9</sup>	1,380
			Occasional smoker <sup>8</sup> , <sup>9</sup>	330 <sup>E</sup>
	15 to 24 years	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	690
	13 to 24 years	Мане	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	220 <sup>E</sup>
			Not exposed to second-hand smoke at home $\frac{10}{}$ $\frac{11}{}$	480
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
			Smoking status not specified <sup>8, 9, 12</sup>	F
		Female	Total, smoking status	3,110
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	2,170
			Daily smoker <sup>8</sup> , <sup>9</sup>	1,930
			Occasional smoker <sup>8</sup> , <sup>9</sup>	240 <sup>E</sup>
			Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	750
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	140 <sup>E</sup>
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	610
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
			Smoking status not specified <sup>8, 9, 12</sup>	F
Total, Aboriginal identity			Total, smoking status	9,700
			Current daily or occasional smoker <sup>8, 9</sup>	7,590
			Daily smoker <sup>8</sup> / <sub>2</sub>	6,620
			Occasional smoker <sup>8</sup> , <sup>9</sup>	970
			Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,710
		sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	230 <sup>E</sup>
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,480
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
			Smoking status not specified <sup>8, 9, 12</sup>	390 <sup>E</sup>
			Total, smoking status	4,810
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	3,700
			Daily smoker <sup>8</sup> , <sup>9</sup>	3,260
				-

25 to 54 years	Male	Non-smoker <sup>8, 9, 10</sup>	910
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	150
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	760
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	4,900
		Current daily or occasional smoker <sup>8, 9</sup>	3,900
		Daily smoker <sup>8, 9</sup>	3,360
		Occasional smoker <sup>8, 9</sup>	530 <sup>E</sup>
	Female	Non-smoker <sup>8, 9,</sup> 10	810
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	720
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	2,430
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	740 <sup>l</sup>
		Daily smoker <sup>8</sup> , <sup>9</sup>	600 <sup>l</sup>
	Both	Occasional smoker <sup>8</sup> , <sup>9</sup>	ı
		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,440
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,210
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	f
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	780 <sup>l</sup>
		Current daily or occasional smoker <sup>8, 9</sup>	
		Daily smoker <sup>8</sup> , <sup>9</sup>	
		Occasional smoker <sup>8</sup> , 9	I
55 years and over	Male	Non-smoker <sup>8, 9, 10</sup>	440
-		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	ı
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	390
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	I
		Smoking status not specified <sup>8, 9, 12</sup>	ı
		Total, smoking status	1,650
		Current daily or occasional smoker <sup>8, 9</sup>	560
		Daily smoker <sup>8</sup> , <sup>9</sup>	520
	Female	Occasional smoker <sup>8, 9</sup>	1
		Non-smoker <sup>8, 9, 10</sup>	1,000
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1
		Not exposed to second-hand smoke at home $\frac{10}{1}$	810

		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	130 <sup>E</sup>
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	Both	Non-smoker <sup>8, 9, 10</sup>	80 <sup>E</sup>
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{1}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
Total 15 years and		Non-smoker <sup>8</sup> , <sup>9</sup> , <sup>10</sup>	F
Total, 15 years and over	Male		F
		Exposed to second-hand smoke at home 10, 11	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	80 <sup>E</sup>
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	Female	Non-smoker <sup>8, 9, 10</sup>	F
	гетаве	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> / <sub>9</sub>	F
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
	sexes	Exposed to second-hand smoke at home 10, 11	F
		Not exposed to second-hand smoke at home $\frac{10}{11}$	F
		Not specified if exposed to second-hand smoke at	F
		home 10, 11, 12	
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	F

			Current daily or occasional smoker <sup>8, 9</sup>	F
			Daily smoker <sup>8</sup> , <sup>9</sup>	F
			Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	15 to 24 years	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{1}$ , $\frac{12}{1}$	F
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
			Total, smoking status	F
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
			Daily smoker <sup>8</sup> , <sup>9</sup>	F
			Occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
First Nations (North American Indian)			Smoking status not specified <sup>8, 9, 12</sup>	F
indian)			Total, smoking status	90 <sup>E</sup>
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Both sexes	Daily smoker <sup>8</sup> / <sub>9</sub>	F
			Occasional smoker <sup>8, 9</sup>	F
			Non-smoker <sup>8, 9, 10</sup>	F
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Male	Total, smoking status	F
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
			Daily smoker <sup>8</sup> , <sup>9</sup>	F
			Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	25 to 54 years		Non-smoker <sup>8, 9, 10</sup>	F
			Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
			Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
			Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
			Total, smoking status	F
			Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
			Daily smoker <sup>8</sup> / <sub>9</sub>	F
			Occasional smoker <sup>8, 9</sup>	F
				F

I	Female	Non-smoker <sup>8, 9, 10</sup>	
	remale		F
		Exposed to second-hand smoke at home 10, 11	
		Not exposed to second-hand smoke at home 10, 11	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> / <sub>9</sub>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{1}$ , $\frac{12}{1}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
55 years and over	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
33 years and over	Male	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> / <sub>9</sub>	F
		Daily smoker <sup>8</sup> / <sub>9</sub>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
	Female	Exposed to second-hand smoke at home $\frac{10}{}$ $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{1}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	80 <sup>E</sup>
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Daily smoker <sup>8</sup> / <sub>9</sub>	F
		Occasional smoker <sup>8, 9</sup>	F
	p	Non-smoker <sup>8, 9</sup> , <u>10</u>	F
	Both sexes	Exposed to second-hand smoke at home $\frac{10}{}$ $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{1}$	F
		, , , , , , , , , , , , , , , , , , ,	

		home <sup>10</sup> , <sup>11</sup> , <sup>12</sup>
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>
		Total, smoking status
		Current daily or occasional smoker <sup>8, 9</sup>
		Daily smoker <sup>8</sup> , <sup>9</sup>
		Occasional smoker <sup>8, 9</sup>
Total, 15 years and over	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>
		Total, smoking status
		Current daily or occasional smoker <sup>8</sup> / <sub>2</sub>
		Daily smoker <sup>8</sup> , <sup>9</sup>
		Occasional smoker <sup>8</sup> , <sup>9</sup>
	Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>
		Total, smoking status
		Current daily or occasional smoker <sup>8, 9</sup>
		Daily smoker <sup>8</sup> , <sup>9</sup>
		Occasional smoker <sup>8</sup> , <sup>9</sup>
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>
		Total, smoking status
		Current daily or occasional smoker <sup>8</sup> / <sub>2</sub>
		Daily smoker <sup>8</sup> , <sup>9</sup>
		Occasional smoker <sup>8</sup> , <sup>9</sup>
15 to 24 years	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>
,		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>
		Total, smoking status

		Current daily or occasional smoker <sup>8, 9</sup>	
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8, 9</sup>	F
	Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{1}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
	Male	Occasional smoker <sup>8</sup> , <sup>9</sup>	F
25 to 54 years		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9,</sup> 12	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8, 9</sup>	F
	Female	Non-smoker <sup>8, 9, 10</sup>	F
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F

Métis

	sexes		_
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8, 9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F
55 years and over	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
Jo years and ore.	Маје	Exposed to second-hand smoke at home $\frac{10}{1}$	F
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{2}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	F
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Daily smoker <sup>8</sup> , <sup>9</sup>	F
	Female	Occasional smoker <sup>8</sup> , <sup>9</sup>	F
		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	F
		Exposed to second-hand smoke at home $\frac{10}{1}$	F
		Not exposed to second-hand smoke at home $\frac{10}{1}$	F
		Not specified if exposed to second-hand smoke at	F
		home 10, 11, 12	
		Smoking status not specified $\frac{8}{2}$ , $\frac{9}{2}$ , $\frac{12}{2}$	F
		Total, smoking status	17,660
		Current daily or occasional smoker <sup>8, 9</sup>	12,180
		Daily smoker <sup>8, 9</sup>	10,510
		Occasional smoker <sup>8</sup> , <sup>9</sup>	1,670
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	4,470
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	810
		Not exposed to second-hand smoke at home $\frac{10}{}$ $\frac{11}{}$	3,660
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	1,010
		Total, smoking status	8,060
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	5,560
		Daily smoker <sup>8</sup> , <sup>9</sup>	4,700
		Occasional smoker <sup>8</sup> , <sup>9</sup>	860
Total, 15 years and		Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,970
over	Male	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	410 <sup>E</sup>
		Not exposed to second-hand smoke at home $\frac{10}{2}$ , $\frac{11}{2}$	1,560
		Not specified if exposed to second-hand smoke at	, F
		home 10, 11, 12	

	I		
		Smoking status not specified <sup>8, 9, 12</sup>	530 <sup>E</sup>
		Total, smoking status	9,600
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	6,620
		Daily smoker <sup>8</sup> , <sup>9</sup>	5,800
		Occasional smoker <sup>8</sup> , <sup>9</sup>	810
	Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	2,500
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	400 <sup>E</sup>
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	2,100
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	480 <sup>E</sup>
		Total, smoking status	5,660
		Current daily or occasional smoker <sup>8, 9</sup>	3,880
		Daily smoker <sup>8</sup> , <sup>9</sup>	3,310
		Occasional smoker <sup>8</sup> / <sub>9</sub>	570
	Both	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,420
	sexes	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	350 <sup>E</sup>
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,070
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	360 <sup>E</sup>
	Male	Total, smoking status	2,560
		Current daily or occasional smoker <sup>8, 9</sup>	1,710
		Daily smoker <sup>8</sup> , <sup>9</sup>	1,380
		Occasional smoker <sup>8</sup> / <sub>9</sub>	330 <sup>E</sup>
15 to 24 years		Non-smoker <sup>8</sup> , <sup>9</sup> , <sup>10</sup>	680
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	210 <sup>E</sup>
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	470
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
		Total, smoking status	3,100
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	2,170
		Daily smoker <sup>8</sup> , <sup>9</sup>	1,930
		Occasional smoker <sup>8</sup> , <sup>9</sup>	240 <sup>E</sup>
	Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	740
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	140 <sup>E</sup>
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	600
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
		Smoking status not specified <sup>8, 9, 12</sup>	F
		Total, smoking status	9,610
		Current daily or occasional smoker <sup>8, 9</sup>	7,560

Inuk (Inuit)

		Daily smoker <sup>8, 9</sup>	6,590		
		Occasional smoker <sup>8</sup> , <sup>9</sup>	970		
	Both sexes	Non-smoker <sup>8</sup> , <sup>9</sup> , <u>10</u>	1,650		
		Exposed to second-hand smoke at home $\frac{10}{}$ $\frac{11}{}$	230 <sup>E</sup>		
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,430		
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{1}$ , $\frac{12}{1}$	F		
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	390 <sup>E</sup>		
		Total, smoking status	4,770		
		Current daily or occasional smoker <sup>8</sup> , 9			
		Daily smoker <sup>8, 9</sup>	3,240		
		Occasional smoker <sup>8</sup> , <sup>9</sup>	440 <sup>E</sup>		
25 to 54 years	Male	Non-smoker <sup>8</sup> , <sup>9</sup> , <sup>10</sup>	890		
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	150 <sup>E</sup>		
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	740		
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F		
		Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F		
	Female	Total, smoking status	4,840		
		Current daily or occasional smoker <sup>8, 9</sup>	3,890		
		Daily smoker <sup>8</sup> / <sub>9</sub>	3,350		
		Occasional smoker <sup>8</sup> , <sup>9</sup>	530 <sup>E</sup>		
		Non-smoker <sup>8, 9, 10</sup>	760		
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F		
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	680		
		Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F		
		Smoking status not specified <sup>8, 9, 12</sup>	F		
		Total, smoking status	2,380		
		Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	740 <sup>E</sup>		
		Daily smoker <sup>8, 9</sup>	600 <sup>E</sup>		
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F		
	Both sexes	Non-smoker <sup>8</sup> , <sup>9</sup> , <sup>10</sup>	1,390		
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F		
		Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	1,160		
		Not specified if exposed to second-hand smoke at home $\frac{10}{1}$ , $\frac{11}{1}$ , $\frac{12}{1}$			
		Smoking status not specified $\frac{8}{9}$ , $\frac{12}{12}$	F		
		Total, smoking status	730 <sup>E</sup>		
		Current daily or occasional smoker <sup>8, 9</sup>	F		
		Daily smoker <sup>8</sup> , <sup>9</sup>	F		
		Occasional smoker <sup>8</sup> , <sup>9</sup>	F		
55 years and over	Male	Non-smoker <sup>8, 9, 10</sup>	400 <sup>E</sup>		
		Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F		

I	I	
	Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	350 <sup>E</sup>
	Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
	Smoking status not specified <sup>8</sup> , <sup>9</sup> , <sup>12</sup>	F
	Total, smoking status	1,650
	Current daily or occasional smoker <sup>8</sup> , <sup>9</sup>	560 <sup>E</sup>
	Daily smoker <sup>8, 9</sup>	520 <sup>E</sup>
	Occasional smoker <sup>8</sup> , <sup>9</sup>	F
Female	Non-smoker <sup>8</sup> , <sup>9</sup> , <sup>10</sup>	1,000 <sup>E</sup>
	Exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	F
	Not exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$	810 <sup>E</sup>
	Not specified if exposed to second-hand smoke at home $\frac{10}{}$ , $\frac{11}{}$ , $\frac{12}{}$	F
	Smoking status not specified <sup>8, 9, 12</sup>	F

Back to original table

### **Symbol legend:**

- F Too unreliable to be published
- E Use with caution

### **Footnotes:**

- 1. Source: Aboriginal Peoples Survey 2012.
- 2. Excludes persons living on Indian reserves or settlements.
- 3. Aboriginal identity includes persons living off reserve who reported being an Aboriginal person, that is, First Nations (North American Indian), Métis or Inuk (Inuit) and/or those who reported Registered or Treaty Indian status, that is registered under the Indian Act of Canada, and/or those who reported membership in a First Nation or Indian band. The sum of the categories included in this variable is greater than the total population estimate for Aboriginal identity because a person may have reported more than one Aboriginal identity: for example, a person coulself-identify as both First Nations and Métis.
- 4. Atlantic includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia, and New Brunswick.
- **5.** Registered or Treaty Indian status refers to whether or not a person reported being a Registered or Treaty Indian. Registered Indians are persons who are registered under the Indian Act of Canada. Treaty Indians are persons who belong to a First Nation or Indian band that signed treaty with the Crown. Registered or Treaty Indians are sometimes also called Status Indians.
- 6. Proxy reporting was used in the 2012 Aboriginal Peoples Survey for nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
- 7. All percentages for the variable "smoking status" are calculated using the number of persons in "total, smoking status" as denominator.
- 8. Respondents were asked the following question: "At the present time, do you smoke cigarettes daily, occasionally or not at all?".
- **9.** "Smoker" refers to smokers of cigarettes only.
- 10. Non-smokers, in other words those persons who answered "Not at all" to the question "At the present time, do you smoke cigarettes daily, occasionally or not at all?", were asked: "Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?". This included current non-smokers who did not live with at least one other person.
- 11. Second-hand smoke includes smoke from cigarettes, cigars and pipes.
- 12. "Not specified" categories consist of item non-response ("Refusal", "Don't know", and "Not stated").
- **13.** Bootstrapping techniques were used to produce the coefficient of variation (CV).
- **14.** Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- **15.** Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.

**Source:** Statistics Canada. *Table 577-0007 - Aboriginal peoples survey, smoking status, by Aboriginal identity, age group and sex, population aged 15 years and over, Canada, provinces and territories, occasional,* CANSIM (database). (accessed: ) **Back to search** 

Date modified: 2015-11-09