

Statistics Canada

Home > CANSIM

Table 577-0002 1, 2, 3, 4

Aboriginal peoples survey, perceived general health, by age group and sex, Inuit population aged 6 years and over, Canada and Inuit Nunangat

occasional

Selected items [/	Add/Remove data]					
tatistics 15, 16, 17, 18	= Number of persons (persons)					
eography	Age group ^{6, 2}	Sex	Perceived general health 2.2	2001	2006	2012
nuit Nunangat ⁴			Total, perceived general health	31,380	33,910	37,65
			Excellent or very good perceived general health	19,210	18,230	17,35
			Excellent perceived general health 10	10,880	8,710	8,45
		Both sexes	Very good perceived general health 11	8,330	9,520	8,90
			Good perceived general health 12	9,340	10,920	12,8
			Fair or poor perceived general health ¹³	2,790	4,510	5,0
			Perceived general health not specified 14	F	260	2,4
			Total, perceived general health	15,580	17,390	18,18
			Excellent or very good perceived general health	9,620	9,910	8,9
			Excellent perceived general health 10	5,550	4,760	4,50
	Total, 6 years and over	Male	Very good perceived general health 11	4,070	5,150	4,4
			Good perceived general health 12	4,610	5,220	5,7
			Fair or poor perceived general health 13	1,310	2,120	2,3
			Perceived general health not specified 14	F	130 ^E	1,0
			Total, perceived general health	15,800	16,530	19,4
			Excellent or very good perceived general health	9,580	8,310	8,3
			Excellent perceived general health 10	5,320	3,940	3,9
		Female	Very good perceived general health 11	4,260	4,370	4,4
			Good perceived general health 12	4,730	5,700	7,0
			Fair or poor perceived general health 13	1,480	2,390	2,6
			Perceived general health not specified 14	F	130 ^E	1,3
	6 to 14 years		Total, perceived general health	9,100	8,790	8,7
			Excellent or very good perceived general health	6,850	6,310	6,5
			Excellent perceived general health 10	4,610	3,940	4,1
		Both sexes	Very good perceived general health 11	2,240	2,360	2,4
			Good perceived general health 12	1,880	2,030	1,4
			Fair or poor perceived general health ¹³	340	400 ^E	29
			Perceived general health not specified 14	F	F	4
			Total, perceived general health	4,590	4,790	4,6
			Excellent or very good perceived general health	3,450	3,560	3,4
			Excellent perceived general health 10	2,320	2,210	2,2
		Male	Very good perceived general health 11	1,120	1,350	1,2
			Good perceived general health 12	940	1,040	8-
			Fair or poor perceived general health ¹²	170 ^E	160 ^E	17
			Perceived general health not specified 14	F	F	20

Geography	Age group ^{6, 2}	Sex	Perceived general health 2 2 Total, perceived general health	2001 4,520	2006 4,010	2012 4,100
				3,400	2,750	3,110
			Excellent or very good perceived general health Excellent perceived general health 10	2,290	1,740	1,910
		Female		1,110	1,010	1,210
		remaie	Very good perceived general health 11	950	1,000	590
			Good perceived general health ¹²	170	250 ^E	120 ^t
			Fair or poor perceived general health 12	F	230 F	280 ^t
			Perceived general health not specified 14	6,900	8,640	9,260
			Total, perceived general health			
			Excellent or very good perceived general health	4,340	4,570	4,240
			Excellent perceived general health 10	2,400	2,050	1,960
		Both sexes	Very good perceived general health 11	1,930	2,520	2,280
			Good perceived general health 12	2,200	3,130	3,480
			Fair or poor perceived general health ¹³	360	810	750
			Perceived general health not specified 14	F	120 ^E	800
			Total, perceived general health	3,440	4,390	4,420
			Excellent or very good perceived general health	2,190	2,440	2,020
			Excellent perceived general health 10	1,270	1,070	950
	15 to 24 years	Male	Very good perceived general health 11	910	1,380	1,060
		F	Good perceived general health 12	1,100	1,450	1,610
			Fair or poor perceived general health 13	150 ^E	430	440
			Perceived general health not specified 14	F	70 ^E	360
			Total, perceived general health	3,470	4,250	4,840
			Excellent or very good perceived general health	2,150	2,130	2,220
			Excellent perceived general health 19	1,130	990	1,000
		Female	Very good perceived general health 11	1,020	1,140	1,210
			Good perceived general health 12	1,100	1,690	1,870
			Fair or poor perceived general health ¹³	220	380 ^E	310
			Perceived general health not specified 14	F	F	440
	25 to 54 years		Total, perceived general health	12,700	13,230	15,680
			Excellent or very good perceived general health	7,210	6,340	5,760
			Excellent perceived general health ¹⁰	3,550	2,260	2,140
		Both sexes	Very good perceived general health 11	3,660	4,080	3,630
			Good perceived general health 12	4,220	4,690	6,370
			Fair or poor perceived general health ¹³	1,260	2,130	2,680
			Perceived general health not specified ¹⁴	F	70 ^E	870
				6,210	6,480	7,600
			Total, perceived general health	6,210	6,480	
			Total, perceived general health Excellent or very good perceived general health	3,560	3,270	3,120
		Mole	Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 19	3,560 1,750	3,270 1,210	3,120
		Male	Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 10 Very good perceived general health 11	3,560 1,750 1,810	3,270 1,210 2,060	3,120 1,240 1,870
		Male	Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 12 Very good perceived general health 11 Good perceived general health 12	3,560 1,750 1,810 2,070	3,270 1,210 2,060 2,220	3,120 1,240 1,870 2,760
		Male	Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 10 Very good perceived general health 11 Good perceived general health 12 Fair or poor perceived general health 13	3,560 1,750 1,810 2,070 580	3,270 1,210 2,060 2,220 970	3,120 1,240 1,870 2,760 1,340
			Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 12 Very good perceived general health 11 Good perceived general health 12 Fair or poor perceived general health 13 Perceived general health not specified 14	3,560 1,750 1,810 2,070 580	3,270 1,210 2,060 2,220 970	3,120 1,240 1,870 2,760 1,340 380
		Male	Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 10 Very good perceived general health 11 Good perceived general health 12 Fair or poor perceived general health 13 Perceived general health not specified 14 Total, perceived general health	3,560 1,750 1,810 2,070 580 F	3,270 1,210 2,060 2,220 970 F 6,740	3,120 1,240 1,870 2,760 1,340 8,080
			Total, perceived general health Excellent or very good perceived general health Excellent perceived general health 12 Very good perceived general health 11 Good perceived general health 12 Fair or poor perceived general health 13 Perceived general health not specified 14	3,560 1,750 1,810 2,070 580	3,270 1,210 2,060 2,220 970	7,600 3,120 1,240 1,870 2,760 1,340 380 ⁶ 8,080 2,650

eography	Age group ^{6, 2}	Sex	Perceived general health 2 2	2001	2006	201
			Good perceived general health ¹²	2,150	2,470	3,6
			Fair or poor perceived general health 13	680	1,160	1,34
			Perceived general health not specified 14	F	50 ^E	49
			Total, perceived general health	2,660	3,250	3,9
			Excellent or very good perceived general health	810	1,010	7
			Excellent perceived general health 10	310	450	23
		Both sexes	Very good perceived general health 11	500	560	56
			Good perceived general health 12	1,020	1,060	1,5
			Fair or poor perceived general health ¹³	830	1,160	1,:
			Perceived general health not specified 14	F	F	
			Total, perceived general health	1,350	1,730	1,-
			Excellent or very good perceived general health	430	630	3
			Excellent perceived general health 10	210	280	
	55 years and over	Male	Very good perceived general health 11	230 ^E	350	2
			Good perceived general health 12	500	520	5
			Fair or poor perceived general health ¹³	410	560	3
			Perceived general health not specified 14	F	F	
			Total, perceived general health	1,310	1,530	2,
			Excellent or very good perceived general health	370	370	4
			Excellent perceived general health 19	100 ^E	170	
		Female	Very good perceived general health 11	270	200	2
			Good perceived general health 12	520	540	ç
			Fair or poor perceived general health ¹³	420	600	ç
			Perceived general health not specified 14	F	F	
			Total, perceived general health	F	F	
			Excellent or very good perceived general health	F	F	
			Excellent perceived general health 19	F	F	
		Both sexes	Very good perceived general health 11	F	F	
			Good perceived general health 12	F	F	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	F	F	
			Excellent or very good perceived general health	F	F	
			Excellent perceived general health ¹⁰	F	F	
	Age not specified or invalid ⁸	Male	Very good perceived general health 11	F	F	
			Good perceived general health ¹²	F	F	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified ¹⁴	F	F	
			Total, perceived general health	F	F	
			Excellent or very good perceived general health	F	F	
			Excellent perceived general health 19	F	F	
		Female	Very good perceived general health ¹¹	, F	F	
		remaie	Good perceived general health 12	F	· F	
				F	· F	
			Fair or poor perceived general health ¹³ Perceived general health not specified ¹⁴	F	F	

Geography	Age group ^{6.7}	Sex	Perceived general health 2-2	2001	2006	2012
Nunatsiavut			Total, perceived general health	1,780	1,160	1,120
			Excellent or very good perceived general health	770	410	390
		Both sexes	Excellent perceived general health ¹⁰ Very good perceived general health ¹¹	1,010	750	730
		Both sexes	Good perceived general health ¹²	710	560	640
			Fair or poor perceived general health ¹³	260	190	290
			Perceived general health not specified ¹⁴	F	F	40 ^E
				1,200	950	1,050
			Total, perceived general health Excellent or very good perceived general health	780	610	570
			Excellent perceived general health 10	330	200	180
	Total, 6 years and over	Male	Very good perceived general health ¹¹	450	410	390
	Total, o years and over	iviale	Good perceived general health ¹²	320	250	340
			Fair or poor perceived general health ¹³	100 ^E	90 ^E	120
				F	F	F
			Perceived general health not specified 14	1,560	960	1,040
			Total, perceived general health	1,000	550	550
			Excellent or very good perceived general health	450	210	210
		Excellent perceived general health 10	560	340	340	
		Female	Very good perceived general health 11	390	310	300
			Good perceived general health 12	160 ^E	90 ^E	170
			Fair or poor perceived general health 12	F	90 F	F
			Perceived general health not specified 14			
			Total, perceived general health	660	370	320
			Excellent or very good perceived general health	530	270	250
			Excellent perceived general health 10	320 210 ^E	160	140
		Both sexes	Very good perceived general health 11	100 ^E	90	110
			Good perceived general health 12			50
			Fair or poor perceived general health 12	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	270	200	170
			Excellent or very good perceived general health	220	140	120
			Excellent perceived general health 19	120 ^E	70	70
	6 to 14 years	Male	Very good perceived general health 11	90 ^E	70	50
			Good perceived general health 12	30 ^E	50	30 ^E
			Fair or poor perceived general health 13	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	400	170	150
			Excellent or very good perceived general health	320	130	130
			Excellent perceived general health 19	200 ^E	90	70
		Female	Very good perceived general health 11	120 ^E	40 ^E	60
			Good perceived general health 12	60 ^E	40	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	530	480	440
			Excellent or very good perceived general health	320	310	250
			Excellent perceived general health 10	150 ^E	130	100
			Very good perceived general health 11	170 ^E	180	150

eography	Age group ^{4, 2}	Sex	Perceived general health 2 2	2001	2006	2012
			Good perceived general health 12	170 ^E	140	13
			Fair or poor perceived general health 13	F	F	4
			Perceived general health not specified 14	F	F	
			Total, perceived general health	260	210	2
			Excellent or very good perceived general health	180 ^E	140	1:
			Excellent perceived general health 10	F	70 ^E	4
		Male	Very good perceived general health ¹¹	100 ^E	80 ^E	
			Good perceived general health 12	F	60 ^E	6
			Fair or poor perceived general health 13	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	260	280	2
			Excellent or very good perceived general health	140 ^E	170	
			Excellent perceived general health 10	F	60 ^E	
		Female	Very good perceived general health 11	70 ^E	100 ^E	
			Good perceived general health 12	100 ^E	80 ^E	
			Fair or poor perceived general health 13	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	1,260	800	1,
			Excellent or very good perceived general health	820	440	
			Excellent perceived general health 19	300	80 ^E	
			Very good perceived general health 11	520	350	
			Good perceived general health 12	380	260	
			Fair or poor perceived general health ¹³	70 ^E	100 ^E	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	550	390	
			Excellent or very good perceived general health	350	230	
			Excellent perceived general health 10	120 ^E	50 ^E	
	25 to 54 years	Male	Very good perceived general health ¹¹	230 ^E	190	
	20 to 0 1 yours	, mais	Good perceived general health ¹²	180 ^E	100 ^E	
			Fair or poor perceived general health ¹³	F	60 ^E	
			Perceived general health not specified ¹⁴	F	F	
			Total, perceived general health	710	410	
			Excellent or very good perceived general health	460	200	
			Excellent perceived general health 10	180 ^E	40 ^E	
		Formela		290	160	
		Female	Very good perceived general health 11	200 ^E	160	
			Good perceived general health ¹²	50 ^E	40 ^E	
			Fair or poor perceived general health 13	F	40 F	
			Perceived general health not specified 14	310	260	
	55 years and over		Total, perceived general health	120 ^E		1
			Excellent or very good perceived general health		150	1
			Excellent perceived general health 10	120E	110E	
		Both sexes	Very good perceived general health 11	120 ^E	110 ^E	1
			Good perceived general health 12	60 ^E	70 ^E	
			Fair or poor perceived general health 13	130 ^E	50 ^E	1
			Perceived general health not specified ¹⁴	F	F	

Geography	Age group ^{6, 7}	Sex	Perceived general health 2 2	2001	2006	2012
			Total, perceived general health			
			Excellent or very good perceived general health	F	90 ^E	100 ^E
			Excellent perceived general health 19	F	F	F
		Male	Very good perceived general health 11	F	70 ^E	80 ^E
			Good perceived general health 12	F	40 ^E	F
			Fair or poor perceived general health 13	50 ^E	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	190 ^E	110 ^E	160
			Excellent or very good perceived general health	F	50 ^E	F
			Excellent perceived general health 19	F	F	F
		Female	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health 13	70 ^E	F	70 ^E
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹⁰	F	F	F
		Both sexes	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 19	F	F	F
	Age not specified or invalid ⁸	Male	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 10	F	F	F
		Female	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
unavik	Total, 6 years and over		Total, perceived general health	7,200	8,080	9,320
			Excellent or very good perceived general health	3,990	3,800	3,770
			Excellent perceived general health ¹⁰	2,000	1,720	1,630
		Both sexes	Very good perceived general health ¹¹	1,990	2,090	2,140
			Good perceived general health ¹²	2,450	2,970	3,320
			Fair or poor perceived general health ¹³	750	1,210	960
			Perceived general health not specified ¹⁴	F	100 ^E	1,270
		Male	Total, perceived general health	3,650	4,210	4,510
		Wate	Excellent or very good perceived general health	2,090	2,090	1,990
			Excellent perceived general health 10	1,090	900	860
			Excentent perceived general nearth	.,0,0	,,,,	- 550

Seography	Age group ^{6, 2}	Sex	Perceived general health 2.2	2001	2006	2012
			Good perceived general health 12	1,220	1,500	1,510
			Fair or poor perceived general health 13	330	550	460
			Perceived general health not specified 14	F	60 ^E	560
			Total, perceived general health	3,540	3,880	4,800
			Excellent or very good perceived general health	1,890	1,710	1,770
			Excellent perceived general health 10	910	820	770
		Female	Very good perceived general health 11	990	890	1,010
			Good perceived general health 12	1,230	1,470	1,810
			Fair or poor perceived general health 13	420	660	500
			Perceived general health not specified 14	F	F	710
			Total, perceived general health	2,160	2,230	2,320
			Excellent or very good perceived general health	1,560	1,520	1,520
			Excellent perceived general health 10	940	790	770
		Both sexes	Very good perceived general health 11	620	730	760
			Good perceived general health 12	480	610	470
			Fair or poor perceived general health ¹³	110 ^E	100 ^E	-
			Perceived general health not specified 14	F	F	30
			Total, perceived general health	1,100	1,250	1,16
			Excellent or very good perceived general health	790	860	73
			Excellent perceived general health 10	500	430	36
	6 to 14 years	Male	Very good perceived general health ¹¹	290	420	36
	o to 14 years	iviale	Good perceived general health 12	250	350	29
			Fair or poor perceived general health ¹³	F	F	
				F	· F	130
			Perceived general health not specified 14	1,060	980	1,16
			Total, perceived general health	770	660	80
			Excellent or very good perceived general health			
			Excellent perceived general health 12	440	350	40
		Female	Very good perceived general health 11	330	310	40
			Good perceived general health 12	220	260	18
			Fair or poor perceived general health 13	70 ^E	F	
			Perceived general health not specified 14	F	F	170
	15 to 24 years		Total, perceived general health	1,640	2,170	2,46
			Excellent or very good perceived general health	880	1,030	91
			Excellent perceived general health 10	420	440	32
		Both sexes	Very good perceived general health 11	460	590	59
			Good perceived general health 12	660	880	95
			Fair or poor perceived general health ¹³	100 ^E	200	150
			Perceived general health not specified 14	F	60 ^E	45
			Total, perceived general health	860	1,150	1,32
			Excellent or very good perceived general health	470	570	53
			Excellent perceived general health 10	220	210 ^E	180
		Male	Very good perceived general health 11	250	360	35
			Good perceived general health 12	350	420	47
			Fair or poor perceived general health ¹³	40 ^E	120 ^E	90
			Perceived general health not specified ¹⁴	F	F	240
				790	1,020	1,140

Geography	Age group ^{6. 2}	Sex	Perceived general health 2.2 Total, perceived general health	2001	2006	2012
			Excellent or very good perceived general health	410	460	380
			Excellent perceived general health 10	200	230	140
		Female	Very good perceived general health ¹¹	210	230	250
		Temale	Good perceived general health ¹²	310	460	480
			Fair or poor perceived general health ¹³	70 ^E	80 ^E	60
			Perceived general health not specified ¹⁴	F	F	210
			Total, perceived general health	2,870	3,000	3,700
			Excellent or very good perceived general health	1,420	1,140	1,110
			Excellent perceived general health 10	590	430	430
		Both sexes	Very good perceived general health ¹¹	830	720	680
		both sexes		1,070	1,240	1,560
			Good perceived general health ¹²	390	590	560
			Fair or poor perceived general health 13	570 F	570 F	470
			Perceived general health not specified 14	1,470	1,420	
			Total, perceived general health			1,630
			Excellent or very good perceived general health	780	580	620
			Excellent perceived general health ¹⁰	340	220	270
	25 to 54 years	Male	Very good perceived general health 11	430	360	35
		1	Good perceived general health 12	510	590	60
			Fair or poor perceived general health 13	190	240 ^E	24
			Perceived general health not specified 14	F	F	170
			Total, perceived general health	1,400	1,580	2,07
			Excellent or very good perceived general health	640	560	50
			Excellent perceived general health 10	240	210 ^E	160
		Female	Very good perceived general health 11	400	350	33
			Good perceived general health 12	570	650	96
			Fair or poor perceived general health 13	190	350	32
			Perceived general health not specified 14	F	F	30
	55 years and over		Total, perceived general health	520	670	83
			Excellent or very good perceived general health	130 ^E	110 ^E	210
			Excellent perceived general health 10	50 ^E	60 ^E	110
		Both sexes	Very good perceived general health 11	80 ^E	F	
			Good perceived general health 12	240	240	340
			Fair or poor perceived general health ¹³	150 ^E	320	220
			Perceived general health not specified 14	F	F	
			Total, perceived general health	230	380	40
			Excellent or very good perceived general health	60 ^E	90 ^E	120
			Excellent perceived general health ¹²	F	F	
		Male	Very good perceived general health 11	F	F	
			Good perceived general health ¹²	110 ^E	140 ^E	150
			Fair or poor perceived general health ¹³	60 ^E	150 ^E	
			Perceived general health not specified ¹⁴	F	F	
		Female	Total, perceived general health	290	290	43
		remaie		70 ^E	240 F	43
			Excellent or very good perceived general health	70 F	F	'
			Excellent perceived general health 10	F	F	

Geography	Age group ^{6, 2}	Sex	Perceived general health 2 2	2001	2006	2012
			Good perceived general health 12	130 ^E	100 ^E	190 ^E
			Fair or poor perceived general health 13	90 ^E	170 ^E	110 ^E
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 19	F	F	F
		Both sexes	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 19	F	F	F
	Age not specified or invalid ⁸	Male	Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health 13	F	F	F
			Perceived general health not specified 14	F	F	F
			Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
		Female	Excellent perceived general health 19	F	F	F
			Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health ¹³	F	F	F
			Perceived general health not specified 14	F	F	F
Nunavut			Total, perceived general health	18,740	21,110	23,270
			Excellent or very good perceived general health	11,710	11,570	10,850
			Excellent perceived general health 19	7,140	5,760	5,660
		Both sexes	Very good perceived general health ¹¹	4,570	5,810	5,190
			Good perceived general health 12	5,480	6,630	8,030
			Fair or poor perceived general health ¹³	1,530	2,780	3,350
			Perceived general health not specified 14	F	130 ^E	1,040
			Total, perceived general health	9,360	10,850	11,140
			Excellent or very good perceived general health	5,830	6,380	5,570
			Excellent perceived general health ¹⁰	3,610	3,220	3,020
	Total, 6 years and over	Male	Very good perceived general health 11	2,220	3,160	2,550
	rotal, o years and over	Wate	Good perceived general health 12	2,750	3,130	3,490
			Fair or poor perceived general health ¹³	760	1,290	1,600
			Perceived general health not specified ¹⁴	F	-,F	480 ^l
				9,380	10,260	12,140
			Total, perceived general health	5,880	5,190	5,280
			Excellent or very good perceived general health	3,530	2,540	2,640
		E	Excellent perceived general health 19	2,350	2,650	2,640
		Female	Very good perceived general health 11			
			Good perceived general health ¹²	2,730	3,500	4,540
			Fair or poor perceived general health 13	780	1,490	1,760
			Perceived general health not specified 14	F	80 ^E	560 ^E

eography	Age group ⁶ ²	Sex	Perceived general health 2 2	2001	2006	2012
			Total, perceived general health	4.400	4.070	
			Excellent or very good perceived general health	4,190	4,070	4,350
			Excellent perceived general health 10	2,960	2,660	2,940
		Both sexes	Very good perceived general health 11	1,230	1,410	1,400
			Good perceived general health 12	1,190	1,230	850
			Fair or poor perceived general health 13	190 ^E	280 ^E	240 ^t
			Perceived general health not specified 14	F	F	180 ^t
			Total, perceived general health	2,870	3,040	3,080
			Excellent or very good perceived general health	2,130	2,340	2,390
			Excellent perceived general health 10	1,490	1,530	1,650
	6 to 14 years	Male	Very good perceived general health 11	640	810	740
			Good perceived general health 12	600	580	490
			Fair or poor perceived general health 13	110 ^E	F	ı
			Perceived general health not specified 14	F	F	I
			Total, perceived general health	2,730	2,580	2,540
			Excellent or very good perceived general health	2,060	1,730	1,960
			Excellent perceived general health 10	1,470	1,130	1,30
		Female	Very good perceived general health 11	590	600	66
			Good perceived general health 12	590	650	370
			Fair or poor perceived general health ¹³	80 ^E	180 ^E	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	4,150	5,310	5,66
			Excellent or very good perceived general health	2,720	2,760	2,65
			Excellent perceived general health ¹⁰	1,650	1,260	1,35
		Both sexes	Very good perceived general health ¹¹	1,070	1,500	1,30
			Good perceived general health 12	1,220	1,980	2,20
			Fair or poor perceived general health ¹³	210 ^E	530	510
			Perceived general health not specified ¹⁴	F	F	310
			Total, perceived general health	2,050	2,710	2,56
			Excellent or very good perceived general health	1,350	1,500	1,16
			Excellent perceived general health 10	880	670	61
	15 to 24 years	24-1-		470	830	550
	15 to 24 years	Male	Very good perceived general health 11	600	920	98
			Good perceived general health 12	90 ^E	270	310
			Fair or poor perceived general health 12	70 F	270 F	310
			Perceived general health not specified ¹⁴			
			Total, perceived general health	2,100	2,600	3,10
			Excellent or very good perceived general health	1,370	1,260	1,49
			Excellent perceived general health 12	770	590	74
		Female	Very good perceived general health 11	600	670	75
			Good perceived general health 12	610	1,060	1,21
			Fair or poor perceived general health 13	110 ^E	260 ^E	190
			Perceived general health not specified 14	F	F	210
	25 to 54 years	Both sexes	Total, perceived general health	7,510	8,240	9,61
			Excellent or very good perceived general health	4,340	4,110	3,54
			Excellent perceived general health ¹⁰	2,300	1,530	1,330
			Very good perceived general health 11	2,030	2,580	2,210

eography	Age group ⁶ ²	Sex	Perceived general health 2 2	2001	2006	2012
			Good perceived general health 12	2,460	2,820	3,98
			Fair or poor perceived general health 13	710	1,280	1,75
			Perceived general health not specified 14	F	40 ^E	350
			Total, perceived general health	3,630	4,100	4,7
			Excellent or very good perceived general health	2,070	2,150	1,9
			Excellent perceived general health 10	1,100	830	7
		Male	Very good perceived general health 11	970	1,320	1,1
			Good perceived general health 12	1,240	1,370	1,7
			Fair or poor perceived general health 13	330	570	Ç
			Perceived general health not specified 14	F	F	
			Total, perceived general health	3,880	4,140	4,
			Excellent or very good perceived general health	2,270	1,960	1,0
			Excellent perceived general health 10	1,210	700	5
		Female	Very good perceived general health 11	1,060	1,260	1,(
			Good perceived general health 12	1,230	1,450	2,
			Fair or poor perceived general health ¹³	380	710	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	1,500	1,940	2,
			Excellent or very good perceived general health	450	630	3
			Excellent perceived general health 10	220 ^E	310	
		Both sexes	Very good perceived general health 11	240 ^E	310	2
			Good perceived general health 12	610	610	1,0
			Fair or poor perceived general health ¹³	430	680	8
			Perceived general health not specified 14	F	F	
			Total, perceived general health	810	1,000	7
			Excellent or very good perceived general health	270	390	
			Excellent perceived general health 19	140 ^E	190 ^E	
	55 years and over	Male	Very good perceived general health 11	130 ^E	200 ^E	
			Good perceived general health 12	310	270	
			Fair or poor perceived general health ¹³	230 ^E	330 ^E	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	680	940	1,
			Excellent or very good perceived general health	180 ^E	240	
			Excellent perceived general health ¹⁰	80 ^E	120 ^E	
		Female	Very good perceived general health 11	100 ^E	120 ^E	
			Good perceived general health ¹²	300	340	6
			Fair or poor perceived general health ¹³	210 ^E	350	6
			Perceived general health not specified ¹⁴	F	F	
	Age not specified or invalid ⁸		Total, perceived general health	F	F	
	Age not specified of filvaild		Excellent or very good perceived general health	F	F	
			Excellent perceived general health 10	F	F.	
		Both sexes	Very good perceived general health ¹¹	F	F	
		DOIN SEXES		F	· F	
			Good perceived general health 12	F	F	
			Fair or poor perceived general health 13			
			Perceived general health not specified 14	F	F	

Geography	Age group 6. 2	Sex	Perceived general health 2.2 Total, perceived general health	2001	2006	2012
			Excellent or very good perceived general health	F	F	
			Excellent perceived general health 10	F	F	
		Male	Very good perceived general health 11	F	F	
		111212	Good perceived general health ¹²	F	F	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified ¹⁴	F	F	
			Total, perceived general health	F	F	
			Excellent or very good perceived general health	F	F	
			Excellent perceived general health 10	F	F	
		Female	Very good perceived general health ¹¹	F	F	
		remale	Good perceived general health ¹²	F		
			Fair or poor perceived general health ¹³	F	 F	
			Perceived general health not specified ¹⁴	F	 F	
				2,670	2,810	2,9
uvialuit region			Total, perceived general health	1,730	1,690	1,6
			Excellent or very good perceived general health	970	820	7,0
		Both sexes	Excellent perceived general health 10		870	
			Very good perceived general health 11	760		
			Good perceived general health 12	700	760	3
			Fair or poor perceived general health 12	240	330	•
			Perceived general health not specified 14	F	F	
		Total, perceived general health	1,360	1,380	1,4	
		Male	Excellent or very good perceived general health	920	830	3
			Excellent perceived general health 10	520	450	4
	Total, 6 years and over		Very good perceived general health 11	400	390	3
			Good perceived general health 12	320	340	,
			Fair or poor perceived general health 13	110 ^E	190	1
			Perceived general health not specified 14	F	F	
			Total, perceived general health	1,310	1,430	1,4
			Excellent or very good perceived general health	810	860	
			Excellent perceived general health 10	440	380	:
		Female	Very good perceived general health 11	360	480	
			Good perceived general health 12	380	420	
			Fair or poor perceived general health ¹³	130 ^E	150 ^E	2
			Perceived general health not specified 14	F	F	
	6 to 14 years		Total, perceived general health	690	570	į
			Excellent or very good perceived general health	560	450	4
			Excellent perceived general health 10	390	340	2
		Both sexes	Very good perceived general health 11	180	120	
			Good perceived general health 12	120 ^E	110	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified ¹⁴	F	F	
		Male	Total, perceived general health	360	290	2
			Excellent or very good perceived general health	310	230	2
			Excellent perceived general health 10	210	180	1

Geography	Age group ^{6, 2}	Sex	Perceived general health 2 2	2001	2006	2012
			Good perceived general health 12	50 ^E	60	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	340	280	25
		Female	Excellent or very good perceived general health	260	230	23
			Excellent perceived general health 10	180	160	14
			Very good perceived general health 11	70 ^E	60 ^E	'
			Good perceived general health 12	70 ^E	50 ^E	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	590	670	7
			Excellent or very good perceived general health	410	470	4
		Both sexes	Excellent perceived general health 10	180	220	1
			Very good perceived general health 11	230	250	2
			Good perceived general health 12	160 ^E	130 ^E	2
			Fair or poor perceived general health ¹³	F	60 ^E	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	270	320	
			Excellent or very good perceived general health	190	230	
			Excellent perceived general health 10	100 ^E	120 ^E	
	15 to 24 years	Male	Very good perceived general health 11	90 ^E	110 ^E	
			Good perceived general health 12	80 ^E	40 ^E	1
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	320	350	
			Excellent or very good perceived general health	230	240	
		Female	Excellent perceived general health 10	90 ^E	100 ^E	
			Very good perceived general health ¹¹	140 ^E	140 ^E	
			Good perceived general health 12	80 ^E	90 ^E	
			Fair or poor perceived general health ¹³	F	F	
			Perceived general health not specified 14	F	F	
	25 to 54 years		Total, perceived general health	1,050	1,180	1,:
			Excellent or very good perceived general health	640	650	
			Excellent perceived general health 10	360	220	:
		Both sexes	Very good perceived general health 11	280	430	
			Good perceived general health 12	310	370	
			Fair or poor perceived general health ¹³	100 ^E	150 ^E	
			Perceived general health not specified 14	F	F	
			Total, perceived general health	550	570	
			Excellent or very good perceived general health	360	310	
	Ма		Excellent perceived general health ¹⁰	190	120 ^E	1
		Male	Very good perceived general health 11	170	190	1
			Good perceived general health ¹²	140 ^E	170 ^E	:
			Fair or poor perceived general health ¹³	40 ^E	100 ^E	1
			Perceived general health not specified ¹⁴	F	F	

Geography	Age group ^{6, 2}	Sex	Perceived general health 2.9 Total, perceived general health	2001	2006	2012
		Female	Excellent or very good perceived general health	280	340	290
			Excellent perceived general health 10	170	100 ^E	90 ^E
			Very good perceived general health 11	110 ^E	240	200
			Good perceived general health ¹²	160 ^E	210	210
			Fair or poor perceived general health ¹³	60 ^E	60 ^E	140 ^E
			Perceived general health not specified ¹⁴	F	F	F
			Total, perceived general health	340	380	380
		Both sexes	Excellent or very good perceived general health	110 ^E	120 ^E	110 ^E
			Excellent perceived general health 10	F	F	F
			Very good perceived general health ¹¹	70 ^E	70 ^E	F
			Good perceived general health ¹²	110 ^E	150 ^E	130 ^E
			Fair or poor perceived general health ¹³	120 ^E	120 ^E	120 ^E
				F	F	- 120 F
			Perceived general health not specified 14	180	200	170 ^E
		nd over Male	Total, perceived general health	70 ^E	60 ^E	170 F
			Excellent or very good perceived general health	70 F	F	F
			Excellent perceived general health 10	30 ^E	F	F
	55 years and over		Very good perceived general health 11	50 ^E	80 ^E	F
			Good perceived general health ¹²	70 ^E		
			Fair or poor perceived general health 13		50 ^E	F
			Perceived general health not specified 14	F	F	I
			Total, perceived general health	160	190	200
			Excellent or very good perceived general health	40 ^E	60 ^E	F
			Excellent perceived general health 10	F	F	F
			Very good perceived general health 11	F	F	ı
			Good perceived general health 12	60 ^E	70 ^E	F
			Fair or poor perceived general health 13	50 ^E	60 ^E	I
			Perceived general health not specified 14	F	F	ı
	Age not specified or invalid ⁸	Both sexes	Total, perceived general health	F	F	ı
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 10	F	F	F
			Very good perceived general health 11	F	F	F
			Good perceived general health 12	F	F	ı
			Fair or poor perceived general health 13	F	F	F
			Perceived general health not specified 14	F	F	F
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 10	F	F	F
			Very good perceived general health 11	F	F	F
			Good perceived general health ¹²	F	F	F
			Fair or poor perceived general health 13	F	F	F
			Perceived general health not specified ¹⁴	F	F	F
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health 10	F	F	F
			Very good perceived general health ¹¹	F	F	F

Geography	Age group ⁶ ²	Sex	Perceived general health 2.2	2001	2006	2012
			Good perceived general health 12	F	F	F
			Fair or poor perceived general health 13	F	F	F
			Perceived general health not specified 14	F	F	F

Back to original table

Symbol legend:

- Too unreliable to be published
- Use with caution

Footnotes:

- Sources: Aboriginal Peoples Survey 2001, 2006, 2012.
- Perceived general health is an indicator of overall health status. Respondents were asked: "In general, would you say your health is... Excellent? Very good? Good?
- The Inuit population includes persons who reported being "Inuk (Inuit)" in the Aboriginal Peoples Survey either as their only Aboriginal identity or as part of a multiple identity including "Inuk (Inuit)" and "First Nations" and/or "Métis".
- Inuit Nunangat is the homeland of Inuit of Canada. It includes communities in Nunatsiavut (Northern coastal Labrador), Nunavik (Northern Quebec), the territory of Nunavut and the Inuvialuit region (Northwest Territories). These regions collectively encompass the area traditionally occupied by Inuit in Canada. Excludes persons living on Indian reserves or settlements.
- Age is derived from the respondent's date of birth. In 2001, the Census day of May 15, 2001 was used as the reference date to determine age. In 2006, age was determined from the Aboriginal Peoples Survey reference date of October 31, 2006, and in 2012, age was determined from the Aboriginal Peoples Survey reference date of February 1, 2012.
- Proxy reporting was used in the 2012 Aboriginal Peoples Survey for most children aged 6 to 14 years, nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
- In 2001, some respondents did not provide a date of birth, and some dates of birth that were provided were invalid. In such cases, the respondent's age was
- determined from 2001 Census data wherever possible. Otherwise, age was reported as being "not stated or invalid".

 All percentages for the variable "perceived general health" are calculated using the number of persons in "total, perceived general health" as denominator
- This category includes persons who rated their health as "excellent" or whose health was rated as "excellent" by someone knowledgeable about them. This is the most positive rating on the perceived health scale, a five-point scale ranging from "excellent" to "poor".

 This category includes persons who rated their health as "very good" or whose health was rated as "very good" by someone knowledgeable about them. This is one 10.
- point on the perceived health scale, a five-point scale ranging from "excellent" to "poor". The rating "very good" comes between "excellent" and "good". This category includes persons who rated their health as "good" or whose health was rated as "good" by someone knowledgeable about them. This is the midpoint on the perceived health scale which is a five-point scale ranging from "excellent" to "poor". 12.
- This category includes persons who rated their health as "fair" or "poor" or whose health was rated as "fair" or "poor" by someone knowledgeable about them. These are the most negative ratings on the perceived health scale, a five-point scale ranging from "excellent" to "poor".

 "Perceived general health not specified" consists of item non-response ("Refusal", "Don't know", and "Not stated"). 13.
- When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).

- Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability. The standard symbol (..) is used in this Statistics Canada table for figures not available for a specific reference period.

Source: Statistics Canada. Table 577-0002 - Aboriginal peoples survey, perceived general health, by age group and sex, Inuit population aged 6 years and over, Canada and Inuit Nunangat, occasional, CANSIM (database). (accessed:) Back to search

Date modified: 2015-11-09