

Statistics Canada

Home > CANSIM

Table 577-0001 1, 2, 3, 4, 5

Aboriginal peoples survey, perceived general health, by Aboriginal identity, age group and sex, population aged 6 years and over, Canada, provinces and territories occasional

[Data table](#) | [Add/Remove data](#) | [Manipulate](#) | [Download](#) | [Related information](#) | [Help](#)

The data below is a part of CANSIM table 577-0001. Use the [Add/Remove data](#) tab to customize your table.

Selected items [Add/Remove data]						
Geography = Nunavut						
Statistics 18, 19, 20, 21 = Number of persons (persons)						
Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
Total, Aboriginal identity	Total, 6 years and over	Both sexes	Total, perceived general health	18,860	21,390	23,460
			Excellent or very good perceived general health	11,800	11,730	10,960
			Excellent perceived general health ¹³	7,180	5,840	5,700
			Very good perceived general health ¹⁴	4,620	5,890	5,260
			Good perceived general health ¹⁵	5,510	6,660	8,090
			Fair or poor perceived general health ¹⁶	1,530	2,860	3,380
			Perceived general health not specified ¹⁷	F	130 ^E	1,040
		Male	Total, perceived general health	9,420	10,990	11,250
			Excellent or very good perceived general health	5,860	6,470	5,620
			Excellent perceived general health ¹³	3,640	3,250	3,040
			Very good perceived general health ¹⁴	2,230	3,220	2,580
			Good perceived general health ¹⁵	2,770	3,150	3,540
			Fair or poor perceived general health ¹⁶	760	1,320	1,620
			Perceived general health not specified ¹⁷	F	F	480 ^E
		Female	Total, perceived general health	9,450	10,400	12,210
			Excellent or very good perceived general health	5,930	5,270	5,340
			Excellent perceived general health ¹³	3,540	2,590	2,660
			Very good perceived general health ¹⁴	2,390	2,680	2,680
	Good perceived general health ¹⁵		2,740	3,510	4,540	
	Fair or poor perceived general health ¹⁶		780	1,540	1,760	
	Perceived general health not specified ¹⁷		F	80 ^E	560 ^E	
6 to 14 years	Both sexes	Total, perceived general health	5,600	5,660	5,640	
		Excellent or very good perceived general health	4,200	4,090	4,360	
		Excellent perceived general health ¹³	2,970	2,660	2,950	
		Very good perceived general health ¹⁴	1,240	1,430	1,410	
		Good perceived general health ¹⁵	1,190	1,230	870	
		Fair or poor perceived general health ¹⁶	190 ^E	300 ^E	240 ^E	
		Perceived general health not specified ¹⁷	F	F	180 ^E	
	Male	Total, perceived general health	2,870	3,040	3,100	
		Excellent or very good perceived general health	2,130	2,340	2,390	
		Excellent perceived general health ¹³	1,500	1,530	1,650	
		Very good perceived general health ¹⁴	640	810	740	
			600	580	500	

Aboriginal identity ⁵	Age group ^{8, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012	
			Good perceived general health ¹⁵				
			Fair or poor perceived general health ¹⁶	110 ^E	F	F	
			Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	2,740	2,610	2,550	
			Excellent or very good perceived general health	2,070	1,750	1,970	
			Excellent perceived general health ¹³	1,470	1,130	1,300	
			Very good perceived general health ¹⁴	600	620	670	
			Good perceived general health ¹⁵	590	650	370 ^E	
			Fair or poor perceived general health ¹⁶	80 ^E	190 ^E	F	
		Perceived general health not specified ¹⁷	F	F	F		
		15 to 24 years	Both sexes	Total, perceived general health	4,160	5,340	5,680
				Excellent or very good perceived general health	2,740	2,780	2,660
				Excellent perceived general health ¹³	1,670	1,270	1,360
	Very good perceived general health ¹⁴			1,070	1,510	1,310	
	Good perceived general health ¹⁵			1,220	1,980	2,200	
	Fair or poor perceived general health ¹⁶			210 ^E	540	510 ^E	
	Perceived general health not specified ¹⁷			F	F	310 ^E	
	Male		Total, perceived general health	2,060	2,730	2,570	
			Excellent or very good perceived general health	1,370	1,510	1,160	
			Excellent perceived general health ¹³	890	670	610	
			Very good perceived general health ¹⁴	470	840	550 ^E	
			Good perceived general health ¹⁵	600	920	980	
			Fair or poor perceived general health ¹⁶	90 ^E	270	320 ^E	
	Perceived general health not specified ¹⁷		F	F	F		
	Female		Total, perceived general health	2,100	2,610	3,110	
			Excellent or very good perceived general health	1,370	1,270	1,500	
			Excellent perceived general health ¹³	770	600	740	
			Very good perceived general health ¹⁴	600	670	760	
			Good perceived general health ¹⁵	610	1,060	1,210	
		Fair or poor perceived general health ¹⁶	110 ^E	260 ^E	190 ^E		
	Perceived general health not specified ¹⁷	F	F	210 ^E			
	25 to 54 years	Both sexes	Total, perceived general health	7,600	8,440	9,700	
			Excellent or very good perceived general health	4,400	4,220	3,590	
Excellent perceived general health ¹³			2,330	1,580	1,350		
Very good perceived general health ¹⁴			2,070	2,630	2,240		
Good perceived general health ¹⁵			2,490	2,840	4,000		
Fair or poor perceived general health ¹⁶			710	1,340	1,770		
Perceived general health not specified ¹⁷			F	40 ^E	350 ^E		
Male		Total, perceived general health	3,670	4,220	4,810		
		Excellent or very good perceived general health	2,090	2,230	1,940		
		Excellent perceived general health ¹³	1,110	860	770		
		Very good perceived general health ¹⁴	980	1,370	1,170		
		Good perceived general health ¹⁵	1,250	1,380	1,730		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Fair or poor perceived general health ¹⁶	330	600	960
			Perceived general health not specified ¹⁷	F	F	F
		Female	Total, perceived general health	3,930	4,220	4,900
			Excellent or very good perceived general health	2,310	1,990	1,650
			Excellent perceived general health ¹³	1,220	730	580 ^E
			Very good perceived general health ¹⁴	1,090	1,270	1,070
			Good perceived general health ¹⁵	1,240	1,460	2,270
			Fair or poor perceived general health ¹⁶	380	740	810
			Perceived general health not specified ¹⁷	F	F	F
			55 years and over	Both sexes	Total, perceived general health	1,500
	Excellent or very good perceived general health	450			640	350 ^E
	Excellent perceived general health ¹³	220 ^E			330	F
	Very good perceived general health ¹⁴	240 ^E			320	300 ^E
	Good perceived general health ¹⁵	610			610	1,020 ^E
	Fair or poor perceived general health ¹⁶	430			680	870 ^E
	Perceived general health not specified ¹⁷	F			F	F
	Male	Total, perceived general health		810	1,000	780 ^E
		Excellent or very good perceived general health		270	390	F
		Excellent perceived general health ¹³		140 ^E	190 ^E	F
		Very good perceived general health ¹⁴	130 ^E	200 ^E	F	
		Good perceived general health ¹⁵	310	270	F	
		Fair or poor perceived general health ¹⁶	230 ^E	330 ^E	F	
		Perceived general health not specified ¹⁷	F	F	F	
	Female	Total, perceived general health	680	960	1,650	
		Excellent or very good perceived general health	180 ^E	260	F	
		Excellent perceived general health ¹³	80 ^E	130 ^E	F	
		Very good perceived general health ¹⁴	100 ^E	120 ^E	F	
		Good perceived general health ¹⁵	300	340	690 ^E	
		Fair or poor perceived general health ¹⁶	210 ^E	350	670 ^E	
		Perceived general health not specified ¹⁷	F	F	F	
Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
		Fair or poor perceived general health ¹⁶	F	
		Perceived general health not specified ¹⁷	F	
	Male	Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
		Fair or poor perceived general health ¹⁶	F	
		Perceived general health not specified ¹⁷	F	

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Perceived general health not specified ¹⁷	F
		Female	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
First Nations (North American Indian)	Total, 6 years and over	Both sexes	Total, perceived general health	F	170 ^E	170
			Excellent or very good perceived general health	F	F	100 ^E
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	F	F	70 ^E
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	F	100 ^E	100 ^E	
		Excellent or very good perceived general health	F	F	80 ^E	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
6 to 14 years	Both sexes	Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
	Male	Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
	25 to 54 years	Both sexes	Total, perceived general health	F	110 ^E	90 ^E
			Excellent or very good perceived general health	F	F	F
Excellent perceived general health ¹³			F	F	F	
Very good perceived general health ¹⁴			F	F	F	
Good perceived general health ¹⁵			F	F	F	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷			F	F	F	
Male		Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
Female		Total, perceived general health	F	F	F	

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{8, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
Métis	Total, 6 years and over	Both sexes	Total, perceived general health	F	170 ^E	100 ^E
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Female	Total, perceived general health	F	60 ^E	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷		F	F	F	
	6 to 14 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
Very good perceived general health ¹⁴			F	F	F	
Good perceived general health ¹⁵			F	F	F	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷			F	F	F	
Male		Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
Female		Total, perceived general health	F	F	F	
			F	F	F	

Aboriginal identity ⁵	Age group ^{8, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	25 to 54 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
Very good perceived general health ¹⁴			F	F	F	
Good perceived general health ¹⁵			F	F	F	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷		F	F	F		
Male		Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
	Fair or poor perceived general health ¹⁶	F	F	F		
Perceived general health not specified ¹⁷	F	F	F			
Female	Total, perceived general health	F	F	F		
		F	F	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{8, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
Inuk (Inuit)	Total, 6 years and over	Both sexes	Total, perceived general health	18,740	21,110	23,270
			Excellent or very good perceived general health	11,710	11,570	10,850
			Excellent perceived general health ¹³	7,140	5,760	5,660
			Very good perceived general health ¹⁴	4,570	5,810	5,190
			Good perceived general health ¹⁵	5,480	6,630	8,030
			Fair or poor perceived general health ¹⁶	1,530	2,780	3,350
			Perceived general health not specified ¹⁷	F	130 ^E	1,040
		Male	Total, perceived general health	9,360	10,850	11,140
			Excellent or very good perceived general health	5,830	6,380	5,570
			Excellent perceived general health ¹³	3,610	3,220	3,020
			Very good perceived general health ¹⁴	2,220	3,160	2,550
			Good perceived general health ¹⁵	2,750	3,130	3,490
			Fair or poor perceived general health ¹⁶	760	1,290	1,600
			Perceived general health not specified ¹⁷	F	F	480 ^E
	Female	Total, perceived general health	9,380	10,260	12,140	
		Excellent or very good perceived general health	5,880	5,190	5,280	
		Excellent perceived general health ¹³	3,530	2,540	2,640	
		Very good perceived general health ¹⁴	2,350	2,650	2,640	
		Good perceived general health ¹⁵	2,730	3,500	4,540	
		Fair or poor perceived general health ¹⁶	780	1,490	1,760	
		Perceived general health not specified ¹⁷	F	80 ^E	560 ^E	
	6 to 14 years	Both sexes	Total, perceived general health	5,590	5,620	5,610
			Excellent or very good perceived general health	4,190	4,070	4,350
			Excellent perceived general health ¹³	2,960	2,660	2,940
			Very good perceived general health ¹⁴	1,230	1,410	1,400
			Good perceived general health ¹⁵	1,190	1,230	850
			Fair or poor perceived general health ¹⁶	190 ^E	280 ^E	240 ^E
			Perceived general health not specified ¹⁷	F	F	180 ^E
Male		Total, perceived general health	2,870	3,040	3,080	
		Excellent or very good perceived general health	2,130	2,340	2,390	
		Excellent perceived general health ¹³	1,490	1,530	1,650	
		Very good perceived general health ¹⁴	640	810	740	
		Good perceived general health ¹⁵	600	580	490	
		Fair or poor perceived general health ¹⁶	110 ^E	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
Female	Total, perceived general health	2,730	2,580	2,540		
		2,060	1,730	1,960		

Aboriginal identity ⁵	Age group ^{8, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	1,470	1,130	1,300
			Very good perceived general health ¹⁴	590	600	660
			Good perceived general health ¹⁵	590	650	370 ^E
			Fair or poor perceived general health ¹⁶	80 ^E	180 ^E	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	4,150	5,310	5,660
			Excellent or very good perceived general health	2,720	2,760	2,650
			Excellent perceived general health ¹³	1,650	1,260	1,350
			Very good perceived general health ¹⁴	1,070	1,500	1,300
			Good perceived general health ¹⁵	1,220	1,980	2,200
			Fair or poor perceived general health ¹⁶	210 ^E	530	510 ^E
		Perceived general health not specified ¹⁷	F	F	310 ^E	
		Male	Total, perceived general health	2,050	2,710	2,560
			Excellent or very good perceived general health	1,350	1,500	1,160
			Excellent perceived general health ¹³	880	670	610
			Very good perceived general health ¹⁴	470	830	550 ^E
			Good perceived general health ¹⁵	600	920	980
			Fair or poor perceived general health ¹⁶	90 ^E	270	310 ^E
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	2,100	2,600	3,100
			Excellent or very good perceived general health	1,370	1,260	1,490
			Excellent perceived general health ¹³	770	590	740
			Very good perceived general health ¹⁴	600	670	750
	Good perceived general health ¹⁵		610	1,060	1,210	
	Fair or poor perceived general health ¹⁶		110 ^E	260 ^E	190 ^E	
	Perceived general health not specified ¹⁷	F	F	210 ^E		
	25 to 54 years	Both sexes	Total, perceived general health	7,510	8,240	9,610
			Excellent or very good perceived general health	4,340	4,110	3,540
			Excellent perceived general health ¹³	2,300	1,530	1,330
Very good perceived general health ¹⁴			2,030	2,580	2,210	
Good perceived general health ¹⁵			2,460	2,820	3,980	
Fair or poor perceived general health ¹⁶			710	1,280	1,750	
Perceived general health not specified ¹⁷		F	40 ^E	350 ^E		
Male		Total, perceived general health	3,630	4,100	4,770	
		Excellent or very good perceived general health	2,070	2,150	1,930	
		Excellent perceived general health ¹³	1,100	830	770	
		Very good perceived general health ¹⁴	970	1,320	1,170	
		Good perceived general health ¹⁵	1,240	1,370	1,710	
	Fair or poor perceived general health ¹⁶	330	570	950		
Perceived general health not specified ¹⁷	F	F	F			
Female	Total, perceived general health	3,880	4,140	4,840		
		2,270	1,960	1,610		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	1,210	700	560 ^E
			Very good perceived general health ¹⁴	1,060	1,260	1,050
			Good perceived general health ¹⁵	1,230	1,450	2,270
			Fair or poor perceived general health ¹⁶	380	710	800
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	1,500	1,940	2,380
			Excellent or very good perceived general health	450	630	320 ^E
			Excellent perceived general health ¹³	220 ^E	310	F
			Very good perceived general health ¹⁴	240 ^E	310	280 ^E
			Good perceived general health ¹⁵	610	610	1,000 ^E
			Fair or poor perceived general health ¹⁶	430	680	870 ^E
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	810	1,000	730 ^E
			Excellent or very good perceived general health	270	390	F
			Excellent perceived general health ¹³	140 ^E	190 ^E	F
			Very good perceived general health ¹⁴	130 ^E	200 ^E	F
			Good perceived general health ¹⁵	310	270	F
			Fair or poor perceived general health ¹⁶	230 ^E	330 ^E	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	680	940	1,650
			Excellent or very good perceived general health	180 ^E	240	F
			Excellent perceived general health ¹³	80 ^E	120 ^E	F
			Very good perceived general health ¹⁴	100 ^E	120 ^E	F
	Good perceived general health ¹⁵		300	340	690 ^E	
	Fair or poor perceived general health ¹⁶		210 ^E	350	670 ^E	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹²	F

[Back to original table](#)

Symbol legend:

- F Too unreliable to be published
- E Use with caution
- .. Not available

Footnotes:

1. Sources: Aboriginal Peoples Survey 2001, 2006, 2012.
2. This table was previously released March 30, 2015. This current version of the table has been modified from the original version by the addition of provincial and territorial data and the addition of data from the 2001 and 2006 Aboriginal Peoples Survey.
3. Excludes persons living on Indian reserves or settlements.
4. Perceived general health is an indicator of overall health status. Respondents were asked: "In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?".
5. Aboriginal identity includes persons living off reserve who reported being an Aboriginal person, that is, First Nations (North American Indian), Métis or Inuk (Inuit) and/or those who reported Registered or Treaty Indian status, that is registered under the Indian Act of Canada, and/or those who reported membership in a First Nation or Indian band. The sum of the categories included in this variable does not equal the total population estimate for Aboriginal identity because a person may have reported more than one Aboriginal identity (for example, a person could have self-identified as both First Nations and Métis), or a person may have reported Registered or Treaty Indian status or membership in a First Nation or Indian band without reporting any Aboriginal identity.
6. Atlantic includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia, and New Brunswick.
7. Registered or Treaty Indian status refers to whether or not a person reported being a Registered or Treaty Indian. Registered Indians are persons who are registered under the Indian Act of Canada. Treaty Indians are persons who belong to a First Nation or Indian band that signed a treaty with the Crown. Registered or Treaty Indians are sometimes also called Status Indians.
8. In 2001, item non-response ("Refusal", "Don't know", and "Not stated") and invalid responses to the question "Are you a Treaty Indian or a Registered Indian as defined by the Indian Act of Canada?" were not replaced with imputed values during data processing. In 2006, item non-response was replaced with values imputed from the 2006 Census. In 2012, item non-response was replaced with a "Yes" response if the respondent reported being registered as a Status Indian under Bill C-31 or Bill C-3. If not, item non-response was replaced by values imputed from the 2011 National Household Survey.
9. Age is derived from the respondent's date of birth. In 2001, the Census day of May 15, 2001 was used as the reference date to determine age. In 2006, age was determined from the Aboriginal Peoples Survey reference date of October 31, 2006, and in 2012, age was determined from the Aboriginal Peoples Survey reference date of February 1, 2012.
10. Proxy reporting was used in the 2012 Aboriginal Peoples Survey for most children aged 6 to 14 years, nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
11. In 2001, some respondents did not provide a date of birth, and some dates of birth that were provided were invalid. In such cases, the respondent's age was determined from 2001 Census data wherever possible. Otherwise, age was reported as being "not stated or invalid".
12. All percentages for the variable "perceived general health" are calculated using the number of persons in "total, perceived general health" as denominator.
13. This category includes persons who rated their health as "excellent" or whose health was rated as "excellent" by someone knowledgeable about them. This is the most positive rating on the perceived health scale, a five-point scale ranging from "excellent" to "poor".
14. This category includes persons who rated their health as "very good" or whose health was rated as "very good" by someone knowledgeable about them. This is one point on the perceived health scale, a five-point scale ranging from "excellent" to "poor". The rating "very good" comes between "excellent" and "good".
15. This category includes persons who rated their health as "good" or whose health was rated as "good" by someone knowledgeable about them. This is the midpoint on the perceived health scale which is a five-point scale ranging from "excellent" to "poor".
16. This category includes persons who rated their health as "fair" or "poor" or whose health was rated as "fair" or "poor" by someone knowledgeable about them. These are the most negative ratings on the perceived health scale, a five-point scale ranging from "excellent" to "poor".
17. "Perceived general health not specified" consists of item non-response ("Refusal", "Don't know", and "Not stated").
18. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
19. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
20. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
21. The standard symbol (..) is used in this Statistics Canada table for figures not available for a specific reference period.

Source: Statistics Canada. *Table 577-0001 - Aboriginal peoples survey, perceived general health, by Aboriginal identity, age group and sex, population aged 6 years and over, Canada, provinces and territories, occasional*, CANSIM (database). (accessed:)

[Back to search](#)

Date modified: 2015-07-14