

Statistics Canada

Home > CANSIM

Table 577-0001 [1](#), [2](#), [3](#), [4](#), [5](#)

Aboriginal peoples survey, perceived general health, by Aboriginal identity, age group and sex, population aged 6 years and over, Canada, provinces and territories

occasional

[Data table](#) | [Add/Remove data](#) | [Manipulate](#) | [Download](#) | [Related information](#) | [Help](#)

The data below is a part of CANSIM table 577-0001. Use the [Add/Remove data](#) tab to customize your table.

Selected items [[Add/Remove data](#)]

Geography = Yukon
 Statistics [18](#), [19](#), [20](#), [21](#) = Number of persons (persons)

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
Total, Aboriginal identity	Total, 6 years and over	Both sexes	Total, perceived general health	5,710	7,070	4,950
			Excellent or very good perceived general health	3,050	4,290	2,410
			Excellent perceived general health ¹³	1,310	1,900	1,050
			Very good perceived general health ¹⁴	1,740	2,390	1,360
			Good perceived general health ¹⁵	1,800	1,790	1,630
			Fair or poor perceived general health ¹⁶	860	960	780 ^E
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	2,670	3,220	1,980
			Excellent or very good perceived general health	1,410	2,150	920
			Excellent perceived general health ¹³	600	950	420 ^E
			Very good perceived general health ¹⁴	810	1,200	500 ^E
			Good perceived general health ¹⁵	880	660	730 ^E
			Fair or poor perceived general health ¹⁶	370	390	290 ^E
			Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	3,040	3,850	2,970	
		Excellent or very good perceived general health	1,640	2,140	1,490	
		Excellent perceived general health ¹³	710	960	630	
		Very good perceived general health ¹⁴	930	1,180	860 ^E	
		Good perceived general health ¹⁵	920	1,130	910 ^E	
		Fair or poor perceived general health ¹⁶	480	570 ^E	490 ^E	
		Perceived general health not specified ¹⁷	F	F	F	
	6 to 14 years	Both sexes	Total, perceived general health	1,230	1,330	920
			Excellent or very good perceived general health	910	1,160	740
			Excellent perceived general health ¹³	620	740	480
Very good perceived general health ¹⁴			300	420	260 ^E	
Good perceived general health ¹⁵			280 ^E	160 ^E	120 ^E	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷			F	F	F	
Male		Total, perceived general health	570	670	350 ^E	
		Excellent or very good perceived general health	370	580	250 ^E	
		Excellent perceived general health ¹³	280	360	140 ^E	
	Very good perceived general health ¹⁴	90 ^E	230	110 ^E		
	Good perceived general health ¹⁵	170 ^E	80 ^E	70 ^E		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Fair or poor perceived general health ¹⁴	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Female	Total, perceived general health	660	660	560 ^E
			Excellent or very good perceived general health	540	580	490 ^E
			Excellent perceived general health ¹³	340	380	330 ^E
			Very good perceived general health ¹⁴	200 ^E	200 ^E	F
			Good perceived general health ¹⁵	110 ^E	80 ^E	F
			Fair or poor perceived general health ¹⁴	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	1,040	1,220	1,060
			Excellent or very good perceived general health	690	880	560 ^E
			Excellent perceived general health ¹³	260 ^E	390 ^E	240 ^E
			Very good perceived general health ¹⁴	430	480	320 ^E
			Good perceived general health ¹⁵	290 ^E	320 ^E	F
			Fair or poor perceived general health ¹⁴	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	540	510	420 ^E
			Excellent or very good perceived general health	350	420 ^E	240 ^E
			Excellent perceived general health ¹³	130 ^E	220 ^E	100 ^E
			Very good perceived general health ¹⁴	230 ^E	190 ^E	140 ^E
			Good perceived general health ¹⁵	160 ^E	F	F
			Fair or poor perceived general health ¹⁴	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Female	Total, perceived general health	500	710	640 ^E
	Excellent or very good perceived general health		330	460 ^E	320 ^E	
	Excellent perceived general health ¹³		130 ^E	170 ^E	F	
	Very good perceived general health ¹⁴		200 ^E	290 ^E	F	
	Good perceived general health ¹⁵		130 ^E	250 ^E	F	
	Fair or poor perceived general health ¹⁴		F	F	F	
	Perceived general health not specified ¹⁷		F	F	F	
25 to 54 years	Both sexes	Total, perceived general health	2,660	3,480	2,040	
		Excellent or very good perceived general health	1,270	1,930	830 ^E	
		Excellent perceived general health ¹³	400	660	300 ^E	
		Very good perceived general health ¹⁴	870	1,270	540 ^E	
		Good perceived general health ¹⁵	900	900	670	
		Fair or poor perceived general health ¹⁴	490	630	440 ^E	
		Perceived general health not specified ¹⁷	F	F	F	
	Male	Total, perceived general health	1,190	1,640	880	
		Excellent or very good perceived general health	550	1,030	350 ^E	
		Excellent perceived general health ¹³	160 ^E	350 ^E	F	
		Very good perceived general health ¹⁴	390 ^E	670	210 ^E	
		Good perceived general health ¹⁵	430	370 ^E	290 ^E	
		Fair or poor perceived general health ¹⁴	220 ^E	250 ^E	F	

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012	
			Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	1,470	1,830	1,160	
			Excellent or very good perceived general health	710	910	480 ^E	
			Excellent perceived general health ¹³	240 ^E	310 ^E	150 ^E	
			Very good perceived general health ¹⁴	480	600	F	
			Good perceived general health ¹⁵	480	520	370 ^E	
			Fair or poor perceived general health ¹⁶	280 ^E	390 ^E	260 ^E	
			Perceived general health not specified ¹⁷	F	F	F	
	55 years and over	Both sexes	Total, perceived general health	780	1,040	930 ^E	
				Excellent or very good perceived general health	180 ^E	320 ^E	270 ^E
				Excellent perceived general health ¹³	F	F	F
				Very good perceived general health ¹⁴	140 ^E	210 ^E	F
				Good perceived general health ¹⁵	330	420	470 ^E
				Fair or poor perceived general health ¹⁶	270	300 ^E	F
				Perceived general health not specified ¹⁷	F	F	F
			Male	Total, perceived general health	370	400 ^E	330 ^E
				Excellent or very good perceived general health	F	120 ^E	F
				Excellent perceived general health ¹³	F	F	F
				Very good perceived general health ¹⁴	F	F	F
				Good perceived general health ¹⁵	130 ^E	140 ^E	F
				Fair or poor perceived general health ¹⁶	110 ^E	120 ^E	F
				Perceived general health not specified ¹⁷	F	F	F
		Female	Total, perceived general health	410	650	600 ^E	
			Excellent or very good perceived general health	50	190 ^E	F	
			Excellent perceived general health ¹³	F	F	F	
			Very good perceived general health ¹⁴	40	F	F	
			Good perceived general health ¹⁵	200 ^E	280 ^E	F	
			Fair or poor perceived general health ¹⁶	160 ^E	180 ^E	F	
			Perceived general health not specified ¹⁷	F	F	F	
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F	
				Excellent or very good perceived general health	F
				Excellent perceived general health ¹³	F
				Very good perceived general health ¹⁴	F
				Good perceived general health ¹⁵	F
				Fair or poor perceived general health ¹⁶	F
				Perceived general health not specified ¹⁷	F
			Male	Total, perceived general health	F
				Excellent or very good perceived general health	F
				Excellent perceived general health ¹³	F
				Very good perceived general health ¹⁴	F
				Good perceived general health ¹⁵	F
				Fair or poor perceived general health ¹⁶	F
				Perceived general health not specified ¹⁷	F

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
		Female	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
First Nations (North American Indian)	Total, 6 years and over	Both sexes	Total, perceived general health	5,060	5,950	4,100
			Excellent or very good perceived general health	2,630	3,500	2,000
			Excellent perceived general health ¹³	1,170	1,490	910
			Very good perceived general health ¹⁴	1,470	2,010	1,090
			Good perceived general health ¹⁵	1,600	1,590	1,380 ^E
			Fair or poor perceived general health ¹⁶	820	830	620 ^E
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	2,410	2,740	1,640
			Excellent or very good perceived general health	1,250	1,800	790
			Excellent perceived general health ¹³	530	760	380 ^E
			Very good perceived general health ¹⁴	720	1,040	410 ^E
			Good perceived general health ¹⁵	790	590	610 ^E
			Fair or poor perceived general health ¹⁶	370	340 ^E	F
			Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	2,650	3,210	2,470	
		Excellent or very good perceived general health	1,380	1,700	1,220	
		Excellent perceived general health ¹³	630	740	530	
		Very good perceived general health ¹⁴	750	960	690 ^E	
		Good perceived general health ¹⁵	820	1,000	780 ^E	
		Fair or poor perceived general health ¹⁶	450	490 ^E	400 ^E	
		Perceived general health not specified ¹⁷	F	F	F	
	6 to 14 years	Both sexes	Total, perceived general health	1,130	1,120	740
			Excellent or very good perceived general health	840	980	590 ^E
			Excellent perceived general health ¹³	570	620	410 ^E
			Very good perceived general health ¹⁴	270	360	170 ^E
			Good perceived general health ¹⁵	260 ^E	130 ^E	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
Male		Total, perceived general health	540	580	270 ^E	
		Excellent or very good perceived general health	350	510	190 ^E	
		Excellent perceived general health ¹³	260	310	130 ^E	
		Very good perceived general health ¹⁴	90 ^E	200	F	
		Good perceived general health ¹⁵	170 ^E	60 ^E	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
Female	Total, perceived general health	590	540	470 ^E		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health	490	470	400 ^E
			Excellent perceived general health ¹³	310 ^F	310	280 ^F
			Very good perceived general health ¹⁴	180 ^E	160 ^E	F
			Good perceived general health ¹⁵	90 ^F	60 ^F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	930	1,090	940 ^E
			Excellent or very good perceived general health	600	750	520 ^E
			Excellent perceived general health ¹³	240 ^E	300 ^F	220 ^E
			Very good perceived general health ¹⁴	360	450 ^E	310 ^E
			Good perceived general health ¹⁵	280 ^E	310 ^F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	490	450	370 ^E
			Excellent or very good perceived general health	310	360 ^E	220 ^E
			Excellent perceived general health ¹³	130 ^E	170 ^E	90 ^E
			Very good perceived general health ¹⁴	180 ^F	190 ^F	F
			Good perceived general health ¹⁵	160 ^E	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	440	630	570 ^E
			Excellent or very good perceived general health	290	390 ^F	300 ^E
			Excellent perceived general health ¹³	110 ^E	F	F
			Very good perceived general health ¹⁴	180 ^E	260 ^F	F
	Good perceived general health ¹⁵		130 ^E	250 ^F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	25 to 54 years	Both sexes	Total, perceived general health	2,290	2,880	1,630
			Excellent or very good perceived general health	1,030	1,500	690 ^E
			Excellent perceived general health ¹³	320	500	250 ^F
Very good perceived general health ¹⁴			710	1,010	450 ^E	
Good perceived general health ¹⁵			790	800	500 ^F	
Fair or poor perceived general health ¹⁶			480	570 ^E	360 ^E	
Perceived general health not specified ¹⁷		F	F	F		
Male		Total, perceived general health	1,050	1,380	740 ^F	
		Excellent or very good perceived general health	470	810	330 ^E	
		Excellent perceived general health ¹³	120 ^E	270 ^F	F	
		Very good perceived general health ¹⁴	350 ^E	540	190 ^F	
		Good perceived general health ¹⁵	360	340 ^F	230 ^F	
	Fair or poor perceived general health ¹⁶	210 ^E	220 ^E	F		
Perceived general health not specified ¹⁷	F	F	F			
Female	Total, perceived general health	1,250	1,500	890 ^E		
		560	690	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	200 ^E	230 ^E	F
			Very good perceived general health ¹⁴	360	460	F
			Good perceived general health ¹⁵	430	460 ^E	270 ^E
			Fair or poor perceived general health ¹⁶	260 ^E	340 ^E	F
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	700	860	790 ^E
			Excellent or very good perceived general health	160 ^E	270 ^E	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	190 ^E	F
			Good perceived general health ¹⁵	270	350 ^E	440 ^E
			Fair or poor perceived general health ¹⁶	260	230 ^E	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	330	330 ^E	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	100 ^E	F	F
			Fair or poor perceived general health ¹⁶	110 ^E	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	370	530	540 ^E
			Excellent or very good perceived general health	40	150 ^E	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	30	F	F
	Good perceived general health ¹⁵		180 ^E	240 ^E	F	
	Fair or poor perceived general health ¹⁶		150 ^E	150 ^E	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
Métis	Total, 6 years and over	Both sexes	Total, perceived general health	510	860	740
			Excellent or very good perceived general health	320 ^E	560	320 ^E
			Excellent perceived general health ¹³	F	280 ^E	120 ^E
			Very good perceived general health ¹⁴	200 ^E	280 ^E	200 ^E
			Good perceived general health ¹⁵	140 ^E	190 ^E	250 ^E
			Fair or poor perceived general health ¹⁶	F	F	140 ^E
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	230 ^E	340 ^E	310 ^E
			Excellent or very good perceived general health	140 ^E	220 ^E	110 ^E
			Excellent perceived general health ¹³	F	130 ^E	F
			Very good perceived general health ¹⁴	F	90 ^E	F
			Good perceived general health ¹⁵	F	F	110 ^E
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Female	Total, perceived general health	290 ^E	520	430 ^E	
		Excellent or very good perceived general health	180 ^E	330	220 ^E	
		Excellent perceived general health ¹³	F	150 ^E	100 ^E	
		Very good perceived general health ¹⁴	140 ^E	190 ^E	F	
		Good perceived general health ¹⁵	F	120 ^E	130 ^E	
		Fair or poor perceived general health ¹⁶	F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	6 to 14 years	Both sexes	Total, perceived general health	F	140 ^E	140 ^E
			Excellent or very good perceived general health	F	120 ^E	120 ^E
			Excellent perceived general health ¹³	F	80 ^E	F
Very good perceived general health ¹⁴			F	F	F	
Good perceived general health ¹⁵			F	F	F	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷		F	F	F		
Male		Total, perceived general health	F	60 ^E	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
	Fair or poor perceived general health ¹⁶	F	F	F		
Perceived general health not specified ¹⁷	F	F	F			
Female	Total, perceived general health	F	80 ^E	F		
		F	70 ^E	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	25 to 54 years	Both sexes	Total, perceived general health	300 ^E	500	400 ^E
			Excellent or very good perceived general health	210 ^E	350 ^E	120 ^E
			Excellent perceived general health ¹³	F	160 ^E	F
Very good perceived general health ¹⁴			F	190 ^E	F	
Good perceived general health ¹⁵			F	F	170 ^E	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷		F	F	F		
Male		Total, perceived general health	130 ^E	210 ^E	130 ^E	
		Excellent or very good perceived general health	F	140 ^E	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
Perceived general health not specified ¹⁷		F	F	F		
Female	Total, perceived general health	180 ^E	290 ^E	270 ^E		
		F	210 ^E	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	120 ^E	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	F	130 ^E	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F
Inuk (Inuit)	Total, 6 years and over	Both sexes	Total, perceived general health	170 ^E	170 ^F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
	6 to 14 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
Male		Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
		Fair or poor perceived general health ¹⁶	F	F	F	
		Perceived general health not specified ¹⁷	F	F	F	
Female	Total, perceived general health	F	F	F		
		F	F	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	15 to 24 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	25 to 54 years	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
Very good perceived general health ¹⁴			F	F	F	
Good perceived general health ¹⁵			F	F	F	
Fair or poor perceived general health ¹⁶			F	F	F	
Perceived general health not specified ¹⁷		F	F	F		
Male		Total, perceived general health	F	F	F	
		Excellent or very good perceived general health	F	F	F	
		Excellent perceived general health ¹³	F	F	F	
		Very good perceived general health ¹⁴	F	F	F	
		Good perceived general health ¹⁵	F	F	F	
	Fair or poor perceived general health ¹⁶	F	F	F		
Perceived general health not specified ¹⁷	F	F	F			
Female	Total, perceived general health	F	F	F		
		F	F	F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
			Perceived general health not specified ¹⁷	F	F	F
	55 years and over	Both sexes	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Male	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
			Good perceived general health ¹⁵	F	F	F
			Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F	
		Female	Total, perceived general health	F	F	F
			Excellent or very good perceived general health	F	F	F
			Excellent perceived general health ¹³	F	F	F
			Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵		F	F	F	
	Fair or poor perceived general health ¹⁶		F	F	F	
	Perceived general health not specified ¹⁷	F	F	F		
	Age not specified or invalid ¹¹	Both sexes	Total, perceived general health	F
			Excellent or very good perceived general health	F
			Excellent perceived general health ¹³	F
Very good perceived general health ¹⁴			F	
Good perceived general health ¹⁵			F	
Fair or poor perceived general health ¹⁶			F	
Perceived general health not specified ¹⁷		F		
Male		Total, perceived general health	F	
		Excellent or very good perceived general health	F	
		Excellent perceived general health ¹³	F	
		Very good perceived general health ¹⁴	F	
		Good perceived general health ¹⁵	F	
	Fair or poor perceived general health ¹⁶	F		
Perceived general health not specified ¹⁷	F			
Female	Total, perceived general health	F		
		F		

Aboriginal identity ⁵	Age group ^{9, 10}	Sex	Perceived general health ^{4, 12}	2001	2006	2012
			Excellent or very good perceived general health			
			Excellent perceived general health ¹³	F
			Very good perceived general health ¹⁴	F
			Good perceived general health ¹⁵	F
			Fair or poor perceived general health ¹⁶	F
			Perceived general health not specified ¹⁷	F

[Back to original table](#)

Symbol legend:

- E Use with caution
- F Too unreliable to be published
- .. Not available

Footnotes:

1. Sources: Aboriginal Peoples Survey 2001, 2006, 2012.
2. This table was previously released March 30, 2015. This current version of the table has been modified from the original version by the addition of provincial and territorial data and the addition of data from the 2001 and 2006 Aboriginal Peoples Survey.
3. Excludes persons living on Indian reserves or settlements.
4. Perceived general health is an indicator of overall health status. Respondents were asked: "In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?".
5. Aboriginal identity includes persons living off reserve who reported being an Aboriginal person, that is, First Nations (North American Indian), Métis or Inuk (Inuit) and/or those who reported Registered or Treaty Indian status, that is registered under the Indian Act of Canada, and/or those who reported membership in a First Nation or Indian band. The sum of the categories included in this variable does not equal the total population estimate for Aboriginal identity because a person may have reported more than one Aboriginal identity (for example, a person could have self-identified as both First Nations and Métis), or a person may have reported Registered or Treaty Indian status or membership in a First Nation or Indian band without reporting any Aboriginal identity.
6. Atlantic includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia, and New Brunswick.
7. Registered or Treaty Indian status refers to whether or not a person reported being a Registered or Treaty Indian. Registered Indians are persons who are registered under the Indian Act of Canada. Treaty Indians are persons who belong to a First Nation or Indian band that signed a treaty with the Crown. Registered or Treaty Indians are sometimes also called Status Indians.
8. In 2001, item non-response ("Refusal", "Don't know", and "Not stated") and invalid responses to the question "Are you a Treaty Indian or a Registered Indian as defined by the Indian Act of Canada?" were not replaced with imputed values during data processing. In 2006, item non-response was replaced with values imputed from the 2006 Census. In 2012, item non-response was replaced with a "Yes" response if the respondent reported being registered as a Status Indian under Bill C-31 or Bill C-3. If not, item non-response was replaced by values imputed from the 2011 National Household Survey.
9. Age is derived from the respondent's date of birth. In 2001, the Census day of May 15, 2001 was used as the reference date to determine age. In 2006, age was determined from the Aboriginal Peoples Survey reference date of October 31, 2006, and in 2012, age was determined from the Aboriginal Peoples Survey reference date of February 1, 2012.
10. Proxy reporting was used in the 2012 Aboriginal Peoples Survey for most children aged 6 to 14 years, nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
11. In 2001, some respondents did not provide a date of birth, and some dates of birth that were provided were invalid. In such cases, the respondent's age was determined from 2001 Census data wherever possible. Otherwise, age was reported as being "not stated or invalid".
12. All percentages for the variable "perceived general health" are calculated using the number of persons in "total, perceived general health" as denominator.
13. This category includes persons who rated their health as "excellent" or whose health was rated as "excellent" by someone knowledgeable about them. This is the most positive rating on the perceived health scale, a five-point scale ranging from "excellent" to "poor".
14. This category includes persons who rated their health as "very good" or whose health was rated as "very good" by someone knowledgeable about them. This is one point on the perceived health scale, a five-point scale ranging from "excellent" to "poor". The rating "very good" comes between "excellent" and "good".
15. This category includes persons who rated their health as "good" or whose health was rated as "good" by someone knowledgeable about them. This is the midpoint on the perceived health scale which is a five-point scale ranging from "excellent" to "poor".
16. This category includes persons who rated their health as "fair" or "poor" or whose health was rated as "fair" or "poor" by someone knowledgeable about them. These are the most negative ratings on the perceived health scale, a five-point scale ranging from "excellent" to "poor".
17. "Perceived general health not specified" consists of item non-response ("Refusal", "Don't know", and "Not stated").
18. When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
19. Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
20. Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
21. The standard symbol (..) is used in this Statistics Canada table for figures not available for a specific reference period.

Source: Statistics Canada. *Table 577-0001 - Aboriginal peoples survey, perceived general health, by Aboriginal identity, age group and sex, population aged 6 years and over, Canada, provinces and territories, occasional*, CANSIM (database). (accessed:)

[Back to search](#)

Date modified: 2015-07-14