Statistics Canada Home > CANSIM

Table 577-0013 1, 2, 3, 4, 5, 6

Aboriginal peoples survey, perceived mental health and suicidal thoughts, by Aboriginal identity, age group and sex, population aged 18 years and over, Canada, provinces and territories occasional

 Data table
 Add/Remove data
 Manipulate
 Download
 Related information
 Help

 The data below is a part of CANSIM table
 577-0013.
 Use the Add/Remove data
 tab to customize your table.

 Selected items [Add/Remove data]

Aboriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts	2012
Fotal , Aboriginal identity	Total, 18 years and		Total, perceived mental health ^{4, 2}	6,720
	over		Excellent or very good perceived mental health ^{4, 2, 10}	4,010
			Good perceived mental health 4 2 11	1,900
			Fair or poor perceived mental health ^{4, 2, 12}	490
			Perceived mental health not specified ^{4, 2, 13}	320 ^E
			Total, suicidal thoughts ^{5. 14}	6,720
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	1,060
	sexes	Seriously considered committing suicide in the past 12 months $\frac{5}{14},\frac{16}{15}$	220	
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{18}}$	840
			Not specified, seriously considered committing suicide in the past 12 months $^{5\!-\!13\!-\!14\!-\!15}$	
			Never seriously considered committing suicide ^{5, 14}	5,310
			Not specified, seriously considered committing suicide $\frac{5\cdot 13\cdot 14}{14}$	350
			Total, perceived mental health 4-2	2,98
			Excellent or very good perceived mental health 4.9.10	1,78
			Good perceived mental health 4.2.11	87
			Fair or poor perceived mental health 4.9.12	140
			Perceived mental health not specified 4.2.13	180
			Total, suicidal thoughts ^{5, <u>14</u>}	2,98
		Male	Ever seriously considered committing suicide $\frac{5, 14, 15}{15}$	51
			Seriously considered committing suicide in the past 12 months $\frac{5}{14}$ $\frac{14}{15}$	120
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2}}$ 14 $^{\frac{15}{15}}$	38
			Not specified, seriously considered committing suicide in the past 12 months 5,13,14,15	
			Never seriously considered committing suicide ^{5, 14}	2,29
			Not specified, seriously considered committing suicide ^{5, 13, 14}	180
		Female	Total, perceived mental health 4. 2	3,74
			Excellent or very good perceived mental health 4, 2, 10	2,22
			Good perceived mental health 4-2-11	1,03
			Fair or poor perceived mental health ^{4, 2, 12}	350
			Perceived mental health not specified ^{4, 9, 13}	140
			Total, suicidal thoughts ^{5, 14}	3,740
			Ever seriously considered committing suicide ^{5, 14, 15}	550
			Seriously considered committing suicide in the past 12 months 3-14-15	1

original identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts	2012
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{214},\frac{15}{23}}$	450
			Not specified, seriously considered committing suicide in the past 12 months $^{\frac{5}{2},\frac{13}{14},\frac{15}{15}}$	F
			Never seriously considered committing suicide 5.14	3,030
			Not specified, seriously considered committing suicide 5, 13, 14	160 ^E
			Total, perceived mental health ^{4, 2}	1,360
			Excellent or very good perceived mental health ^{4, 9, 10}	800
			Good perceived mental health ^{4, 2, 11}	440
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ^{4, 9, 13}	F
			Total, suicidal thoughts ^{5. 14}	1,360
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	180
		sexes	Seriously considered committing suicide in the past 12 months 5, 14, 15	40 ^E
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	140 ^E
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	1,110
			Not specified, seriously considered committing suicide 5, 13, 14	F
			Total, perceived mental health 4-2	660
			Excellent or very good perceived mental health 4. 2. 10	390
			Good perceived mental health ^{4, 2, 11}	190
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified 4. 2. 13	F
			Total, suicidal thoughts ^{5, 14}	660
	18 to 24 years	Male	Ever seriously considered committing suicide ^{5, 14, 15}	60 ^E
	10 to 24 years	Male	Seriously considered committing suicide in the past 12 months 5. 14. 15	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15},\frac{15}{15}}$	F
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5,13,14,15}{15}$	F
			Never seriously considered committing suicide ^{5, 14}	540
			Not specified, seriously considered committing suicide 5, 13, 14	F
			Total, perceived mental health 4.2	700
			Excellent or very good perceived mental health ^{4, 2, 10}	420
			Good perceived mental health ^{4, 2, 11}	250
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	700
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	120 ^E
		Temale	Seriously considered committing suicide in the past 12 months 5. 14. 15	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2}}$ 14 15	100 ^E
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{15}$ $\frac{14}{15}$	F
			Never seriously considered committing suicide ^{5, 14}	570
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F

boriginal identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts Total, perceived mental health ^{4, 2}	2012
			Excellent or very good perceived mental health 4. 2. 10	2,440
			Good perceived mental health ^{4,2,11}	1,090
			Fair or poor perceived mental health ^{4 2 12}	310 ^E
	25 to 54 years		Perceived mental health not specified ^{4, 2, 13}	220 ^E
			Total, suicidal thoughts $\frac{5.14}{2}$	4,060
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	700
		sexes		180 ^E
			Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months $\stackrel{\geq}{\simeq} \frac{15\cdot10}{10}$	520
			Not specified, seriously considered committing suicide in the past 12 months قد فلا علاق ع	F
			Never seriously considered committing suicide $\frac{5}{2}$ 14	3,130
			Not specified, seriously considered committing suicide $^{\underline{5},\underline{13},\underline{14}}$	230 ^E
			Total, perceived mental health 4.2	1,790
			Excellent or very good perceived mental health 4. 2. 10	1,050
			Good perceived mental health 4, 2, 11	530
			Fair or poor perceived mental health ^{4, 2, 12}	90 ^E
		Male	Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5. 14}	1,790
	25 to 54 years		Ever seriously considered committing suicide ^{5, 14, 15}	360
	25 to 54 years		Seriously considered committing suicide in the past 12 months 5, 14, 15	100 ^E
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2}}$ $^{\frac{14}{15}}$	260
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide $\frac{5\cdot14}{2}$	1,310
			Not specified, seriously considered committing suicide 5. 13. 14	F
			Total, perceived mental health 4-2	2,270
			Excellent or very good perceived mental health 4-2-10	1,390
			Good perceived mental health 4-9-11	560
			Fair or poor perceived mental health ^{4, 9, 12}	220 ^E
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	2,270
		Famali	Ever seriously considered committing suicide ^{5, 14, 15}	340
		Female	Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months ^{2, 14, 15}	260
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	1,810
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
	55 years and over	Both	Total, perceived mental health ^{4, 2}	1,300
		sexes	Excellent or very good perceived mental health 4. 2. 10	760
			Good perceived mental health 4 2 11	370
			Fair or poor perceived mental health ^{4 2 12}	140 ^E
			Perceived mental health not specified ^{4, 2, 13}	F

Aboriginal identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts	2012
			Total, suicidal thoughts 5: 14	
			Ever seriously considered committing suicide ^{5, 14, 15}	180
			Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months $^{5,\frac{14}{15},\frac{15}{15}}$	170
			Not specified, seriously considered committing suicide in the past 12 months $^{5\cdot13\cdot14\cdot15}$	F
			Never seriously considered committing suicide ^{5, 14}	1,080
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
			Total, perceived mental health ^{4, 2}	53
			Excellent or very good perceived mental health ^{4, 2, 10}	34
			Good perceived mental health ^{4.9.11}	150
			Fair or poor perceived mental health 4.2.12	
			Perceived mental health not specified ^{4, 2, <u>13</u>}	
			Total, suicidal thoughts ^{5, 14}	53
		Male	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months $\frac{5}{16}$ $\frac{16}{15}$	
			Seriously considered committing suicide but not in the past 12 months ^{5, 16, 15}	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	43
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
			Total, perceived mental health 4-2	77
			Excellent or very good perceived mental health 4.2.10	42
			Good perceived mental health ^{4.9.11}	220
			Fair or poor perceived mental health 4.2.12	10
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	77
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months $\frac{5}{14}$ $\frac{14}{15}$	
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15},\frac{15}{15}}$	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5,14}	64
			Not specified, seriously considered committing suicide 5.13.14	
irst Nations (North American	Total, 18 years and	Both	Total, perceived mental health 4.2	2,77
ndian)	over	sexes	Excellent or very good perceived mental health ^{4, 9, 10}	1,66
			Good perceived mental health ^{4, 9, 11}	76
			Fair or poor perceived mental health ^{4, 2, 12}	200
			Perceived mental health not specified 4: 2: 13	150
			Total, suicidal thoughts ^{5, 14}	2,77
			Ever seriously considered committing suicide ^{5, 14, 15}	42
			Seriously considered committing suicide in the past 12 months	80
			Seriously considered committing suicide but not in the past 12	34
			months [£] ¹⁴ ¹⁵	

Aboriginal identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts Not specified, seriously considered committing suicide in the past 12 months 5: 13: 14: 15	2012
				2,190
			Never seriously considered committing suicide ^{5,14}	
			Not specified, seriously considered committing suicide ^{5, 13, 14}	160 ^E
			Total, perceived mental health 4-2	1,150
			Excellent or very good perceived mental health 4. 2. 10	680
			Good perceived mental health 4. 2. 11	350
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified 4.2.13	F
			Total, suicidal thoughts ^{5.14}	1,150
		Male	Ever seriously considered committing suicide $\frac{5.14.15}{15}$	230 ^E
			Seriously considered committing suicide in the past 12 months $\frac{5}{14}$ $\frac{14}{15}$	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{5}}$ $^{\frac{14}{15}}$	160 ^E
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	840
			Not specified, seriously considered committing suicide $^{\underline{5},\underline{13},\underline{14}}$	F
			Total, perceived mental health 4-2	1,620
			Excellent or very good perceived mental health 4. 9. 10	970
			Good perceived mental health 4. 2. 11	420
			Fair or poor perceived mental health ^{4, 2, 12}	160 ^E
			Perceived mental health not specified 4. 2. 13	F
			Total, suicidal thoughts ^{5, <u>14</u>}	1,620
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	190 ^E
		remaie	Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	170 ^E
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$, $\frac{13}{14}$, $\frac{15}{15}$	F
			Never seriously considered committing suicide ^{5, 14}	1,350
			Not specified, seriously considered committing suicide 5, 13, 14	F
	18 to 24 years		Total, perceived mental health 4.2	560
			Excellent or very good perceived mental health 4. 2. 10	330
			Good perceived mental health 4.2.11	170 ^E
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	560
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	60 ^E
		sexes	Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months $\frac{5}{2}$ $\frac{14}{15}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 12, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	450
			Not specified, seriously considered committing suicide 5, 13, 14	F
		Male	Total, perceived mental health ^{4, 2}	250 ^E
		INGLE	rotar, porceived mental nearth	

ooriginal identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts	2012 80 ^E
			Good perceived mental health 4 2 11	80- F
			Fair or poor perceived mental health 4 2.12	
			Perceived mental health not specified 4-2-13	F
			Total, suicidal thoughts ^{5, 14}	250 ^E
			Ever seriously considered committing suicide ^{5, 14, 15}	F
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{5},\frac{14}{5},\frac{15}{5}}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	180 ^E
			Not specified, seriously considered committing suicide 5, 13, 14	F
			Total, perceived mental health ^{4, 2}	310
			Excellent or very good perceived mental health 4.9.10	210 ^E
			Good perceived mental health ^{4, 2, 11}	90 ^E
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ⁴ ⁹ · ¹³	F
			Total, suicidal thoughts ^{5, 14}	310
				F
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	F
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{12}$. $\frac{13}{15}$	F
			Never seriously considered committing suicide ^{5, 14}	270
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
	25 to 54 years		Total, perceived mental health ^{4, 2}	1,740
			Excellent or very good perceived mental health ^{4.9.10}	1,080
			Good perceived mental health ^{4. 2. 11}	440
			Fair or poor perceived mental health ^{4.2.12}	130 ^E
			Perceived mental health not specified ^{4, 9, 13}	F
			Total, suicidal thoughts ^{5, 14}	1,740
			-	290 ^E
		Both sexes	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	210 ^E
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	1,370
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
		Male	Total, perceived mental health 4.2	710
			Excellent or very good perceived mental health 4. 9. 10	440
			Good perceived mental health ^{4, 2, 11}	210 ^E
				F
			Fair or poor perceived mental health 4 2 12	
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	710
			Ever seriously considered committing suicide ^{5, 14, 15}	160 ^E

boriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts	2012
			Seriously considered committing suicide in the past 12 months $\frac{5}{2}, \frac{14}{15}$	
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	100
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	530
			Not specified, seriously considered committing suicide 5.13.14	
			Total, perceived mental health 4.2	1,03
			Excellent or very good perceived mental health 4. 2. 19	64
			Good perceived mental health 4. 2. 11	23
			Fair or poor perceived mental health ^{4, 2, 12}	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	1,03
		Female	Ever seriously considered committing suicide ^{5, <u>14</u>, <u>15</u>}	13
		Female	Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months $\frac{5.14.15}{10}$	11
			Not specified, seriously considered committing suicide in the past 12 months $^{\frac{5}{5},\frac{13}{12},\frac{14}{15},\frac{15}{5}}$	
			Never seriously considered committing suicide ^{5, 14}	84
			Not specified, seriously considered committing suicide 5.13.14	
	55 years and over		Total, perceived mental health 4-2	4
			Excellent or very good perceived mental health 4.2.10	25
			Good perceived mental health 4.2.11	15
			Fair or poor perceived mental health ^{4, 2, 12}	
			Perceived mental health not specified 4. 2. 13	-
			Total, suicidal thoughts ^{5, 14}	4
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	
		sexes	Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	3
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
		Male	Total, perceived mental health 4-2	19
			Excellent or very good perceived mental health 4.9.10	13
			Good perceived mental health ^{4.2.11}	
			Fair or poor perceived mental health ⁴ ² ¹²	
			Perceived mental health not specified ^{4, 9, 13}	
			Total, suicidal thoughts ^{5, 14}	19
			Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{15}$ $\frac{14}{15}$	
			Never seriously considered committing suicide 5.14	140

boriginal identity≜	Age group	Sex	Perceived mental health and suicidal thoughts Not specified, seriously considered committing suicide ^{5, 13, 14}	2012
			Not specified, seriously considered committing suicide	280
				120
			Excellent or very good perceived mental health 4.9.10	90
			Good perceived mental health 4.2.11	,,,
			Fair or poor perceived mental health 4 2 12	
			Perceived mental health not specified 4.2.13	
			Total, suicidal thoughts ^{5.14}	280
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months 5. 14. 15	
			Seriously considered committing suicide but not in the past 12 months ⁵⁻¹⁴⁻¹⁵	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 12, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	240
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
<i>l</i> étis	Total, 18 years and over		Total, perceived mental health 4. 2	1,55
			Excellent or very good perceived mental health 4: 2: 10	97
			Good perceived mental health ^{4, 9, 11}	42
			Fair or poor perceived mental health 4. 2. 12	50
			Perceived mental health not specified 4. 2. 13	
			Total, suicidal thoughts ^{5, 14}	1,55
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	160
		sexes	Seriously considered committing suicide in the past 12 months 5. 14. 15	
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2}}$ $^{\frac{14}{15}}$	150
			Not specified, seriously considered committing suicide in the past 12 months $^{\underline{5},\underline{12},\underline{14},\underline{15}}$	
			Never seriously considered committing suicide ^{5, 14}	1,28
			Not specified, seriously considered committing suicide 5, 13, 14	
			Total, perceived mental health 4.2	78
			Excellent or very good perceived mental health 4. 2. 10	44
			Good perceived mental health 4.2.11	23
			Fair or poor perceived mental health ^{4 2 12}	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	78
			Ever seriously considered committing suicide ^{5, 14, 15}	
		Male	Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months ^{5,14,15}	
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{16}$ $\frac{14}{15}$	
			Never seriously considered committing suicide ^{5, 14}	63
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
		Female	Total, perceived mental health 4.2	76
			Excellent or very good perceived mental health 4. 9. 10	53
			Good perceived mental health ^{4, 2, 11}	190
			Fair or poor perceived mental health ⁴ ² ¹²	

ooriginal identity ^{&}	Age group	Sex	Perceived mental health and suicidal thoughts	201
			Perceived mental health not specified 4-2-13	
			Total, suicidal thoughts ^{5,14}	76
			Ever seriously considered committing suicide ^{5, 14, 15}	80
			Seriously considered committing suicide in the past 12 months 5. 14. 15	
			Seriously considered committing suicide but not in the past 12 months $^{5\!$	80
			Not specified, seriously considered committing suicide in the past 12 months ^{1,14} ¹⁵	
			Never seriously considered committing suicide ^{5, 14}	65
			Not specified, seriously considered committing suicide 5.13.14	
	18 to 24 years		Total, perceived mental health 4-2	28
			Excellent or very good perceived mental health ^{4, 2, 10}	17
			Good perceived mental health 4.2.11	8
			Fair or poor perceived mental health ^{4, 9, 12}	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5,14}	2
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	-
		sexes		
			Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months ² ¹⁴ ¹⁵	
			Not specified, seriously considered committing suicide in the past 12 months $^{5\cdot13\cdot14\cdot15}$	
			Never seriously considered committing suicide ^{5, 14}	2
			Not specified, seriously considered committing suicide 5.13.14	
			Total, perceived mental health 4-2	19
			Excellent or very good perceived mental health 4, 2, 10	11
			Good perceived mental health 4.2.11	
			Fair or poor perceived mental health ^{4, 2, 12}	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	19
			Ever seriously considered committing suicide ^{5, 14, 15}	
		Male	Seriously considered committing suicide in the past 12 months	
			5 16 15	
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{5},\frac{14}{15},\frac{15}{15}}$	
			Not specified, seriously considered committing suicide in the past 12 months 5 13 14 15	
			Never seriously considered committing suicide ^{5, 14}	16
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
		Female	Total, perceived mental health 4.2	9
			Excellent or very good perceived mental health 4.9.10	e
			Good perceived mental health ^{4.2.11}	-
			Fair or poor perceived mental health ⁴ ² ¹²	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	9
				- 7
			Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months 5, 15, 15	
				1

boriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts	2012
			Seriously considered committing suicide but not in the past 12 months $\frac{5}{214}$. If	
			Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{14}$ $\frac{16}{15}$	F
			Never seriously considered committing suicide ^{5, 14}	70 ^E
			Not specified, seriously considered committing suicide 5. 13. 14	F
			Total, perceived mental health ^{4, 2}	840
			Excellent or very good perceived mental health 4, 2, 10	520
			Good perceived mental health 4, 9, 11	230
			Fair or poor perceived mental health 4: 2: 12	F
			Perceived mental health not specified 4: 2: 13	F
			Total, suicidal thoughts ^{5, 14}	840
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	90 ^E
		sexes	Seriously considered committing suicide in the past 12 months $\frac{5}{14},\frac{16}{15}$	F
			Seriously considered committing suicide but not in the past 12 months 5 16 15	90 ^E
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	680
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
			Total, perceived mental health 4-2	410
			Excellent or very good perceived mental health ^{4, 2, 10}	210
			Good perceived mental health ^{4, 2, 11}	110
			Fair or poor perceived mental health ^{4, 2, 12}	1
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	410
	25 to 54 years	Male	Ever seriously considered committing suicide ^{5, 14, 15}	1
			Seriously considered committing suicide in the past 12 months	1
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15},\frac{15}{15}}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	300
			Not specified, seriously considered committing suicide ^{5, 13, 14}	ſ
			Total, perceived mental health 4.2	440
			Excellent or very good perceived mental health ^{4, 2, 10}	310
			Good perceived mental health 4. 2. 11	110
			Fair or poor perceived mental health ^{4, 2, 12}	1
			Perceived mental health not specified 4. 2. 13	1
			Total, suicidal thoughts ^{5, 14}	440
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	ŀ
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2}}$ $^{\frac{16}{12}}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 12, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	380
			Not specified, seriously considered committing suicide 5. 13. 14	F

Aboriginal identity [®]	Age group	Sex	Perceived mental health and suicidal thoughts	201
			Total, perceived mental health 4.2	280
			Excellent or very good perceived mental health 4. 2. 10	-
			Good perceived mental health 4. 2. 11	110
	Age group Image: State of the s		Fair or poor perceived mental health 4.2.12	
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5,14}	43
		Both sexes	Ever seriously considered committing suicide ^{5, 14, 15}	
			Seriously considered committing suicide in the past 12 months 5, 14, 15	
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15}}$	
			Not specified, seriously considered committing suicide in the past 12 months $^{5\cdot13\cdot14\cdot15}$	
			Never seriously considered committing suicide ^{5, 14}	3
			Not specified, seriously considered committing suicide $^{\underline{5},\underline{13},\underline{14}}$	
			Total, perceived mental health ^{4, 2}	19
			Excellent or very good perceived mental health 4.9, 10	12
			Good perceived mental health ^{4, 2, 11}	
			Fair or poor perceived mental health 4. 2. 12	
			Perceived mental health not specified 4. 2. 13	
			Total, suicidal thoughts ^{5, 14}	1
	55 years and over	Male	Ever seriously considered committing suicide ^{5, 14, 15}	
		Mare	Seriously considered committing suicide in the past 12 months 5. 14. 15	
			Seriously considered committing suicide but not in the past 12 months $\frac{5}{2}$ $\frac{14}{15}$	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	1
			Not specified, seriously considered committing suicide 5, 13, 14	
			Total, perceived mental health 4-2	2
			Excellent or very good perceived mental health ^{4, 2, 10}	1
			Good perceived mental health ^{4, 2, 11}	
			Fair or poor perceived mental health ^{4, 2, 12}	
			Perceived mental health not specified ^{4. 9. 13}	
			Total, suicidal thoughts ^{5.14}	2
		E	Ever seriously considered committing suicide ^{5, 14, 15}	
		Female	Seriously considered committing suicide in the past 12 months	
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	20
			Not specified, seriously considered committing suicide ^{5, 13, 14}	
uk (Inuit)	Total, 18 years and	Both	Total, perceived mental health ^{4, 2}	2,4
	over	sexes	Excellent or very good perceived mental health 4. 2. 10	1,4
			Good perceived mental health ^{4, 2, 11}	7
			Fair or poor perceived mental health 4 2-12	24
				10
			Perceived mental health not specified ^{4, 2, 13}	

riginal identity Age grou	p Sex	Perceived mental health and suicidal thoughts Total, suicidal thoughts ^{5, 14}	2012
		Ever seriously considered committing suicide ^{5, 14, 15}	490
		Seriously considered committing suicide in the past 12 months	130 ^E
		Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	360
		Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
		Never seriously considered committing suicide ^{5, 14}	1,880
		Not specified, seriously considered committing suicide 5. 13. 14	100 ^E
		Total, perceived mental health 4. 2	1,100
		Excellent or very good perceived mental health 4. 2. 10	670
		Good perceived mental health 4. 2. 11	320
		Fair or poor perceived mental health ^{4, 2, 12}	70 ^E
		Perceived mental health not specified 4, 2, 13	F
		Total, suicidal thoughts ^{5, 14}	1,100
	Male	Ever seriously considered committing suicide ^{5, 14, 15}	210
	mare	Seriously considered committing suicide in the past 12 months	50 ^E
		Seriously considered committing suicide but not in the past 12 months $^{\underline{b}\ \underline{14}, \underline{15}}$	160 ^E
		Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{15}$ $\frac{16}{15}$	F
		Never seriously considered committing suicide ^{5, 14}	840
		Not specified, seriously considered committing suicide 5. 13. 14	F
		Total, perceived mental health 4.2	1,380
		Excellent or very good perceived mental health 4, 2, 10	730
		Good perceived mental health 4. 2. 11	420
		Fair or poor perceived mental health ^{4, 9, 12}	170 ^E
		Perceived mental health not specified ^{4, 2, 13}	F
		Total, suicidal thoughts ^{5, 14}	1,380
	Female	Ever seriously considered committing suicide 5. 14. 15	280 ^E
	remaie	Seriously considered committing suicide in the past 12 months	F
		Seriously considered committing suicide but not in the past 12 months $\frac{5}{2}$ $\frac{14}{15}$	200 ^E
		Not specified, seriously considered committing suicide in the past 12 months $\frac{5}{2}$ $\frac{13}{16}$ $\frac{16}{15}$	F
		Never seriously considered committing suicide 5.14	1,040
		Not specified, seriously considered committing suicide 5. 13. 14	F
18 to 24		Total, perceived mental health 4.2	560
	sexes	Excellent or very good perceived mental health 4.2.10	320
		Good perceived mental health 4-2-11	200
		Fair or poor perceived mental health 4.2.12	F
		Perceived mental health not specified ^{4, 2, 13}	F
		Total, suicidal thoughts ^{5, 14}	560
		Ever seriously considered committing suicide ^{5, 14, 15}	100 ^E
		Seriously considered committing suicide in the past 12 months	F
		Seriously considered committing suicide but not in the past 12 months $\frac{2}{2}$ 14.15	70 ^E

Aboriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts Not specified, seriously considered committing suicide in the past	2012
			12 months ^{5, 13, 14, 15}	
			Never seriously considered committing suicide ^{5, 14}	450
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
			Total, perceived mental health 4.2	250
		Male	Excellent or very good perceived mental health ^{4, 2, 10}	170
			Good perceived mental health ^{4, 2, 11}	60 ^E
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	250
			Ever seriously considered committing suicide ^{5, 14, 15}	F
			Seriously considered committing suicide in the past 12 months $\frac{5}{14}$ $\frac{16}{15}$	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{5},\frac{14}{5},\frac{15}{5}}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	210
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
			Total, perceived mental health 4-2	310
			Excellent or very good perceived mental health 4.9.10	150 ^E
			Good perceived mental health 4. 2. 11	140
		Female	Fair or poor perceived mental health 4. 9, 12	F
			Perceived mental health not specified 4, 9, 13	F
			Total, suicidal thoughts ^{5, 14}	310
			Ever seriously considered committing suicide ^{5, 14, 15}	60 ^E
		, on all	Seriously considered committing suicide in the past 12 months $\frac{5}{14}$ $\frac{14}{15}$	F
			Seriously considered committing suicide but not in the past 12 months ^{& 10, 15}	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 12, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	240
			Not specified, seriously considered committing suicide $^{\underline{5},\underline{13},\underline{14}}$	F
25	25 to 54 years		Total, perceived mental health 4-2	1,490
			Excellent or very good perceived mental health 4.9.10	840
			Good perceived mental health 4. 2. 11	420
			Fair or poor perceived mental health 4. 2. 12	150 ^E
		Both sexes	Perceived mental health not specified 4. 2. 13	F
			Total, suicidal thoughts ^{5, 14}	1,490
			Ever seriously considered committing suicide ^{5, 14, 15}	330
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15},\frac{15}{15}}$	230
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 12, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	1,090
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
		Male	Total, perceived mental health 4. 2	680
			Excellent or very good perceived mental health ^{4, 9, 10}	410

Aboriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts Good perceived mental health ^{4, 2, 11}	2012 210
				210 F
			Fair or poor perceived mental health 4 2.12	F
			Perceived mental health not specified ^{4, 2, 13}	
			Total, suicidal thoughts ^{5, 14}	680
			Ever seriously considered committing suicide ^{5, 14, 15}	160 ^E
			Seriously considered committing suicide in the past 12 months 5. 16. 15	F
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	120 ^E
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
			Never seriously considered committing suicide ^{5, 14}	490
			Not specified, seriously considered committing suicide 5.13.14	F
			Total, perceived mental health 4-2	810
			Excellent or very good perceived mental health ^{4, 9, 10}	440
			Good perceived mental health ^{4, 9, 11}	210
			Fair or poor perceived mental health ^{4, 2, 12}	F
			Perceived mental health not specified ^{4, 9, 13}	F
			Total, suicidal thoughts ^{5, 14}	810
			Ever seriously considered committing suicide ^{5, 14, 15}	170 ^E
		Female	Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12	100 ^E
			months ^{£,14,15}	F
			Not specified, seriously considered committing suicide in the past 12 months 5 12 14 15	
			Never seriously considered committing suicide ^{5, 14}	600
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
	55 years and over		Total, perceived mental health ^{4, 2}	430
			Excellent or very good perceived mental health ^{4, 9, 10}	240 ^E
			Good perceived mental health 4.2.11	120 ^E
			Fair or poor perceived mental health 4. 2. 12	F
			Perceived mental health not specified ^{4, 2, 13}	F
			Total, suicidal thoughts ^{5, 14}	430
		Both	Ever seriously considered committing suicide ^{5, 14, 15}	F
		sexes	Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months ^{5, 14, 15}	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	F
		Male	Never seriously considered committing suicide ^{5, 14}	340
			Not specified, seriously considered committing suicide ^{5, 13, 14}	F
			Total, perceived mental health ^{4,2}	170 ^E
			Excellent or very good perceived mental health 4: 2:10	90 ^E
			Good perceived mental health ^{4,2,11}	F
				F
			Fair or poor perceived mental health 4 2 12	
			Perceived mental health not specified 4 9.13	170 ^E
			Total, suicidal thoughts ^{5.14}	170 ^E
		1	Ever seriously considered committing suicide 5. 14, 15	F

Aboriginal identity ⁶	Age group	Sex	Perceived mental health and suicidal thoughts	2012
			Seriously considered committing suicide in the past 12 months 5. 14. 15	
			Seriously considered committing suicide but not in the past 12 months $\frac{5 \cdot 14 \cdot 15}{15}$	F
			Not specified, seriously considered committing suicide in the past 12 months ^{5, 13, 14, 15}	I
			Never seriously considered committing suicide ^{5, 14}	140
			Not specified, seriously considered committing suicide 5. 13. 14	1
			Total, perceived mental health 4-2	260
			Excellent or very good perceived mental health 4: 9:10	150
			Good perceived mental health 4. 2. 11	
			Fair or poor perceived mental health 4 2 12	1
			Perceived mental health not specified 4. 2. 13	1
			Total, suicidal thoughts ^{5.14}	260
		Female	Ever seriously considered committing suicide ^{5, 14, 15}	1
			Seriously considered committing suicide in the past 12 months	F
			Seriously considered committing suicide but not in the past 12 months $^{\frac{5}{2},\frac{14}{15},\frac{15}{15}}$	F
			Not specified, seriously considered committing suicide in the past 12 months $^{\frac{5}{2},\frac{13}{14},\frac{15}{5}}$	F
			Never seriously considered committing suicide ^{5, 14}	210 ⁴
			Not specified, seriously considered committing suicide 5. 13. 14	F

Symbol legend:

Back to original table

Use with caution Too unreliable to be published

Footnotes:

- Source: Aboriginal Peoples Survey 2012.
- 2. This table was previously released March 30, 2015. This current version of the table has been modified from the original version by (1) the addition of provincial and territorial data, (2) the recalculation of some percentages, based on the overall total for the variable (see footnotes 9 and 14), and (3) the change of the theme "Perceived mental health and suicidal thoughts and attempts" to "Perceived mental health and suicidal thoughts". Sub-categories of "Seriously considered committing suicide in the past 12 months", which indicated whether or not the person had ever attempted suicide, have been removed. 3
- Excludes persons living on Indian reserves or settlements. Perceived mental health refers to the perception of a person's mental health in general. The question on perceived mental health was only asked of respondents 4. who completed their own (non-proxy) interviews. Respondents were asked "In general, would you say your mental health is... Excellent? Very good? Good? Fair? Poor?"
- Questions on suicidal thoughts were only asked of respondents who completed their own (non-proxy) interviews. Respondents were asked "Have you ever seriously 5.
- considered committing suicide or taking your own life?". Aboriginal identity includes persons living off reserve who reported being an Aboriginal person, that is, First Nations (North American Indian), Métis or Inuk (Inuit) and/or those who reported Registered or Treaty Indian status, that is registered under the Indian Act of Canada, and/or those who reported membership in a First 6. Nation or Indian band. The sum of the categories included in this variable is greater than the total population estimate for Aboriginal identity because a person may have reported more than one Aboriginal identity: for example, a person could self-identify as both First Nations and Métis.
- Atlantic includes Newfoundland and Labrador, Prince Edward Island, Nova Scotia, and New Brunswick.
- Registered or Treaty Indian status refers to whether or not a person reported being a Registered or Treaty Indian. Registered Indians are persons who are registered under the Indian Act of Canada. Treaty Indians are persons who belong to a First Nation or Indian band that signed a treaty with the Crown. Registered 8. or Treaty Indians are sometimes also called Status Indians.
- All percentages for the component "perceived mental health" are calculated using the number of persons in "total, perceived mental health" as denominator. This category includes persons who rated their mental health as "excellent" or "very good". These are the most positive ratings on the perceived mental health 10. scale, a five-point scale ranging from "excellent" to "poor"
- This category includes persons who rated their mental health as "good". This is the midpoint on the perceived mental health scale which is a five-point scale ranging from "excellent" to "poor". 11.
- 12. This category includes persons who rated their mental health as "fair" or "poor". These are the most negative ratings on the perceived mental health scale, a fivepoint scale ranging from "excellent" to "poor". "Not specified" categories consist of item non-response ("Refusal", "Don't know", and "Not stated").
- 13.
- All percentages for the component "suicidal thoughts" are calculated using the number of persons in "total, suicidal thoughts" as denominator. 14.
- Respondents who said they had ever seriously considered committing suicide or taking their own life were asked: "Has this happened in the past 12 months?". Bootstrapping techniques were used to produce the coefficient of variation (CV). 15.
- 16.
- Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution. 17.
- Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability. 18.

Source: Statistics Canada. Table 577-0013 - Aboriginal peoples survey, perceived mental health and suicidal thoughts, by Aboriginal identity, age group and sex, population aged 18 years and over, Canada, provinces and territories, occasional, CANSIM (database). (accessed:) ack to search

Date modified: 2015-07-14