

Perceived general health, Inuit population, by Inuit region of residence ^{1 2 3 4}

Table: 41-10-0002-01 (formerly CANSIM 577-0002)

Geography: Canada, Province or territory

Age group ^{9 10}	Sex	Perceived general health ^{11 12}	Inuit Nunangat ⁴ Number of persons		
			2001	2006	2012
Total, 6 years and over	Both sexes	Total, perceived general health	31 380	33 910	37 650
		Excellent or very good perceived general health	19 210	18 230	17 350
		Excellent perceived general health ¹³	10 880	8 710	8 450
		Very good perceived general health ¹⁴	8 330	9 520	8 900
		Good perceived general health ¹⁵	9 340	10 920	12 840
		Fair or poor perceived general health ¹⁶	2 790	4 510	5 020
		Perceived general health not specified ¹⁷	F	260	2 430
	Male	Total, perceived general health	15 580	17 390	18 180
		Excellent or very good perceived general health	9 620	9 910	8 960
		Excellent perceived general health ¹³	5 550	4 760	4 500
		Very good perceived general health ¹⁴	4 070	5 150	4 460
		Good perceived general health ¹⁵	4 610	5 220	5 790
		Fair or poor perceived general health ¹⁶	1 310	2 120	2 340
	Female	Total, perceived general health	15 800	16 530	19 470
		Excellent or very good perceived general health	9 580	8 310	8 390
		Excellent perceived general health ¹³	5 320	3 940	3 950
		Very good perceived general health ¹⁴	4 260	4 370	4 440
		Good perceived general health ¹⁵	4 730	5 700	7 050
Fair or poor perceived general health ¹⁶		1 480	2 390	2 690	
6 to 14 years	Both sexes	Total, perceived general health	9 100	8 790	8 760
		Excellent or very good perceived general health	6 850	6 310	6 570
		Excellent perceived general health ¹³	4 610	3 940	4 130
		Very good perceived general health ¹⁴	2 240	2 360	2 440
		Good perceived general health ¹⁵	1 880	2 030	1 430
		Fair or poor perceived general health ¹⁶	340	400E	290E
		Perceived general health not specified ¹⁷	F	F	480
	Male	Total, perceived general health	4 590	4 790	4 660
		Excellent or very good perceived general health	3 450	3 560	3 460
		Excellent perceived general health ¹³	2 320	2 210	2 220
		Very good perceived general health ¹⁴	1 120	1 350	1 230
		Good perceived general health ¹⁵	940	1 040	840
		Fair or poor perceived general health ¹⁶	170E	160E	170E
	Female	Total, perceived general health	4 520	4 010	4 100
		Excellent or very good perceived general health	3 400	2 750	3 110
		Excellent perceived general health ¹³	2 290	1 740	1 910
		Very good perceived general health ¹⁴	1 110	1 010	1 210
		Good perceived general health ¹⁵	950	1 000	590
Fair or poor perceived general health ¹⁶		170	250E	120E	
15 to 24 years	Both sexes	Total, perceived general health	6 900	8 640	9 260
		Excellent or very good perceived general health	4 340	4 570	4 240
		Excellent perceived general health ¹³	2 400	2 050	1 960
		Very good perceived general health ¹⁴	1 930	2 520	2 280
		Good perceived general health ¹⁵	2 200	3 130	3 480
		Fair or poor perceived general health ¹⁶	360	810	750
		Perceived general health not specified ¹⁷	F	120E	800
	Male	Total, perceived general health	3 440	4 390	4 420
		Excellent or very good perceived general health	2 190	2 440	2 020

		Excellent perceived general health ¹³	1 270	1 070	950
		Very good perceived general health ¹⁴	910	1 380	1 060
		Good perceived general health ¹⁵	1 100	1 450	1 610
		Fair or poor perceived general health ¹⁶	150E	430	440E
		Perceived general health not specified ¹⁷	F	70E	360E
	Female	Total, perceived general health	3 470	4 250	4 840
		Excellent or very good perceived general health	2 150	2 130	2 220
		Excellent perceived general health ¹³	1 130	990	1 000
		Very good perceived general health ¹⁴	1 020	1 140	1 210
		Good perceived general health ¹⁵	1 100	1 690	1 870
		Fair or poor perceived general health ¹⁶	220	380E	310E
		Perceived general health not specified ¹⁷	F	F	440E
25 to 54 years	Both sexes	Total, perceived general health	12 700	13 230	15 680
		Excellent or very good perceived general health	7 210	6 340	5 760
		Excellent perceived general health ¹³	3 550	2 260	2 140
		Very good perceived general health ¹⁴	3 660	4 080	3 630
		Good perceived general health ¹⁵	4 220	4 690	6 370
		Fair or poor perceived general health ¹⁶	1 260	2 130	2 680
		Perceived general health not specified ¹⁷	F	70E	870
	Male	Total, perceived general health	6 210	6 480	7 600
		Excellent or very good perceived general health	3 560	3 270	3 120
		Excellent perceived general health ¹³	1 750	1 210	1 240
		Very good perceived general health ¹⁴	1 810	2 060	1 870
		Good perceived general health ¹⁵	2 070	2 220	2 760
		Fair or poor perceived general health ¹⁶	580	970	1 340
		Perceived general health not specified ¹⁷	F	F	380E
	Female	Total, perceived general health	6 490	6 740	8 080
		Excellent or very good perceived general health	3 650	3 070	2 650
		Excellent perceived general health ¹³	1 800	1 050	890
		Very good perceived general health ¹⁴	1 850	2 020	1 750
		Good perceived general health ¹⁵	2 150	2 470	3 610
		Fair or poor perceived general health ¹⁶	680	1 160	1 340
		Perceived general health not specified ¹⁷	F	50E	490
55 years and over	Both sexes	Total, perceived general health	2 660	3 250	3 940
		Excellent or very good perceived general health	810	1 010	790
		Excellent perceived general health ¹³	310	450	230E
		Very good perceived general health ¹⁴	500	560	560E
		Good perceived general health ¹⁵	1 020	1 060	1 560
		Fair or poor perceived general health ¹⁶	830	1 160	1 310
		Perceived general health not specified ¹⁷	F	F	F
	Male	Total, perceived general health	1 350	1 730	1 490
		Excellent or very good perceived general health	430	630	370E
		Excellent perceived general health ¹³	210	280	80E
		Very good perceived general health ¹⁴	230E	350	290E
		Good perceived general health ¹⁵	500	520	580E
		Fair or poor perceived general health ¹⁶	410	560	390E
		Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	1 310	1 530	2 450
		Excellent or very good perceived general health	370	370	410E
		Excellent perceived general health ¹³	100E	170	F
		Very good perceived general health ¹⁴	270	200	270E
		Good perceived general health ¹⁵	520	540	980E
		Fair or poor perceived general health ¹⁶	420	600	920E
		Perceived general health not specified ¹⁷	F	F	F
Age not specified or invalid ¹⁸	Both sexes	Total, perceived general health	F	F	F
		Excellent or very good perceived general health	F	F	F
		Excellent perceived general health ¹³	F	F	F
		Very good perceived general health ¹⁴	F	F	F
		Good perceived general health ¹⁵	F	F	F

	Fair or poor perceived general health ¹⁶	F	F	F
	Perceived general health not specified ¹⁷	F	F	F
Male	Total, perceived general health	F	F	F
	Excellent or very good perceived general health	F	F	F
	Excellent perceived general health ¹³	F	F	F
	Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵	F	F	F
	Fair or poor perceived general health ¹⁶	F	F	F
Female	Perceived general health not specified ¹⁷	F	F	F
	Total, perceived general health	F	F	F
	Excellent or very good perceived general health	F	F	F
	Excellent perceived general health ¹³	F	F	F
	Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵	F	F	F
	Fair or poor perceived general health ¹⁶	F	F	F
	Perceived general health not specified ¹⁷	F	F	F

F : too unreliable to be published.

E : use with caution

Footnotes:

- ¹ Sources: Aboriginal Peoples Survey 2001, 2006, 2012.
- ² Perceived general health is an indicator of overall health status. Respondents were asked: 'In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?.'
- ³ The Inuit population includes persons who reported being 'Inuk (Inuit)' in the Aboriginal Peoples Survey either as their only Aboriginal identity or as part of a multiple identity including 'Inuk (Inuit)' and 'First Nations' and/or 'Métis'.
- ⁴ Inuit Nunangat is the homeland of Inuit of Canada. It includes communities in Nunatsiavut (Northern coastal Labrador), Nunavik (Northern Quebec), the territory of Nunavut and the Inuvialuit region (Northwest Territories). These regions collectively encompass the area traditionally occupied by Inuit in Canada.
- ⁵ When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- ⁶ Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- ⁷ Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
- ⁸ The standard symbol (..) is used in this Statistics Canada table for figures not available for a specific reference period.
- ⁹ Age is derived from the respondent's date of birth. In 2001, the Census day of May 15, 2001 was used as the reference date to determine age. In 2006, age was determined from the Aboriginal Peoples Survey reference date of October 31, 2006, and in 2012, age was determined from the Aboriginal Peoples Survey reference date of February 1, 2012.
- ¹⁰ Proxy reporting was used in the 2012 Aboriginal Peoples Survey for most children aged 6 to 14 years, nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
- ¹¹ Perceived general health is an indicator of overall health status. Respondents were asked: "In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?."
- ¹² All percentages for the variable "perceived general health" are calculated using the number of persons in "total, perceived general health" as denominator.

- 13 This category includes persons who rated their health as 'excellent' or whose health was rated as 'excellent' by someone knowledgeable about them. This is the most positive rating on the perceived health scale, a five-point scale ranging from 'excellent' to 'poor'.
- 14 This category includes persons who rated their health as 'very good' or whose health was rated as 'very good' by someone knowledgeable about them. This is one point on the perceived health scale, a five-point scale ranging from 'excellent' to 'poor'. The rating 'very good' comes between 'excellent' and 'good'.
- 15 This category includes persons who rated their health as 'good' or whose health was rated as 'good' by someone knowledgeable about them. This is the midpoint on the perceived health scale which is a five-point scale ranging from 'excellent' to 'poor'.
- 16 This category includes persons who rated their health as 'fair' or 'poor' or whose health was rated as 'fair' or 'poor' by someone knowledgeable about them. These are the most negative ratings on the perceived health scale, a five-point scale ranging from 'excellent' to 'poor'.
- 17 'Perceived general health not specified' consists of item non-response ('Refusal', 'Don't know', and 'Not stated').
- 18 In 2001, some respondents did not provide a date of birth, and some dates of birth that were provided were invalid. In such cases, the respondent's age was determined from 2001 Census data wherever possible. Otherwise, age was reported as being 'not stated or invalid'.

How to cite: Statistics Canada. Table 41-10-0002-01 Perceived general health, Inuit population, by Inuit region of residence

<https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=4110000201>