

Perceived general health, Inuit population, by Inuit region of residence ^{1 2 3 4}

Table: 41-10-0002-01 (formerly CANSIM 577-0002)

Geography: Canada, Province or territory

Age group ^{9 10}	Sex	Perceived general health ^{11 12}	Nunavut Number of persons		
			2001	2006	2012
Total, 6 years and over	Both sexes	Total, perceived general health	18 740	21 110	23 270
		Excellent or very good perceived general health	11 710	11 570	10 850
		Excellent perceived general health ¹³	7 140	5 760	5 660
		Very good perceived general health ¹⁴	4 570	5 810	5 190
		Good perceived general health ¹⁵	5 480	6 630	8 030
		Fair or poor perceived general health ¹⁶	1 530	2 780	3 350
		Perceived general health not specified ¹⁷	F	130E	1 040
	Male	Total, perceived general health	9 360	10 850	11 140
		Excellent or very good perceived general health	5 830	6 380	5 570
		Excellent perceived general health ¹³	3 610	3 220	3 020
		Very good perceived general health ¹⁴	2 220	3 160	2 550
		Good perceived general health ¹⁵	2 750	3 130	3 490
		Fair or poor perceived general health ¹⁶	760	1 290	1 600
		Perceived general health not specified ¹⁷	F	F	480E
	Female	Total, perceived general health	9 380	10 260	12 140
		Excellent or very good perceived general health	5 880	5 190	5 280
		Excellent perceived general health ¹³	3 530	2 540	2 640
		Very good perceived general health ¹⁴	2 350	2 650	2 640
		Good perceived general health ¹⁵	2 730	3 500	4 540
		Fair or poor perceived general health ¹⁶	780	1 490	1 760
		Perceived general health not specified ¹⁷	F	80E	560E
6 to 14 years	Both sexes	Total, perceived general health	5 590	5 620	5 610
		Excellent or very good perceived general health	4 190	4 070	4 350
		Excellent perceived general health ¹³	2 960	2 660	2 940
		Very good perceived general health ¹⁴	1 230	1 410	1 400
		Good perceived general health ¹⁵	1 190	1 230	850
		Fair or poor perceived general health ¹⁶	190E	280E	240E
		Perceived general health not specified ¹⁷	F	F	180E
	Male	Total, perceived general health	2 870	3 040	3 080
		Excellent or very good perceived general health	2 130	2 340	2 390
		Excellent perceived general health ¹³	1 490	1 530	1 650
		Very good perceived general health ¹⁴	640	810	740
		Good perceived general health ¹⁵	600	580	490
		Fair or poor perceived general health ¹⁶	110E	F	F
		Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	2 730	2 580	2 540
		Excellent or very good perceived general health	2 060	1 730	1 960
		Excellent perceived general health ¹³	1 470	1 130	1 300
		Very good perceived general health ¹⁴	590	600	660
		Good perceived general health ¹⁵	590	650	370E
		Fair or poor perceived general health ¹⁶	80E	180E	F
		Perceived general health not specified ¹⁷	F	F	F
15 to 24 years	Both sexes	Total, perceived general health	4 150	5 310	5 660
		Excellent or very good perceived general health	2 720	2 760	2 650
		Excellent perceived general health ¹³	1 650	1 260	1 350
		Very good perceived general health ¹⁴	1 070	1 500	1 300
		Good perceived general health ¹⁵	1 220	1 980	2 200
		Fair or poor perceived general health ¹⁶	210E	530	510E
		Perceived general health not specified ¹⁷	F	F	310E
	Male	Total, perceived general health	2 050	2 710	2 560
		Excellent or very good perceived general health	1 350	1 500	1 160
		Excellent perceived general health ¹³	880	670	610
		Very good perceived general health ¹⁴	470	830	550E

		Good perceived general health ¹⁵	600	920	980
		Fair or poor perceived general health ¹⁶	90E	270	310E
		Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	2 100	2 600	3 100
		Excellent or very good perceived general health	1 370	1 260	1 490
		Excellent perceived general health ¹³	770	590	740
		Very good perceived general health ¹⁴	600	670	750
		Good perceived general health ¹⁵	610	1 060	1 210
		Fair or poor perceived general health ¹⁶	110E	260E	190E
		Perceived general health not specified ¹⁷	F	F	210E
25 to 54 years	Both sexes	Total, perceived general health	7 510	8 240	9 610
		Excellent or very good perceived general health	4 340	4 110	3 540
		Excellent perceived general health ¹³	2 300	1 530	1 330
		Very good perceived general health ¹⁴	2 030	2 580	2 210
		Good perceived general health ¹⁵	2 460	2 820	3 980
		Fair or poor perceived general health ¹⁶	710	1 280	1 750
		Perceived general health not specified ¹⁷	F	40E	350E
	Male	Total, perceived general health	3 630	4 100	4 770
		Excellent or very good perceived general health	2 070	2 150	1 930
		Excellent perceived general health ¹³	1 100	830	770
		Very good perceived general health ¹⁴	970	1 320	1 170
		Good perceived general health ¹⁵	1 240	1 370	1 710
		Fair or poor perceived general health ¹⁶	330	570	950
		Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	3 880	4 140	4 840
		Excellent or very good perceived general health	2 270	1 960	1 610
		Excellent perceived general health ¹³	1 210	700	560E
		Very good perceived general health ¹⁴	1 060	1 260	1 050
		Good perceived general health ¹⁵	1 230	1 450	2 270
		Fair or poor perceived general health ¹⁶	380	710	800
		Perceived general health not specified ¹⁷	F	F	F
55 years and over	Both sexes	Total, perceived general health	1 500	1 940	2 380
		Excellent or very good perceived general health	450	630	320E
		Excellent perceived general health ¹³	220E	310	F
		Very good perceived general health ¹⁴	240E	310	280E
		Good perceived general health ¹⁵	610	610	1,000E
		Fair or poor perceived general health ¹⁶	430	680	870E
		Perceived general health not specified ¹⁷	F	F	F
	Male	Total, perceived general health	810	1 000	730E
		Excellent or very good perceived general health	270	390	F
		Excellent perceived general health ¹³	140E	190E	F
		Very good perceived general health ¹⁴	130E	200E	F
		Good perceived general health ¹⁵	310	270	F
		Fair or poor perceived general health ¹⁶	230E	330E	F
		Perceived general health not specified ¹⁷	F	F	F
	Female	Total, perceived general health	680	940	1 650
		Excellent or very good perceived general health	180E	240	F
		Excellent perceived general health ¹³	80E	120E	F
		Very good perceived general health ¹⁴	100E	120E	F
		Good perceived general health ¹⁵	300	340	690E
		Fair or poor perceived general health ¹⁶	210E	350	670E
		Perceived general health not specified ¹⁷	F	F	F
Age not specified or invalid ¹⁸	Both sexes	Total, perceived general health	F	F	F
		Excellent or very good perceived general health	F	F	F
		Excellent perceived general health ¹³	F	F	F
		Very good perceived general health ¹⁴	F	F	F
		Good perceived general health ¹⁵	F	F	F
		Fair or poor perceived general health ¹⁶	F	F	F
		Perceived general health not specified ¹⁷	F	F	F

Male	Total, perceived general health	F	F	F
	Excellent or very good perceived general health	F	F	F
	Excellent perceived general health ¹³	F	F	F
	Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵	F	F	F
	Fair or poor perceived general health ¹⁶	F	F	F
Female	Perceived general health not specified ¹⁷	F	F	F
	Total, perceived general health	F	F	F
	Excellent or very good perceived general health	F	F	F
	Excellent perceived general health ¹³	F	F	F
	Very good perceived general health ¹⁴	F	F	F
	Good perceived general health ¹⁵	F	F	F
	Fair or poor perceived general health ¹⁶	F	F	F
Perceived general health not specified ¹⁷	F	F	F	

F : too unreliable to be published.

E : use with caution

Footnotes:

- 1 Sources: Aboriginal Peoples Survey 2001, 2006, 2012.
- 2 Perceived general health is an indicator of overall health status. Respondents were asked: 'In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?.'
- 3 The Inuit population includes persons who reported being 'Inuk (Inuit)' in the Aboriginal Peoples Survey either as their only Aboriginal identity or as part of a multiple identity including 'Inuk (Inuit)' and 'First Nations' and/or 'Métis'.
- 4 Inuit Nunangat is the homeland of Inuit of Canada. It includes communities in Nunatsiavut (Northern coastal Labrador), Nunavik (Northern Quebec), the territory of Nunavut and the Inuvialuit region (Northwest Territories). These regions collectively encompass the area traditionally occupied by Inuit in Canada.
- 5 When comparing estimates, it is important to use confidence intervals to determine if differences between values are statistically significant. Confidence intervals describe sampling variability and give an indication of the precision of a given estimate. Bootstrapping techniques were used to produce the coefficient of variation (CV) and 95% confidence intervals (CIs).
- 6 Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by an (E) and should be interpreted with caution.
- 7 Data with a coefficient of variation (CV) greater than 33.3% were suppressed (F) due to extreme sampling variability.
- 8 The standard symbol (..) is used in this Statistics Canada table for figures not available for a specific reference period.
- 9 Age is derived from the respondent's date of birth. In 2001, the Census day of May 15, 2001 was used as the reference date to determine age. In 2006, age was determined from the Aboriginal Peoples Survey reference date of October 31, 2006, and in 2012, age was determined from the Aboriginal Peoples Survey reference date of February 1, 2012.
- 10 Proxy reporting was used in the 2012 Aboriginal Peoples Survey for most children aged 6 to 14 years, nearly half of youth aged 15 to 17 years and for adults in certain specific situations (for example when the selected adult was not able to answer for health related reasons, due to a language barrier, or because the selected respondent was going to be away from home for the duration of the survey.)
- 11 Perceived general health is an indicator of overall health status. Respondents were asked: "In general, would you say your health is... Excellent? Very good? Good? Fair? Poor?."
- 12 All percentages for the variable "perceived general health" are calculated using the number of persons in "total, perceived general health" as denominator.

- ¹³ This category includes persons who rated their health as 'excellent' or whose health was rated as 'excellent' by someone knowledgeable about them. This is the most positive rating on the perceived health scale, a five-point scale ranging from 'excellent' to 'poor'.
- ¹⁴ This category includes persons who rated their health as 'very good' or whose health was rated as 'very good' by someone knowledgeable about them. This is one point on the perceived health scale, a five-point scale ranging from 'excellent' to 'poor'. The rating 'very good' comes between 'excellent' and 'good'.
- ¹⁵ This category includes persons who rated their health as 'good' or whose health was rated as 'good' by someone knowledgeable about them. This is the midpoint on the perceived health scale which is a five-point scale ranging from 'excellent' to 'poor'.
- ¹⁶ This category includes persons who rated their health as 'fair' or 'poor' or whose health was rated as 'fair' or 'poor' by someone knowledgeable about them. These are the most negative ratings on the perceived health scale, a five point scale ranging from 'excellent' to 'poor'.
- ¹⁷ 'Perceived general health not specified' consists of item non-response ('Refusal', 'Don't know', and 'Not stated').
- ¹⁸ In 2001, some respondents did not provide a date of birth, and some dates of birth that were provided were invalid. In such cases, the respondent's age was determined from 2001 Census data wherever possible. Otherwise, age was reported as being 'not stated or invalid'.

How to cite: Statistics Canada. Table 41-10-0002-01 Perceived general health, Inuit population, by Inuit region of residence

<https://www150.statcan.gc.ca/t1/tb1/en/tv.action?pid=4110000201>