

## Depressive symptoms by sex, education and income quintiles 2015

	Proportion (%)									95% confidence interval (+/-)								
	Total			Major depressive symptoms			Other depressive symptoms			Total			Major depressive symptoms			Other depressive symptoms		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	8,8	6,8	10,8	4,3	2,9	5,8	4,5	3,9	5,0	0,9	1,2	1,4	0,6	0,8	1,1	0,7	0,9	1,0
Primary education	14,4	12,9	15,9	8,7	7,6	9,9	5,6	5,3	6,0	3,1	4,2	4,5	2,5	3,3	3,8	2,0	2,8	2,9
Secondary education	7,4	4,7	10,6	4,3	2,7	6,2	3,1	2,0	4,4	1,7	1,9	3,0	1,3	1,5	2,3	1,2	1,3	2,0
Tertiary education	4,4	4,1	4,7	2,0	0,6	2,9	2,4	3,5	1,7	1,4	2,3	1,9	1,0	0,9	1,5	1,0	2,1	1,1
Bottom income quintile	12,5	11,6	13,4	6,0	4,4	7,6	6,5	7,2	5,8	2,5	3,5	3,6	1,8	2,2	2,8	1,9	2,8	2,4
Second income quintile	12,5	8,5	16,2	6,2	3,3	8,8	6,3	5,1	7,4	2,4	3,1	3,7	1,7	1,9	2,7	1,8	2,4	2,7
Third income quintile	8,9	7,3	10,5	4,6	3,7	5,5	4,3	3,6	4,9	2,1	2,8	3,1	1,5	2,0	2,2	1,6	2,1	2,2
Fourth income quintile	6,5	4,1	8,9	3,2	1,6	4,8	3,3	2,5	4,1	1,8	2,1	2,9	1,3	1,3	2,2	1,3	1,7	2,0
Top income quintile	3,8	3,0	4,6	1,6	1,3	2,0	2,1	1,7	2,6	1,4	1,7	2,3	0,9	1,2	1,5	1,0	1,3	1,7

The Health Interview Survey covers people from the age of 15. For analysis using education who adopt a shorter age-span, 25-64 years old

Latest update: 20170227 09:00

Source: European Health Interview Survey

Units: Percentage

Reference period: 2015